FLEXIBLE ADMIXTURE

Superior Flexible Grout Admixture is the lastest acrylic polymer technology designed to give Superior Sanded and Unsanded grouts improved performance. This state-of-the-art additive reduces cracking of grout by absorbing substrate movement, improves dispersion of pigments, provides stain resistance, reduces water absorption, and is designed for interior and exterior applications.

Key Features

- Blend of acrylic latex to enable excellent freeze thaw resistance when combined with any thin-set
- Improves adhesion and flexibility for all standard performance grouts.
- Enables superior interior and exterior performance when combined with any standard performance grout

Installation

Packaging: 32 oz., 64 oz., and 128 oz. **Mixing Ratio:** Use Admixture, not water

Coverage: Refer to the directions on the label of

Superior Pro-Grout for instructions

Related Products

- Floor Mix
- TruBlue Float
- Thinsets
- Margin Trowel
- Sanded GroutUnsanded Grout

Application Tips

- New grout needs to cure at least 48 hours prior to application
- Avoid contact with skin. If contact occurs, wash with soap and water
- Always test products in an inconspicuous area prior to general use
- Use and store sealer between 50° and 80° F

Steps to Mix Admixture

- Select grout color and mix with Flexible Admixture using a margin trowel or spiral mixer to avoid over-mixing. Mix only what can be used in a 25 minute time frame.
- Allow mixed grout to slake for 10 minute; then remix prior to using. The consistency should be that of toothpaste.
- 3 Use recommended amount of liquid as indicated on grouting package. For recommended stone installations, pre-seal the stone prior to grouting.
- Use a damp sponge to clean off excess grout from the tile; be sure to avoid watering down the grout which may change the color.
- 5 Let the grout cure for 48 72 hours (if using Admix) prior to applying sealer to the grout. Seal stone tile depending on customer selections. If using water, wait 30 days.



