
baby jogger®

BABY JOGGER® / GRACO®

car seat adapter

adaptador del asiento de automóvil






SUMMIT™
X3
DOUBLE

INSTRUCTIONS FOR USE
INSTRUCCIONES DE USO

babyjogger.com

©2022 Baby Jogger PD349185D 11/22

IMPORTANT: Read carefully and keep for future reference. Your child's safety may be affected if you do not follow these instructions.



Car Seat Adapter Installation:

1 Make sure the elastic fabric near the accessory mounting slots is not covering the slots.

2 Insert adapter brackets into the corresponding mounting brackets on your stroller. The adapter brackets are secure when they click into place.

NOTE: Left and right are determined by standing in front of and facing the stroller and each adapter bracket is labeled with an L or an R for your convenience.

3 Double check to ensure that the adapters are locked and secure before installing a car seat. Place car seat on the car seat adapter brackets and press down firmly until it clicks into place. Lift up on the car seat to make sure it is attached.

To remove car seat:

Follow the steps in your car seat's instruction manual to remove car seat from adapters.


To remove adapters:

Press gray release button on each adapter and pull upward to remove.

⚠ WARNING:

- Keep these instructions for future reference.
- Read these instructions carefully before use. Your child's safety may be affected if you don't follow these instructions.
- NEVER leave child unattended.
- IMPORTANT! While the child is in the carseat, always use the restraint system provided by the manufacturer.
- WARNING: Check that the car seat attachment devices are correctly engaged before use.
- Accessories not approved by Baby Jogger® shall not be used.
- Only use replacement parts supplied or recommended by Baby Jogger®.
- Wipe clean using a damp cloth.
- Both canopies must be removed before attaching car seat adapter.
- Parent console cannot be used with this car seat adapter.

Scan for compatibility



Instalación del adaptador del asiento de automóvil:

1 Asegúrese de que la tela elástica cerca del soporte de montaje de accesorios se haya apartado a un lado antes de instalar el adaptador.

2 Introduzca los soportes del adaptador en los soportes de montaje correspondientes de su carrito. Los soportes del adaptador quedarán asegurados cuando hagan clic en su lugar.

NOTA: Izquierda y derecha se puede distinguir posicionándose enfrente de la parte delantera del carrito. Cada soporte del adaptador está etiquetado con una "L" o una "R" para su conveniencia.

3 Vuelva a asegurarse de que los adaptadores estén trabados y asegurados antes de instalar un asiento de automóvil. Coloque el asiento de automóvil en el adaptador del asiento de automóvil y presione hacia abajo con firmeza hasta que encaje en su posición. Tire hacia arriba del asiento de automóvil para asegurarse de que esté sujetado.

Para sacar el asiento de automóvil:

Para sacar el asiento de automóvil de los adaptadores, siga los pasos en el manual de instrucciones de su asiento de automóvil.

Para sacar los adaptadores:

Oprima el botón gris de liberación en cada adaptador y tire hacia arriba para extraerlos.

⚠ ADVERTENCIA:

- Conserve estas instrucciones para futuras referencias.
- Lea atentamente estas instrucciones antes del uso. La seguridad del niño puede verse afectada si no sigue estas instrucciones.
- NUNCA deje a su niño sin atender.
- ¡IMPORTANTE! Mientras el niño esté en el asiento de automóvil, utilice siempre el sistema de retención proporcionado por el fabricante.
- ADVERTENCIA: Compruebe que los dispositivos de acoplamiento del asiento de automóvil estén correctamente activados antes del uso.
- Los accesorios que no hayan sido aprobados por Baby Jogger® no deben utilizarse.
- Utilice solamente piezas de repuesto suministradas o recomendadas por Baby Jogger®.
- Limpie con un paño húmedo.
- Se deben sacar ambas capotas antes de instalar el adaptador del asiento de automóvil.
- La consola para padres no se puede utilizar con el adaptador del asiento de automóvil.

Escanear para determinar compatibilidad

NOTES / NOTAS:

NOTES / NOTAS:

Baby Jogger, LLC
6655 Peachtree Dunwoody Rd. NE • Atlanta, GA 30328
1.800.241.1848 • www.babyjogger.com