

Contempra® Collection



Pfister

Contempra® Collection



Single Control Lavatory
LG42-NC00



Single Control Vessel Lavatory
LG40-NC00



8" Widespread Lavatory
LG49-NC1C

Tub & Shower
G89-8NCC



Shower Only
G89-7NCC



Valve Only
R89-1NCC



Diverter Trim
Ø16-NC1C



3-Hole Roman Tub
RT6-5NCC



Accessories

18" & 24" Towel Bar
BTB-NC1C & BTB-NC2C



Towel Hook
BRB-NC1C



Paper Holder
BPH-NC1C



Robe Hook
BRH-NC1C



Configuration

Single Control Lavatory
Single Control Vessel Lavatory
8" Widespread Lavatory
Shower Only Trim Kit
Tub & Shower Trim Kit
ØX8 Series Valve Trim
3-Hole Roman Tub Trim
Diverter Trim Only
18" Towel Bar
24" Towel Bar
Towel Hook
Paper Holder
Robe Hook

Model Number

Require Valve

Polished Chrome

Brushed Nickel

Tuscan Bronze

LG4Ø-NCØØ*		\$16Ø	\$19Ø	\$215
LG42-NCØØ*		\$15Ø	\$18Ø	\$2Ø5
LG49-NCØØ*		\$23Ø	\$25Ø	\$325
G89-7NC*	•	\$67	\$188	\$231
G89-8NC*	•	\$96	\$2Ø2	\$286
R89-1NC*	•	\$48	\$1Ø9	\$133
RT6-5NC*	•	\$2Ø5	\$25Ø	\$325
Ø16-NC1*		\$59	\$83	\$111
BTB-NC1*		\$49	\$73	\$73
BTB-NC2*		\$49	\$73	\$73
BRB-NC1*		\$34	\$52	\$52
BPH-NC1*		\$36	\$56	\$56
BRH-NC1*		\$23	\$31	\$31

Finish Options:



Polished
Chrome (C)

Brushed
Nickel (K)

Certifications:



Certified to meet WaterSense®
High-Efficiency Lavatory
Faucet Standards (1.5 GPM)



All Pfister lavatory faucets that begin with "LG" meet California's lower flow rate regulations of 1.2 gpm @ 60 psi per the new California Plumbing Code (Effective July 1, 2016).



Certified to meet
NSF 61/9 Lead
Requirements



Meets CALGreen
Requirements

Warranty:





Pfister.

pfisterfaucets.com/trade

© 2016 Spectrum Brands, Inc.
Pfister is a trademark of Spectrum Brands, Inc.

19701 DaVinci | Lake Forest, CA 92610
1-800-pfaucet 1-800-732-8238

Designed in California, USA