



REFERENCE GUIDE

COLORADO SERIES MEDIA GUIDE

The Colorado series printers provide you with the opportunity to help reduce your overall costs, expand your application range, and supply excellent print quality with extended color gamut using just CMYK and now White! Canon U.S.A. offers a broad assortment of wide format media to cover a wide range of applications.

This guide outlines the wide format media offered by LFS Imaging Supplies, covering photo papers, banners, adhesive vinyl, wallcoverings, window graphics, floor graphics, films, and specialty media.

Colorado printer media requirements include: rolls wound PSO (print side out), 3-inch core, width from 11 to 64 inches, and weight per roll 110 lb.; outer diameter 8.5". Colorado series printers also accept PSI (print side in) rolls. For more information, please contact your Canon U.S.A. Sales Representative.

WALL DÉCOR



Whether your job needs a short-term wall graphic for an event or long-term interior décor, we have a wide range of products for UVgel ink technology. Our wallcovering wide format media includes co-branded products with Faze 3 SMS, DreamScape, Alhstrom Munksjö, PhotoTex, Neenah, and Mactac. Our portfolio has paste to wall, pre-pasted, or adhesive installation options. We offer paper with pre-pasted adhesive, non-woven Type II wall vinyl with different textures. These products are compatible with multiple print technologies so you have options. Canon's Colorado UVgel and Arizona inks are UL GreenGuard-approved to help with those specifications.

ITEM	DESCRIPTION	SIZES	LENGTH	WEIGHT	FINISH	OPACITY	BRIGHTNESS	WHITENESS	FLAME RESISTANCE
PSA									
WCVCA 20 oz. Wall Vinyl Canvas with PSA	20 oz. Wall Vinyl embossed with Canvas look and added ultra removable adhesive for perfect wall graphic installation every time. Printable UVG UV L E	54	100	20 oz. yd.	Canvas	95%	>88%	N/A	ASTM E 84
Mactac Roodle RO628 6 Mil Matte White, Semi-rigid Calendered PVC Film	A 6 Mil matte white, semi-rigid calendered PVC film. RO628 is specifically designed for use as indoor wall posters and murals on smooth, flat painted drywall surfaces. ROODLE can also be applied to many other flat surfaces, however we strongly recommend one test first for suitability. UV UVG E L	54, 60	100	6 Mil	Matte	-	-	-	ASTM E84-01 UL 10C UL10B CAN/ULC S-104-15
Mactac Poodle PN628 6 Mil Matte White, Semi-rigid Calendered PVC Film	6 Mil matte white, semi-rigid calendered PVC film. PN628 is specifically designed with a permanent adhesive for indoor wall posters, murals, and graphics on smooth, flat drywall surfaces. Permanent Wall Poodle can be used on many other flat surfaces, however, we strongly recommend one tests first for suitability. UV UVG E L	54	100	6 Mil	Matte	-	-	-	ASTM E84-01 UL 10C UL10B CAN/ULC S-104-15
Mactac Noodle WN628 6 Mil Matte, White, Semi-rigid Calendered PVC Film	A 6 Mil matte white, semi-rigid calendered PVC film. WN628 is designed as a short-term graphics or posters application (6 months) on smooth and flat, indoor, painted drywall surfaces. Wall Noodle can also be used on other flat surfaces, however, we recommend one tests first for suitability. UV UVG L E	54	100	6 Mil	Matte	-	-	-	ASTM E84-01 UL 10C UL10B CAN/ULC S-104-15
EULSM/LINPSA EuroLux™ 9 Mil PVC Free Wall Covering PSA	EuroLux™ RTI is a 100% PVC free 10 Mil wall covering. Type 1 non-woven coated fabric that is latex saturated with high cellulose fibers. Available in Smooth and Linen finish. Removable Pressure Sensitive Adhesive. UV UVG L E	30, 54, 60	150	235 GSM	Matte	98%	89	-	ASTME84
PHTX 12 Mil PhotoTex Repositionable Fabric	12 Mil PhotoTex Repositionable self-adhesive fabric for digital wall graphics applications. UV UVG L E	54, 60	100	240 GSM	Matte	100%	N/A	N/A	ASTM D-1929-11
STG600 Natura 100% Polyester Repositionable Fabric	13.2 Easy Tex Repositionable fabric with semi-permanent adhesive. Easily removable with grey back coating for opacity. No Phaltes. Semi-permanent helps with Low VOC Paints. UV UVG L E	54, 60	100	305 GSM	Satin	100%	-	-	ASTME84
DIGISTCKR Neenah Digistick-R 9 Mil Wallcovering with PSA	9 Mil 260 GSM Digistick-R from Neenah. Removable PSA with a release liner for easy peel and stick application. Texture is a slight weave matte finish. UV UVG L E	54	100	260 GSM	Matte	98%	92% Min	98%	ASTM E-84
PVC Free									
EULIN/SM EuroLux™ 9 Mil PVC Free Wallcovering	EuroLux™ is a 100% PVC free 9 Mil wallcovering. Type 1 non-woven coated fabric that is latex saturated with high cellulose fibers. Available in Smooth and Linen finish. Paste to the Wall Application. UV UVG L E	54	150	220 GSM	Matte	98%	89	-	ASTME84
EULLIN/SMPPD EuroLux™ 9 Mil PVC Free Wallcovering Pre-Pasted	EuroLux™ PPD is a 100% PVC free 9 Mil wallcovering. Type 1 non-woven coated fabric that is latex saturated with high cellulose fibers. Available in Smooth and Linen finish. Pre-pasted water-activated application. UV UVG L E	54	150	220 GSM	Matte	98%	89	-	ASTME84

PRINTER GUIDE: UVG = UVgel ink • UV = UV ink • L = Latex ink • E = Eco-solvent ink • AQ = Aqueous ink

AL200SP52 Alhstrom Wall Star Spray N Go PVC Free Wallcovering	Alhstrom Spray N Go 200 GSM Satin prepasted PVC free wallcovering. Designed as a new generation of pre pasted. Easy install and removal when ready. UV UVG L	52	150	200 GSM	Matte	94.50%	84	-	ASTME84
PTX ProTex™ 18 mil Textures PVC Free Wallcovering	18 Mil 100% Type II PVC free wallcovering, Traditional Onxsburg backing with new Deep Suede, Linen, Canvas, Sandstone textures on a durable, dimensionally stable high strength surface. UV UVG L E	54	150	285 GSM	Matte	99%	87	-	ASTME84 TYPE II Certified ASTM E794 UVgel 460 inks matte mode
PTXSUE Protex 18 mil Light Suede PVC Free Wall Covering	It combines a smooth or soft suede textured coated non-woven fabric, 18 Mil PVC Free Wall Covering. TYPE II. Traditional Onxsburg backing. to provide a durable, dimensionally stable, high strength and digitally printable wall cover. UV UVG L E	54	150	275 GSM	Matte	99%	-	-	TYPE II Certified ASTM E794 UVgel 460 inks matte mode ASTME84
DSTERRSD/SM/ REG Dreamscapea Terralon 13 oz. PVC Free Wallcovering	13 oz. Terralon PVC Free wallcovering. 31% Post consumer recycled content. 100% Terralon content. Three finishes. SD, Smooth, and Reggatta. UV UVG L E	54	75, 150	13oz	Matte	98%	85	70 +/-1	ASTME84
WC2SM/ DigiScape II from Neenah 17 pt. Wallcovering Smooth Type II	17 pt. 370 GSM smooth matte wallcovering. Material is laminated to non-woven PET back. Installer recommended. Wallpaper paste applied. UV UVG E L	54	100	313 GSM	Smooth	100%	92%	96	TYPE II Certified ASTM E794 UVgel 460 inks matte mode
WC2ST/ DigiScape II from Neenah 17 pt. Wallcovering Stipple Type II	17 pt. 370 GSM Stipple wallcovering. Material is laminated to non-woven PET back. Installer recommended. Wallpaper paste applied. UV UVG E L	54	100	313 GSM	Stipple	100%	93%	96	TYPE II Certified ASTM E794 UVgel 460 inks matte mode
NDIGSM9 DigiScape 9 Mil Smooth Wallcovering	9 Mil material manufactured with a smooth matte print surface. It is a latex-saturated, non- woven wallcovering print media reinforced with synthetic fibers for strength and durability. Its environmentally responsible construction supports two LEED credits. UV UVG L E	54	150	260 GSM	Matte	99.4%	92%	96%	ASTM E-84
DIGICAN Neenah DigiScape Canvas 17 Mil Canvas Textured Wallcovering	17 Mil DigiScape Canvas wallcovering with embossed canvas texture. UV UVG L E	54	100	370 GSM	Matte	99.4%	90%	99%	ASTM E-84
NT1006C Novelio Glass Fiber	155 GSM Glass Fiber Textured Wallcovering. It is used to cover walls, ceilings, and other interior surfaces. Product is perfect for new spaces: thanks to its high mechanical properties it prevents cracks from appearing, consequently prolonging the surface lifetime. It covers crack and wall irregularities. UVG	39	150	155 GSM	Matte	-	-	-	Breathable/ASTM E-84
NT1013C Novelio Glass Fiber	160 GSM Glass Fiber Textured Wallcovering. It is used to cover walls and other interior surfaces. Product is perfect for new spaces: thanks to its high mechanical properties it prevents cracks from appearing, consequently prolonging the surface lifetime. It covers crack and wall irregularities. UVG	39	164	160 GSM	Matte	-	-	-	Breathable/ ASTM E-84
VINYL									
DreamScapes 20 oz. Textured Vinyl	20 oz. vinyl-embossed with many different textures. Durable Type II wallcovering for pasted applications only. Ask your sales rep for more details.	54, 60, 75	25, 50, 100	20 oz.	-	>99%	83 +/- 2	85 +/- 2	TYPE II Certified ASTM E794 UVgel 460 inks matte mode ASTM E84-01
DreamScapes Classic Wall Wrap 15 oz. Adhesive Back Wallcovering	15 oz. Repositionable Adhesive Back Wallcovering available in several textures. Ask your sales rep for more details. 15 oz. Textured Vinyl with removable adhesive. Several textures available. Classic, Caviar, Brilliant Ravello.	54	75, 150, 300	15 oz.	-	-	-	-	ASTM E84-01
SPECIALITY									
MLXGOLDSILV MetalX™ Metallic 11 Mil PVC Free Wallcovering	MetalX™ is an 11 Mil non woven metallic wall covering. Featured in Gold and Silver. Features high strength and dimensional stability. Neutral warm base allows for invisible lines during installation. Paste to the wall application. UV UVG L	54	50, 150	202 GSM	MetallicIC	100%	NA	-	ASTME84
DreamScapes 20 oz. Special Effects	20 oz. Special Effects Wallcovering. Ask your sales rep for more details. 20 oz. DreamScapes Silver Odyssey 20 oz. textured silver Type II wallcovering.	54	25, 50	20 oz.	-	-	-	-	ASTM E84-01



SPECIALTY

This group of media inspires ideas for more custom applications. Canvas for fine art or home décor. Fabric for backlit and front print applications with SEG frames. Create POP signage on rolled digital styrene allowing for applications in a smaller workspace.

ITEM	DESCRIPTION	SIZES	LENGTH	WEIGHT	FINISH	OPACITY	BRIGHTNESS	WHITENESS	FLAME RESISTANCE
UCAN 19 Mil Universal Poly Cotton Canvas	19 Mil Bright White Universal Poly Cotton Satin Blend Canvas. Specifically designed for the décor market. Its high white point, wide-color gamut, and High Dmax value make it a choice for short-term photography, art reproduction, backdrops, and murals. UVG UV L E	60	75	360 GSM	Satin	98%	93%	-	-
UVCAN17 17 Mil Universal Satin Polyester Cotton Canvas	17 Mil Universal Satin Polyester Cotton Blend Canvas. Lighter weights allows for better edge wrapping for framing. UV UVG L E	60	100	340 GSM	Satin	N/A	-	-	-
UVPOLYCAN14 14 Mil 100% Matte Polyester Canvas UVPOLYCAN142	14 Mil Matte 100% Polyester canvas. Coating has excellent print quality and color but at a lower cost per square foot. UV UVG E L	54, 60	150	300 GSM	Matte	N/A	-	-	-
STYRENE15 .015 Digital Styrene	Traditional Digital Styrene matte white in .015 thickness on a 3-inch core roll. Excellent choice for POP signage—indoor and outdoor. UV UVG	50	100	0.015	Matte	100%	-	-	-
STYRENE20 .020 Digital Styrene	Traditional Digital Styrene matte white in .020 thickness on a 3-inch core roll. Excellent choice for POP signage—indoor and outdoor. UV UVG	50	100, 150	0.020	Matte	100%	-	-	-
10RIGVYNL 10 Mil Rigid Vinyl	10 Mil White Opaque Rigid vinyl. Printable both sides. Excellent for POP signs. UV UVG E	52	100, 150	10 Mil	Matte	100%	-	-	-
HWFB 9 Mil Heavyweight Coated Fabric	9 Mil 100% polyester coated fabric that gives brilliant bright colors with exceptional detail. Produces water-resistant results. Compatible UVG AQ	36, 50, 60	150	163 GSM	Matte	92%	93%	128	-

SAMBA Polyester Coated Fabric	100% polyester woven fabric. Treated with a knife coating to give it the color vibrancy on UV, Latex, and Eco-Solvent printing technologies. It produces bright backlit images for LED lightbox displays. It's air tight, water resistant, and can be sewn for SEG framing systems. SAMBA is a great option for pop-up tent canopies and sun umbrellas. UV UVG L E	63	55	195 GSM	Matte	-	-	-	NAFPA 701
6007 7.5 Mil Uncoated Dupont Tyvek®	7.5 Mil Uncoated Dupont Tyvek for more unique print results. Gives the "Tyvek woven" look in the prints. Compatible UV UVG	36, 42	150, 300	7.5	Matte	95%	94%	95	-
MAGHOLD 10 Mil White G2-PET Receptive	Flexible Iron Sheeting with white PET receptive, attracts to magnetic base surfaces. Easy to apply, remove, and change. UV UVG L E	50, 54	100	10 Mil	Matte Opacity 100%	-	-	-	-
MAGMAX025 025 Mil Magnet	Specially formulated high enery magnet specifc for the Colorado. White matte face. UV UVG L E	40, 48	40	25 Mil	Matte White	100%	-	-	-
NSM100 6 Mil Silver Metallic Polyester Film with Perm Psa	Natura 6 Mil silver metallic polyester film with permanent adhesive. Labels, signage applications. UV UVG L E	36 50 60	100	190 GSM	Metallic	100%	-	-	-
MSGLAB #60 Semi Gloss label Paper Stock with Scored Back	Canon #60 semi gloss label stock with a scored back for easy label printing. Custom roll label stock in wide format size. Scored back makes for easy application. UV UVG L	52	300	60#	Semi Gloss	100%	-	-	-
PVS528 Print Vinyl Matte Scored Back with PSA	Mactac PVS528 3.2 Mil matte vinyl with scored back. Excellent product for labels. Available with Ultra Removable or Permanent adhesive.	54, 60	150	3.2 Mil	Matte		-	-	-
JMTEXGR MediaTex 190 GSM Blockout Fabric	MediaTex Greyback FR Textile made of 100% polyester. Use of roll up banners, front print, roller shades. Matte White Finish. UV UVG L	37, 41, 60	98	290 GSM	Matte	100%	-	-	DIN 4102 B1
TXPFSEG Front Print Display Fabric	100% display polyester fabric for front print applications. High opacity. SEG compatible. UVG L	63	110 Yards	208 GSM	Satin		-	-	NFPA 701
GLOBRT GloBrite 9 Mil Glow-in-the- Dark Film PSA	Jessup GloBrite is for indoor wall use only. Removable Adhesive. Safety signs, promotional event signs.	54	50	9 Mil	Matte	100%	-	-	-
ENDURA 17 Mil Matte Art Paper	17 Mil Matte is a heavy weight superior wide format roll paper created for the commercial print market. Acid and PVC free with a bright white matte finish, it is designed for constant color accuracy and elegance. UV UVG L E	54	100	345 GSM	Matte	99%	-	-	-
KRAFT #50 Brown Kraft Paper	#50 Brown Kraft Paper for creative ideas with gift wrap applications. UVG	36	720		Matte	100%	-	-	-



PAPERS

From posters to photography, we offer a selection of media that gives you excellent image quality and choice of print technology depending on the job. Being able to create output based on customer specifications is a must. Indoor or outdoor? Framed or unframed? Short or long-term? Water-resistant paper print? The selection of the paper media allows you to offer these options.

ITEM	DESCRIPTION	SIZES	LENGTH	WEIGHT	FINISH	OPACITY	BRIGHTNESS	WHITENESS	FLAME RESISTANCE
TXT100 #100 Gloss Text C2S	An extremely economical solution for glossy posters; single or double-sided. Machine Coated paper. UVG	24, 36, 60	200	150 GSM	Glossy	92%	102%	127	-
UNPHOT8G 8.4 Mil Glossy Photo Paper Ultra Glossy	Photo-quality paper available in an ultra glossy surface. With a resin-coated base, this product is designed to provide good durability and lay-flat performance once printed. UVG UV L E	54, 60	164	225 GSM	Glossy	92%	-	144	-
UNPHOT8S 8.4 Mil Satin Photo Paper	Photo quality paper available in a satin surface. With a resin-coated base, this product is designed to provide good durability and lay-flat performance once printed. UV UVG L E	54,60	164	225 GSM	Satin	>94%	-	>143	-
UNPHOT7S 7.1 Mil Satin Photo Paper	More economical version of the 8.4 Mil satin photo paper. Same look and finish just 180 GSM base. Excellent for high volume poster runs. UVG UV L E	54, 60	164, 300	180 GSM	Satin	89%	-	146	-
UNPHOT10S 10 Mil Satin Photo Paper	Photo quality paper in a satin surface resin coated paper. Extra weight provides more durability where required. UVG UV L E	60	100	275 GSM	Satin	<96%	-	>143	-
HPSTRSOL 10 Mil Outdoor Poster Paper	10 Mil Outdoor Poster Paper A 212 GSM heavy-weight latex saturated indoor/outdoor poster paper designed to maintain cohesive paper fiber strength when wet and when used with wallpaper paste. UVG UV L	48, 54, 60	150, 200, 300	212 GSM	Matte	81%	81%	-	ASTM E-84
4C1S 4 Mil Satin Paper	A 4 Mil satin coated paper with excellent image quality Great option for custom gift wrap. Bends over corner well after printing. UVG AQ	24, 36	300	90 GSM	Satin	93%	-	140CIE	-
TXTG80 #80 Gloss C2S Text	Special C2s paper coated for printing on Canon Colorado. This paper is for very economical posters, or custom gift wrap applications. UVG	54,60	300 200	118 GSM	Glossy	94%	92	-	-

PRINTER GUIDE: UVG = UVgel ink • UV = UV ink • L = Latex ink • E = Eco-solvent ink • AQ = Aqueous ink

IMAGEMX10 10 pt. Indoor Signage Paper	A 10 Mil paper based alternative for posters with properties comparable to Styrene. Can be blue bin recycled. UV UVG L	50	300	246 GSM	Silk	-	94%	-	-
ENDURA 10 Mil Satin Poster Paper	A 10 Mil Neehah bright white, cellulose-based poster printing paper for indoor and short-term outdoor use. Comes in satin or matte finish. UVG UV L	54	150	235 GSM	Satin or Matte	99%	95.5%	-	-
AMP7 170 GSM Matte Coated Paper	A 170 GSM matte coated mid weight, bright white paper. UVG UV L AQ	60	100	170 GSM	Matte	>95%	-	>150 whiteness	-
AMP10 10 Mil Matte Coated Paper	High quality, smooth matte surface alternative photo paper. Heavier weight provides more durability when required. UVG L AQ	60	100	230 GSM	Matte	95%		>140	Acid Free

FLOOR GRAPHICS

Most of the products listed here are for a “Print and Go” application. These products work across several print platforms and have non-slip safety ratings so you can print, cut, and install without additional lamination. Indoor and outdoor applications can be achieved. Mactac StreetRap is a PVC vinyl with aggressive adhesive but needs a laminate to be floor safety rated.

ITEM	DESCRIPTION	SIZES	LENGTH	WEIGHT	FINISH	OPACITY	SLIP RESISTANCE
TEXWALK 14 Mil TexWalk Textured Vinyl with PSA	A 14 Mil opaque textured matte vinyl, with fabric backing and repositionable solvent acrylic adhesive. UV UVG L E	23, 48	10, 82	14 Mil	Matte	100%	ASTM D-2047
CLEARWALK 20 Mil Textured Clear Vinyl with PSA	A 20 Mil textured translucent floor graphic that can be applied indoors on various surfaces. Excellent choice for pool or shower areas. UV UVG L E	54	33, 100	20 Mil	Clear Matte	N/A	ASTM D-2047
CATWALK 20 Mil Textured Vinyl with PSA	A 20 Mil textured white floor graphic that can be applied indoors on various surfaces. Excellent choice for pool or shower areas. UV UVG L E	54	100	20 Mil	Matte	100%	ASTM D-2047
FLRTX7 7 Mil Floor Textured Vinyl	A 7 Mil PSA One-Step Floor Vinyl is a pressure-sensitive vinyl with an anti-slip sandblast texture. For short- to medium-term indoor floor graphics. Not recommended for extremely high traffic areas, exterior asphalt/concrete, or carpet. UV UVG L E	54	150	7 Mil	Sand Blast	90%	DIN51130
Mactac StreetRap STR328 4 Mil Matte Opaque White, PVC film	A 4.0 Mil matte opaque white, PVC film designed for the production of outdoor sidewalk and parking lot ‘floor’ graphics. The product is coated on one side with a 3 Mil-thick, aggressive, permanent, blended acrylic/rubber pressure sensitive adhesive that bonds well to flat or slightly rough, pedestrian traffic surfaces like concrete and asphalt. UV UVG L E	54	100	4 Mil	Matte	-	ASTM E84-01 needs lamination
SIDEWALK 16 Mil Grit Textured with Perm PSA	Jessup Sidewalk is a grit textured polyolefin film with a permanent adhesive. Apply for outside ground graphics to concrete, asphalt, stone, and metal. UV L	54	75	-	Grit Matte	100%	NSFI passed B 101.1 NSFI 101.3 UL410
SPRTWLK 23 Mil Textured with PSA	Jessup Sportwalk is a 23 Mil textured vinyl for short-term floor graphics. Install either in or outdoors. Light traffic use. UV UVG L E	54	100	-	Textured Matte	100%	ASTM D2407



BANNERS

Our line of scrim banner products gives you quality and a competitive price as well as true cross-platform compatibility. Using high-strength yarn, this product has excellent durability with controlled surface smoothness and white point-optimal print quality. Consistent from product to product, this line will give you the same or near-same print quality between products.

ITEM	DESCRIPTION	SIZES	LENGTH	WEIGHT	FINISH	WHITENESS	FLAME RESISTANCE	WELDABLE
12SCGB 12 oz. Scrimless Banner with Gray Back	Lighter weight version of scrimless banner to give "no curl" applications with gray back for 100% opacity. Smooth surface gives excellent image quality. UV UVG E L	39, 54, 63	164	420 GSM	Matte Ultra Smooth	Lab91 = a 1.3, b 8.0	-	NO
13SCG 13 oz. Gloss Scrim Banner	13 oz. Scrim banner glossy. Constructed of high tenacity denier polyester yarn, encapsulated in PVC film front and back to give you great durability and excellent print quality for indoor and outdoor banners. UV UVG E L	39, 54, 63	164	440 GSM	Gloss	Lab 92 = a+1.0 b-5.5	-	YES
13SCM 13 oz. Matte Scrim Banner	13 oz. Scrim banner matte. Constructed of high tenacity denier polyester yarn, encapsulated in PVC film front and back to give you great durability and excellent print quality for indoor and outdoor banners. UV UVG E L	39, 54, 63	164	440 GSM	Matte	Lab 92=a +1.0 b -5.5	-	YES
8MSH 8 oz. Mesh with Liner	8 oz. Mesh with Liner designed with special knitting and balanced construction. Gives excellent print quality still allowing for 40% open space. Comes with removable liner. UV UVG E L	39, 54, 63	164	360 GSM w/liner	N/A	N/A	-	YES
132XSC 13 oz. 2x Blockout Scrim Banner	13 oz. double-sided blackout banner. An excellent choice for double-sided printable smooth banners. Special construction using an opacifying layer giving durability but smooth print surface on both sides. Excellent choice for retractable banner stands. UV UVG E L	39, 54, 63	164	440 GSM	Matte	Lab 93=a -1.0 b-3.2	-	YES

182XSC 18 oz. 2x Blockout Scrim Banner	18 oz. double-sided blockout banner. Extremely durable double-side printable smooth banner vinyl. Perfect for pole banner applications where you need the extra strength. Made for lay-flat, anti-curl performance. Ideal for harsh weather conditions outdoors. UV UVG E L	39, 54, 63	164, 82	610 GSM	Matte	Lab 92= a-0.4 b-5.5	-	YES
152XBN 15 Mil Scrimless PET 2x Banner	15 Mil 510 GSM Scrimless PET banner. White PVC print surface fused front and back with a heavy-weight PET film for strength and dimensional stability. Exceptionally sturdy 15 Mil typically used in retractable banner stands. Outdoor durable. UV UVG E L	39, 54, 63	164	510 GSM	Matte Extra Smooth	Lab 90.5=a +1.2, b -5.1	-	NO
NATURA - BA960 10 Mil Matte Blockout PVC/PET	10 Mil Matte Blockout PVC / PET banner. Perfect blockout with excellent curl balance. Suitable for indoor double-sided graphics applications with super smooth images. UV UVG E L	54	164	360	Matte	-	-	-
T13G/MBNR 13 oz. Scrim Banner	13 oz. scrim banner glossy and matte finish. Made with high tenacity strength yarn. 840 x 840. FR is also available. UV UVG L E	39, 54, 63	164	440 GSM	Glossy/ Matte	Lab 90.34= a .78 b-4.39	Available NFPA701	-
T18EM2BNR 18 oz. Economy Matte Scrim Banner	18 oz. 2X Scrim Economy blockout banner. Front print or double-sided applications with smooth surfaces on both sides. UV UVG L E	63	164	610 GSM	Matte	Lab 93.24= a .51 b 1.97	NFPA701	-



WINDOW GRAPHICS

With this application and wide format media available, we continue to expand our offering. Improved low-tack adhesive technology has allowed for increased product availability in the polyester film market, both optically clear and opaque white. We have a selection of window perforated films in four choices: 70/30, 60/40, 80/20, or 50/50.

ITEM	DESCRIPTION	SIZES	LENGTH	WEIGHT	FINISH	OPACITY	BRIGHTNESS	WHITENESS	FLAME RESISTANCE
WFW 8 Mil Natura White Film	Natura WF400 is a white polypropylene film with removable and repositionable adhesive. UVG UV L E	54	100	260 GSM	Semi Matte	-	-	-	-
WFCF 8 Mil Natura Optically Clear Window Film	Natura SO830H optically clear window film with special no-residue adhesive. UVG UV L E	54	100	260 GSM	-	Optically Clear	-	-	-
USO850 Optically Clear Window Film with PSA	2 Mil Optically clear film with clear semi tac adhesive for optimal clarity. Wet applied. UV	54, 60	150	3.8 Mil	Gloss	-	-	-	-
GLASADW 8 Mil Glass Apeel White	Glass Apeel is a new peel-and-place window film with special suction that releases onto glass or metal. Excellent for day/night window graphics. Available in White. UVG UV L E	54, 60	150	8 Mil	Matte	-	-	-	-
GLASADC 6 Mil Glass Apeel Clear	Glass Apeel is a new peel-and-place window film with special suction that releases onto glass or metal. Double-sided decal applications. Available in Clear. UVG UV L E	30, 54, 60	150	6 Mil	Clear	Optically Clear	-	-	-
WNPERF37 Window Perf Film 30/70 liner	70/30 Universal window perforated film made of a 6.3 Mil White PVC face, with black back, with 30% open area. Uses a clear removable adhesive, laminated to a Kraft liner, treated for capturing UV, eco-solvent, and latex inks. UVG UV L E	54, 60	150	6.3 Mil	Gloss	-	-	-	-

WNPERF46 Window Perf Film 40/60 Liner	60/40 Universal window perforated film made of a 6.3 Mil White PVC face, with black back, with 40% open area. Uses a clear removable adhesive, laminated to a Kraft liner, treated for capturing UV, eco-solvent, and latex inks. UV UVG L E	54, 60	150	6.3 Mil	Gloss	-	-	-	-
WNPERFC Window Perf Clear Film	Optically Clear Window Perforated Film. 70% printable surface. Perfect for reverse print for interior mounting applications. UV UVG L E	54	150	5.5 Mil	Clear	-	-	-	-
WNPERF82 Window Perf Film 80/20 with liner	80/20 Universal Window perforated film made of a 6.3 Mil White PVC Face, with black back, with 20% open air. Uses clear Removable adhesive, laminated to a duplex kraft liner, treated for capturing UV, UVgel, eco-solvent and latex inks. UV UVG L E	54	150	6.3 Mil	Glossy	-	-	-	-
Mactac 5796MBF Frosted	3.1 Mil translucent, matte frosted, polymeric PVC film. The microstructured adhesive allows for the increased speed of dry application on windows with no air bubbles or wrinkling. It also eliminates the messy clean-up of wet-application fluids. Designed for indoor and outdoor window graphics and internally illuminated signs (light boxes). UVG UV L E	54	75, 150	3.1 Mil	Matte Frosted	-	-	-	ASTM E84-01
Mactac 5798MBF Dusted	3.1 Mil translucent, matte dusted, polymeric PVC film. The microstructured adhesive allows for the increased speed of dry application on windows with no air bubbles or wrinkling. It also helps to eliminate the messy clean-up of wet-application fluids. Designed for indoor and outdoor window graphics and internally illuminated signs (light boxes). UVG UV L E	54	75, 150	3.1 Mil	Matte Dusted	-	-	-	ASTM E84-01
Mactac MDOT MD199 Clear MD228 White	A 4.7 Mil offered in gloss clear and white, soft-calendared PVC film. MDot 199 is designed for short- to moderate-term indoor and outdoor advertising and promotions on flat, smooth surfaces. Examples include: windows, walls, trade shows, POP or POS advertising, discount campaigns. UV UVG L E	54	164	4.7 Mil	Gloss Clear	-	-	-	-
Mactac WV599R Clear Semi Gloss Vinyl PSA	Window view Clear semi gloss 3.5 Mil vinyl with removable adhesive. Approved for interior or exterior window graphics. Can be wet or dry applied. UV UVGEL L	54	150	3.5 Mil	Semi Gloss Clear	-	-	-	-
Mactac WV528P Translucent Vinyl PSA	Windowview Translucent 3.2 mil Vinyl for interior and exterior backlit applications. Also use for POP, tradeshow applications. Wet or Dry applied. UV UVGEL L	60	150	3.2 Mil	Translucent	-	-	-	-
Mactac WV399P Gloss Clear Vinyl PSA	Windowview Easy Apply 3.5 mil gloss clear vinyl for bubble free applications. Indoor or exterior window graphics. UV UVGEL L	54, 60	150	3.5 Mil	Gloss	-	-	-	-



ADHESIVE VINYL

We have expanded our line of adhesive vinyl choices. Matte or glossy finish. The range covers many application options for decals, stickers, and POP with many types of adhesives. We are now carrying the full line of Mactac products. Ask us about the Mactac Performance Guarantee with the Colorado printers.

ITEM	DESCRIPTION	SIZES	LENGTH	WEIGHT	FINISH	OPACITY	BRIGHTNESS	WHITENESS	FLAME RESISTANCE
4VYGAER 4 Mil Vinyl Gloss Rem Gray PSA	A 4 Mil Glossy vinyl with gray removable acrylic adhesive resulting in "bubble free" installation when properly installed. Excellent economical choice for decals, POP graphics. Liner is made from DS (double-sided) polyethylene liner allowing for cross compatibility. UV UVG E L	54	150	4 Mil	Glossy	100%	70-80	89	-
4VYMAER 4 Mil Vinyl Matte Rem Gray PSA	A 4 Mil Matte vinyl with gray removable acrylic adhesive resulting in "bubble free" installation when properly installed. Excellent economical choice for decals, POP graphics. Liner is made from DS (double-sided) polyethylene liner allowing for cross compatibility. UV UVG E L	54	150	4 Mil	Matte	100%	70-80	89	-
4VYMP 3.2 Mil Vinyl Matte Gray Perm PSA	A 3.2 Mil Matte vinyl with gray permanent acrylic adhesive. Excellent economical choice for decals, POP graphics. Liner is made from DS (double-sided) polyethylene liner allowing for cross compatibility. UV UVG E L	54	150	3.2 Mil	Matte	100%	70-80	89	-
4VYGP 3.2 Mil Vinyl Glossy Gray Perm PSA	A 3.2 Mil Glossy vinyl with gray permanent acrylic adhesive. Excellent economical choice for decals, POP graphics. Liner is made from DS (double-sided) polyethylene liner allowing for cross compatibility. UV UVG E L	54	150	3.2 Mil	Glossy	100%	70-80	89	-
6VYMAESP 6 Mil Matte White Vinyl with Semi Perm PSA	Premium matte white vinyl with air egress solvent acrylic grey adhesive. Easy to install for decals, wall graphics. UV UVG L E	54	150	6 Mil	Matte	100%	-	91.5 +-10	-
Mactac GRUV - GV729 2.1 Mil Gloss High Performance Vinyl	A 2.1 Mil Soft white glossy, PVC film. Coated one side highly conformable, premium PVC with repositionable permanent removable air egress, opaque adhesive. UV UVG E L	54	150	2.1 Mil	Glossy	-	-	-	-

PRINTER GUIDE: UVG = UVgel ink • UV = UV ink • L = Latex ink • E = Eco-solvent ink • AQ = Aqueous ink

Mactac GV429/428 or GV529/528 Glossy or Matte Permanent or Removable	A 3.1 Mil gloss or matte white, soft calendared PVC film. The product is coated on one side with a quick building, permanent, opaque, acrylic pressure-sensitive adhesive with air egress technology and supplied with a 98# polycoated liner. UV UVG E L	54	150	3 Mil	Matte	-	-	-	-
Mactac PV329/328 Glossy or Matte Permanent or Removable	A 3.2 Mil soft-calendared PVC film. PV328 is designed for general purpose indoor and short-term outdoor advertising and promotion on flat or slightly curved surfaces with a choice of permanent or removable adhesives. UV UVG E L	54	150	3.2 Mil	Glossy and Matte	-	-	-	-
Mactac PVG528R 3.7 Mil Matte OP Vinyl Removable Removeable or High Tack	A 3.5 Mil Matte white, soft-calendared PVC film. The product is coated on one side with a removable, opaque, gray acrylic pressure-sensitive adhesive and supplied with a 86# Kraft liner. PVG528R is designed for indoor or medium-term outdoor advertising and promotion on flat or slightly curved surfaces. UV UVG E L	54	164	3.5 Mil	Matte	-	-	-	-
Mactac PV529R 3.5 Mil Glossy OP Vinyl Removable	A 3.5 Mil Glossy white, soft-calendared PVC film. The product is coated on one side with removable, acrylic pressure-sensitive adhesive and supplied with a 90# polycoated lay-flat liner. Designed for indoor or medium-term outdoor advertising and promotion on flat or slightly curved surfaces. UV UVG E L	54	150	3.5 Mil	Glossy	-	-	-	-
Mactac Rebel RB228R 3 Mil Matte Vinyl Removable	A 3 Mil soft, non-top coated, matte white flexible vinyl coated with an acrylic removable adhesive. RB228R uses include digital and screen-printed promotional labels, decals, markings, bumper stickers, point-of-purchase displays, and signs for temporary indoor and outdoor use. UV UVG E L	54	150	3 Mil	Matte	-	-	-	-
Mactac Rebel RB528H 4 Mil Matte Calendared Vinyl with High Tack	A 4 Mil soft, non-top coated, opaque matte white polymeric stabilized vinyl coated with a clear acrylic high tack, permanent adhesive. This durable flexible vinyl has good outdoor durability. UV UVG E L	54	75, 150	4 Mil	Matte	99%	-	-	-
Mactac Rebel RB528/529R or P 4 Mil Calendared Vinyl Gloss or Matte Removable or Permanent	A 4 Mil soft, non-top coated, opaque white polymeric stabilized vinyl coated with an acrylic permanent or removable adhesive. This durable flexible vinyl has good outdoor durability. Suggested uses include screen-printed labels, decals, markings, point-of-purchase displays, and signs for indoor and outdoor use. UV UVG E L	54	150	4 Mil	Matte	99%	-	-	-
Mactac Rebel RB599H 4 Mil Clear Glossy Vinyl with High Tack	A 4 Mil soft, clear gloss, polymeric stabilized PVC film. This durable flexible vinyl has good outdoor durability. The adhesive has a high initial tack and builds to a high strength, permanent bond with good resistance to creep, solvents, and heat. UV UVG E L	54	150	4 Mil	Glossy	99%	-	-	-



FILMS

From backlits to banners to retractable displays, we have a wide format film media product to help you complete your job. Polypropylene can be used for short-term banners and banner stands. Create high quality images on one of our backlit products. Design durable retractable banners or POP signs with the blockout display film.

ITEM	DESCRIPTION	SIZES	LENGTH	WEIGHT	FINISH	OPACITY	BRIGHTNESS	WHITENESS	FLAME RESISTANCE
UVPOLY 8 Mil Polypropylene	8 Mil 200 GSM Polypropylene Coating for UV, UVgel only. Lower price point makes this a great short-term sign media. UV UVG	36, 60	164	200 GSM	Matte	>90%	-	-	-
ULBCKLIT 8.2 Semi-Matte Backlit Film	An 8.2 Mil semi matte polyester backlit film which holds heavy ink loads to give vivid colors and excellent image quality. UVG UV L E	36, 54, 60	100	8.2 Mil	Semi-Matte	-	-	-	-
ULCLR8 8 Mil Optically Clear Film	Optically clear 8 Mil 100% polyester film. Perfect for three-layer backlits, day night applications, and interior window graphics.	54, 60	100	8 Mil	Glossy	NA	-	-	-
BLITSOL 7.5 Mil Backlit Film	A universal 7.5 Mil polyester (PET) Backlit film, designed to produce a high quality matte image. UVG UV L E	30, 36, 54, 60	100	180 GSM	Matte	50%	-	-	-
10DFS 10 Mil Blockout Display Film 2X	10 Mil 235 GSM Blockout display film. Double-sided print surface. Water-resistant. Lay-flat properties. Economical choice for banner stands, POP, transportation signs. UV UVG L E	54	100	240 GSM	Matte	99%	-	-	-



COLORADO SERIES ACCESSORIES

ITEM	COLORADO M5/M3/1630 INKS AND ACCESSORIES DESCRIPTION
1965C063	UVgel 460 Ink Cyan 700 ML
1965C064	UVgel 460 Ink Magenta 700 ML
1965C065	UVgel 460 Ink Yellow 700 ML
1965C062	UVgel 460 Ink Black 700 ML
1965C015	Colorado 16xx Filter (Need x2)
1965C016	Colorado 16xx Maintenance Tray (5 pcs.)
05050283	Polyester Wipes 150/Pak

ITEM	COLORADO M5/1650 INKS AND ACCESSORIES DESCRIPTION
1965C038	UVgel 460 Ink Cyan 2x1 Liter Bottles
1965C039	UVgel 460 Ink Magenta 2x1 Liter Bottles
1965C040	UVgel 460 Ink Yellow 2x1 Liter Bottles
1965C041	UVgel 460 Ink Black 2x1 Liter Bottles
1965C015	Colorado 16xx Filter (Need x2)
1965C016	Colorado 16xx Maintenance Tray (5 pcs.)
05050283	Polyester Wipes 150/Pak

ITEM	COLORADO CALIBRATION MEDIA
UNPHOT7S54	7.1 Mil UV Satin Photo 54x164
UNPHOT8S	8.2 Mil UV Satin Photo 54x164
UNPHOT8S60	8.4 Mil UV Satin Photo 60x164
UNPHOT8G54	8.4 Mil UV Gloss Photo 54x164
UNPHOT8G60	8.4 Mil UV Gloss Photo 60x164
PV529RW54L150	Mactac PV529 3.5 Glossy Removable Vinyl 54x150

ITEM	COLORADO WHITE INKS
6125C001AA	M5/M3 UVgel 460 Ink white 700ML
6125C002AA	M5 UVgel 460 Ink White 2X1L



usa.canon.com/largeformat

For Large Format Supplies:

1-800-323-4827

CanonImagingSupplies@cusa.canon.com

For Large Format Service and Support:

1-800-842-4534 | 1-630-250-6551

BusDev@cusa.canon.com

Canon is a registered trademark of Canon Inc. in the United States and elsewhere. Arizona, Colorado, and UVgel are registered trademarks or trademarks of Canon Production Printing Netherlands B.V. All other referenced product names and marks are trademarks of their respective owners and are hereby acknowledged. Printing effects and output are simulated. Specifications and pricing subject to change without notice. Not responsible for typographical errors. Products may be shown with optional accessories. UVgel 460's GREENGUARD Gold Certification resulted from its testing against the UL 2818 – 2013 Gold Standard for Chemical Emissions for Building Materials, Finishes and Furnishings. GREENGUARD Gold Certification for the Arizona's IJC255, 256, 257, 258, 261, 262, and 357 UV curable inks resulted from testing against the UL 2818 – 2013 Gold Standard for Chemical Emissions for Building Materials, Finishes and Furnishings. Commercial Testing Company's Category V, Type II Certification, in accordance with ASTM F793/F793M-15, resulted from its evaluation of IJ460 Ink (both Gloss and Matte) printed by the Colorado 1650 on Roysons Dreamscape 20 oz. Osnaburg Back Wall Cover.

©2025 Canon U.S.A., Inc. All rights reserved.

02/25-1274-11503