

MegaTank All-in-One Inkjet Printer







**MegaTank** high volume, all-in-one color inkjet printer, perfect for home,

home office, and students



Easy-to-Fill, Mess Free Ink Tank System with "Squeeze-Free" Color Keyed Ink Bottles



**6,000 black 7,700 color**PAGES PER INK SET

PRINT APPROX.

PRINT SPEED APPROX.

11.0 ipm black<sup>2</sup> 6.0 ipm color<sup>2</sup>

CONNECTIVITY

# **USB** only

Print from your laptop with USB-cable. Compatible with Windows<sup>3</sup>, Mac<sup>4</sup> and Chromebook<sup>5</sup> devices. (USB cable sold separately)









1.2" SEGMENT LCD SCREEN (MONO)





KEEP TRACK OF INK LEVELS



MegaTank All-in-One Inkjet Printer

### **FEATURES**

### PRODUCTIVITY & COST-SAVINGS





#### **HIGH PAGE YIELD**

Print up to approx.6,000 Black / 7,700 Color pages with just a single set of inks.<sup>1</sup>



#### **POSTER ARTIST**

PosterArtist<sup>3</sup> is a poster creation software program designed to be used by all levels of users to create professional looking posters, banners and signage.



#### \$1,000 INK SAVINGS

Ink savings of over \$1,000 with the included ink bottle set.  $^{\text{I}}$ 



#### **100-SHEET REAR PAPER TRAY**

For letter size plain paper (only). Can also easily load envelopes, labels, high resolution paper and more in the rear tray.



#### **BORDERLESS PHOTO PRINTING**

Print beautiful borderless photos up to Borderless Photo 8.5" x 11" (Letter size).4



#### **STAY TIME-CONSCIOUS**

Thanks to high page yield ink bottles, keep time spent refilling ink to a minimum.

## **USABILITY**





#### **EASY TO FILL**

Ink bottles have a "keyed nozzle" design to only fit and fill the correct color ink tank



#### 1.2" SEGMENT LCD SCREEN (MONO)

Get the job done with an intuitive and easy to use 1.20" Segment LCD Screen.



#### COMPACT SIZE

Small compact design to fit your home or workspace



#### INTEGRATED INK TANKS

Integrated Ink Tanks ink bottles

### PERFORMANCE & DEPENDABILITY





## EASY USER REPLACEMENT PARTS - LESS DOWN TIME (Sold Separately)

User replaceable directly from the front and back of the printer.



#### **VERSATILE MEDIA SUPPORT**

Print on envelopes, photos, high resolution paper, and more!



#### 1-YEAR LIMITED WARRANTY<sup>13</sup>

Have peace of mind with a 1-Year Limited Warranty.



MegaTank All-in-One Inkjet Printer

## **SPECIFICATIONS**

PRINT			
Print Features	Print, Copy, Scan		
Types of Printing <sup>6</sup>	Document Printing Photo Printing Borderless Printing <sup>4</sup> , Business Card Printing Greeting Card Printing, Label Printing, Square Media Printing Support, Double-sided Matte Paper Support.		
Printing Capability	Single Sided (Simplex) Printing, Borderless3 Printing (3.5" x 3.5" to 8.5" x 11")		
Print Speed (ESAT) <sup>2</sup>	Black Document Simplex (Letter): Approx. 11.0 ipm Color Document Simplex (Letter): Approx. 6.0 ipm		
Number of Nozzles	Color (C/M/Y): 384x3 / Pigment Black: 640 / <b>Total: 1,792</b>		
Resolution <sup>5</sup>	Up to 4800 x 1200 dpi		
Duty Cycle	Up to 3,000 Pages / Month		
Media Handling	Rear Paper Tray		
Supported Paper/ Media Sizes	3.5" x 3.5" (Square), 4" x 6", 5" x 5" (Square), 5" x 7", 7" x 10", 8" x 10", Letter (8.5" x 11"), A4, A5, A6, B5, Legal (8.5" x 14"), U.S. #10 Envelopes, Card Size (91 mm x 55 mm), Custom size (width 2.1–8.5 in, length 3.5–47.2 in)		
Supported Borderless Printing	3.5" x 3.5" (Square), 4" x 6", 5" x 5" (Square), 5" x 7", 7" x 10", 8" x 10", Letter (8.5" x 11"), A4, B5, Card Size (91 mm x 55 mm)		
Canon Paper / Media Compatibility	Plain: Plain Paper, Canon High Resolution Paper, Glossy: Photo Paper Plus Glossy II, Photo Paper Glossy; Semi-Gloss: Photo Paper Plus Semi-Gloss, Photo Paper Pro Luster; Matte: Matte Photo Paper, Double-sided Matte Paper; Other (Canon): Magnetic Photo Paper, Restickable Photo Paper, Iron-On Transfers; Other (non-Canon): Cardstock, Greeting Card, U.S. #10 Envelopes, Recycled paper and Chlorine-free paper can be used		
Paper Capacity	Rear Paper Tray: 100 Sheets of Plain Paper OR 20 Sheets 4" x 6"		
Supported Media Thickness / Weight	Rear Paper Tray: Plain Paper: 64-105 gsm2 OR Canon Paper: Max. approx. 265 gsm (Canon PP-301 Media)		
СОРУ			
Copy Features	Standard Copy, Borderless <sup>4</sup> Copy, Document Copy, Fit-to-Page, Multiple Copy (Up To 20 Pages), Photo Copy		
Maximum Document Size	8.5" x 11.7" (A4 / Letter)		
SCAN			
Scan Features	Document Scanning, Photo Scanning.		
Scanning Capability	Single Sided (Simplex) Scanning		
Scanner Type	Flatbed		
Scanning Method	Contact Image Sensor (CIS)		
Scanning Resolution <sup>6</sup>	600 x 1200 dpi (Optical)		
Maximum Color Scanning Bit Depth	Grayscale: 16-bit/8-bit; Color: 16-bit/8-bit Per Color		
Maximum Document Size	Flatbed: 8.5" x 11.7" (A4 / Letter)		
INK INFORMATION			
Ink System & Information	4-Color Continuous Ink Supply System (CISS), FINE Print Heads, Hybr Ink System, Integrated Ink Tanks, 'Squeeze-Free' Ink Bottles For Easy Mess Free Ink Filling, Unique Color Bottle Tip Shape for Correct Filling		
Ink Type	GI-21 Pigment-Based Black Ink Bottle GI-21 Dye-Based Color Ink Bottles (Cyan, Magenta, Yellow)		
Ink Tank & Fill Volume	GI-21 PGBK Ink Bottle: 170.0 ml GI-21 C, M, Y Ink Bottles: 70.0 ml (each)		
High Page Yield <sup>1</sup>	Default Mode: Up to 6,000 (Black & White) / 7,700 (Color) Pages (Per Full Ink Bottle Set) Economy Mode: Up to 7,600 (Black & White) / 8,100 (Color) Pages (Pe Full Ink Bottle Set)		

PRODUCT/INK INFORMATION				
Model No.	PIXMA G2270	MegaTank All-In-One Printer		
Compatible Inks	GI-21 PGK GI-21 C GI-21 M	Black Ink Bottle Cyan Ink Bottle Magenta Ink Bottle		

	GI-21 M GI-21 Y	Magenta Ink Bottle Yellow Ink Bottle		
CONNECTIVITY & SOF	TWARE/APPS			
Connectivity Options	Hi-Speed USB			
Display	1.2" Segment LCD (Monochrome)			
OS Compatibility	Windows: 7 Windows* 11, Windows* 10, Windows* 8.1, Windows* 7 SP1; Windows Server 2008 R2 SP1, Server 2012 R2, Windows Server 2016, Windows Server 2019, Windows Server 2022 Mac. <sup>®</sup> macOS v10.14.6 - 12 Operating Systems: 9 Chromebook Compatible™			
Software (Windows <sup>7</sup> / Mac <sup>8</sup> )	PIXMA G2270 Driver, Easy-PhotoPrint Editor Software <sup>11</sup> , Poster- Artist Web Version Software <sup>3</sup>			
General Features	Auto Power On/Off, Print/Scan/Copy, Quiet Mode, AirPrint® (PC only)			
Supported Languages	32 Supported Languages: Japanese, English(mm & inch), German, French, Italian, Spanish, Dutch, Portuguese, Norwegian, Swedish, Danish Finnish, Russian, Czech, Hungarian, Polish, Slovene, Turkish, Greek, Simplified Chinese, Traditional Chinese, Korean, Indonesian, Slovakian, Estonian, Latvian, Lithuanian, Ukrainian, Romanian, Bulgarian, Croatian, Vietnamese			
Power Information	Energy Efficiency: Rated EPEAT Silver, ENERGY STAR* Certified <sup>12</sup> Auto Power On / Off Capable: Yes Input Voltage: AC 100 – 240 V, 50 / 60 Hz Power Consumption - G2270: 14W (0.6W Standby / 0.1W Off) TEC (Typical Electricity Consumption): 0.1 kWh/week			
Sound Management	Quiet Mode: Available Noise Level: Approx. 48.5 dB(A) (Plain Paper)			
Operating Environment	Operating Temperature: 41° - 95° F (5° - 35° C) Operating Humidity: 10 - 90% RH			
Warranty <sup>13</sup>	1-Year Limited W	1-Year Limited Warranty with InstantExchange Program		
Box Contents - G2270	PIXMA MegaTank G2270 All-in-One Printer Set of Ink Bottles (GI-2I: PGBK, C, M, Y) Print Head Documentation Power Cord			



MegaTank All-in-One Inkjet Printer

### **PIXMA G2270 MAIN FEATURES**

	PIXMA G2270	
Functions	Print, Copy, Scan	
Total Paper Capacity (Plain Paper)	100 Sheets of Plain Paper	
Single-pass Duplex ADF	NO	
Fax Capable	NO	
Printer Size (closed) (LxWxH)	16.4" x 13.3" x 7"	
Printer Size (trays extended) (LxWxH)	16.4" x 21.9" x 10.6"	
Printer Weight	Approx. 13.2 lbs.	

#### SPECIFICATIONS AND AVAILABILITY ARE SUBJECT TO CHANGE WITHOUT NOTICE. ALL VIEWSCREEN AND PRINTER OUTPUT IMAGES ARE SIMULATED. NOT RESPONSIBLE FOR TYPOGRAPHICAL ERRORS.

- 1. Page yield of included ink bottles used for initial setup is lower than the replacement ink bottles, as a certain Page yield of included ink bottles used for initial setup is lower than the replacement ink bottles, as a certain amount of ink is consumed to fill into the print head during setup (charging the print head initially). Page yield is the estimated value based on Canon individual test method using the ISO/IEC 24712 chart and continuous printing simulation with the replacement ink bottles after initial setup. Page yield of color inks is an average yield of cyan, magenta and yellow inks combined. Page yield varies significantly depending on content printed, ink levels maintained in all four reservoirs, and other factors. Up to 6,000 (black)/7,700 (color) printed page yields are approximate using "default printing mode' up to 8,300 (black)/7,700 (color) printed page yields are approximate using "default printing mode' is alwindows/Mac OS driver or printer copy setting, based off document pages printed. A full set of MegaTank Gl-21 ink bottles (pigment black, cyan, magenta, yellow) is equivalent to 30 each standard capacity Black (PG-260) and Color (CL-261, composed of cyan, magenta and yellow) ink cartridges sold individually based on print yield lik yellow eavings based on MSRP (IISD) of stated equivalent in cartridges as of
- Document print speeds are the averages of ESAT in Office Category Test for the default simplex mode, ISO/IEC 24734. Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc. See www.usa.canon.com/ipm for additional details.
- PosterArtist Online Version requires a personal computer with Internet access and a compatible Canon printer.
  The service is not available on some operating systems or browsers. See usa.canon.com/PosterArtist for details.
- Paper types NOT supported for borderless printing are as follows: Envelope, High Resolution Paper, T-Shirt Transfer and Photo Stickers. The maximum borderless printing size is 8.5"x11".
- 5. Resolution may vary based on printer driver setting. Color ink droplets can be placed with a horizontal pitch of 1/4800 inch at minimum.

- 6. Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standard.
- Operation can only be guaranteed on a PC with pre-installed Windows 10, Windows 8.1, Windows 7 SP1.
- Internet Connection required during software installation. For full compatibility macOS v10.12.1 or later is recommended.
- 9. Some functions may not be available with these Operating Systems. Please refer to manual or Canon website for details 10. Functions and features may vary by printer model. Scanning requires Chrome OS 89 or later
- 10. Functions and features may vary by printer model. Scanning requires Chrome OS 89 or later.

  11. The Easy-PhotoPrint Editor software requires an Internet connection and is compatible with the following operating systems: Microsoft Windows 10 (64-bit/32-bit), Microsoft Windows 8.1 (64-bit/32-bit), Microsoft Windows 7 SP1 (64-bit/32-bit), macOS High Sierra v10.13, macOS Sierra v10.12, Mac OS X EI Capitan v10.10.5. Minimum Windows and macOS/Mac OS X requirements are: 2GB of RAM and a monitor with 10.24x/58 resolution. The Easy-PhotoPrint Editor mobile application requires an Internet connection and the Easy-PhotoPrint Editor app v1.10, available for free on the App Store and at Google Play. Compatible with iPad Air2 (2nd Generation), iPad Mini 4 and iPhone 6s or later devices running iOS 10 or later, and Android mobile devices running Android 5x or later. Certain exceptions may apply. The following file formats are supported: JPEG, PNG, HEIF (devices running IOS 11 and mac OS v10.13 or later.), DLP save data, Poster Artist export data, EasyPhoto+ export data, EasyPhoto+ export data, EasyPhotoPrint Editor export data.
- efficiency criteria through an EPA-recognized certification body.
- 13. Warranty programs are subject to certain conditions and restrictions. See www.usa.canon.com/support for





