

# MAXIFY GX7020X MegaTank Inkjet Printer

Designed to meet the needs of remote workers and targeted work environments where cost is a primary consideration, the MAXIFY GX7020X MegaTank Inkjet Printer delivers business-quality printing for generally lower-volume usage.

## MAXIFY GX7020X

Wireless. Print. Copy. Scan. Fax.





#### **USABILITY**

- 2.7" intuitive color touch screen.
- Easy Setup for smartphone and computer so you can get to work faster. With Wireless Connect, connect to Wi-Fi® without the need for a computer.
- Ink bottles have a "keyed nozzle" design that only fits and fills the correct color ink tank to avoid misuse.
- Designed with a small footprint to fit a variety of workspaces.



#### PERFORMANCE & DEPENDABILITY

- A 4-Color Pigment Ink System provides sharp, highlighter-resistant documents.
- Built to Last. Printer recommended for lower-volume usage but can handle more when called upon.
- Stay Waste-Conscious. Thanks to high page yield ink bottles, keep waste and time spent refilling ink to a minimum.
- Both the printhead and maintenance cartridge are easily replaceable should the need arise.



#### PRODUCTIVITY & COST SAVINGS

- Supports mobile solutions for printing and scanning.
- Scan multi-page documents with ease using the 50-Sheet, Single Pass Duplex Auto Document Feeder (ADF).
- Print on a wide variety of paper types and sizes.
- Low cost per print after initial inks are depleted

### **FEATURES**

#### USABILITY





**EASY TO FILL** 

Ink bottles have a "keyed nozzle" design that only fits and fills the correct color ink tank.



#### 2.7" LCD TOUCH SCREEN

Manage your job with an intuitive and easy to use 2.7" LCD touch screen.



#### SMALL FOOTPRINT

Not only is the MAXIFY GX7020X MegaTank inkjet printer packed with features, it's also designed to fit your workspace.



Get running in just a few minutes via a user-installable design.



#### **MOBILE DEVICE PRINTING**

Print from your favorite mobile devices using the Canon PRINT Inkjet/ SELPHY App<sup>3</sup>, Apple AirPrint<sup>®4</sup>, and Mopria® Print Service5.

### PERFORMANCE & DEPENDABILITY





#### **SHARP TEXT & DOCUMENTS**

Thanks to a 4-Color Pigment Ink System, you'll get sharp and highlighter-resistant text.



#### **ETHERNET**

Built-In Ethernet connection for Wired LAN support.



#### **BUILT TO LAST**

Built to Last. Get the job done during busy months with support for high print volumes.

### **PRODUCTIVITY & COST-SAVINGS**





#### MEGATANK MEANS MEGASAVINGS!

Print up to 6,000 Black /14,000 Color pages with just a single set of inks1.



#### **AUTO DOCUMENT FEEDER**

Scan multi-page documents with ease using the 50-Sheet, Single Pass Duplex Auto Document Feeder (ADF).



#### **TWO 250-SHEET PAPER CASSETTES**

Load up to 500 sheets of plain paper with two separate 250-Sheet front-loading cassettes!



#### **REAR PAPER TRAY**

Easily load envelopes, labels, and more in the rear tray—or up to 100 sheets of plain paper.



#### **VERSATILE MEDIA SUPPORT**

Print on envelopes, greeting cards, glossy photo paper, high resolution paper, and more!



**POSTERARTIST** 

Free PosterArtist web design tool included. Easily create custom professional posters, banners and

### Maximize the value of your MAXIFY GX7020X MegaTank inkjet printer with uniFLOW Online



Adding uniFLOW Online Cloud Link Print Connection to your uniFLOW Online subscriptions<sup>7</sup> allows remote workers to seamlessly print and scan documents from their home office, using their MAXIFY GX7020X MegaTank Inkjet Printers.

Organizations and administrators can benefit from detailed reporting<sup>8</sup>, identify potential cost savings with comprehensive tracking and management, and release their print jobs using uniFLOW Online's access control features9, which can now extend to MAXIFY GX7020X MegaTank Inkjet Printers at home.7

The end result—a print and scan infrastructure that's flexible and built for the future of Hybrid Work:

- Remote workers can print and scan from home, while using security levels set by their organization
- Remote workers can manage their print job statuses from home
- Organizations can centralize print usage and related costs for compatible in-office multifunction printers (MFP) and in-office/athome MAXIFY GX7020X MegaTank Inkjet Printers.

# MAXIFY GX7020X

#### Specifications

Print Features	Print, Copy, Scan, Fax	
Print Options	Document Printing, Photo Printing, Wireless Printing <sup>10</sup> , Mobile Device Printing, Business Card Printing, Greeting Card Printing, Label Printing, Square Media Printing Support, Double-sided Matte Paper Support, Print from USB Flash Drive <sup>6</sup>	
Printing Capability	Single Sided/Double Sided Printing (Simplex/Duplex)	
Fast First Print Out (FPOT) <sup>2</sup>	As fast as 8 Seconds (from Ready Mode/Simplex/Color)	
Print Speed (ESAT) <sup>2</sup>	Black Document Simplex (Letter): Approx. 24.0 ipm Color Document Simplex (Letter): Approx. 15.5 ipm	
Number of Nozzles	Color (C/M/Y): 1,024x3 / Pigment Black: 1,280 / <b>Total: 4,352 nozzles</b>	
Resolution	Up to 600 x 1200 dpi	
Media Handling	2 Cassettes: 500 Sheets (250 Sheets/Per Cassette x2) 1 Rear Tray: 100 Sheets <b>OR</b> 20 Sheets 4" x 6"	
Supported Paper / Media Sizes	4" x 6", 5" x 5" (Square), 5" x 7", 7" x 10", 8" x 10", Letter (8.5" x 11"), Legal (8.5" x 14"), Executive, U.S. #10 <b>Custom Size:</b> Width: 3.5" - 8.5" / Length: 5" x 47"	
Canon Paper / Media Compatibility	Plain: Plain Paper, High Resolution Paper; Glossy: Photo Paper Plus Glossy II, Photo Paper Glossy; Semi-Gloss: Photo Paper Plus Semi-Gloss, Photo Paper Pro Luster; Matte: Matte Photo Paper, Double-sided Matte Paper; Light Fabric Iron-on Transfers; Other (Canon): Magnetic Photo Paper, Restickable Photo Paper; Other (non-Canon): Greeting Card, Envelope, Recycled Paper and Chlorine-free Paper can be used	
Supported Media Thickness / Weight	Rear Tray: Plain Paper: 64 - 105 gsm <b>OR</b> Canon Paper: Max. approx. 275 gsm (Canon PP-301 <b>OR</b> Thicker Paper: approx. 115 - 250 gsm); <b>Bottom Cassette</b> : Plain Paper: 64 - 105 gsm	
СОРУ		
Copy Features	4-on-1/2-on-1 Copy, Document Copy, Fit-to-Page, Frame Erase Copy (Flatbed Only), ID Card Copy, Auto Exposure Copy, Multiple Copy (Up To 99 Pages), Preset Copy Ratios, Reduction/Zoom Copy (25%- 400%), Standard Copy	
First Copy Out Time (FCOT) <sup>2</sup>	Approx. 12 seconds (Color/Simplex)	
Maximum Document Size	Flatbed: Letter; ADF: Legal	
SCAN & ADF (Automatic Docu	Save to PC, Attach to E-mail, Multi-Page PDF, Save to USB Flash Drive, Unsharp Mask, Descreen, Reduce slow-through, Rescan, Rotate Auto Crop, Scan to Folder	
Scanning Capability	Single Sided (Simplex) Scanning Single-pass Duplex Scanning	
ADF Scan Speed <sup>2</sup>	ESAT Simplex (Black): 22.2 ipm; ESAT Simplex (Color): 12.2 ipm	
Scanner Type	Flatbed and ADF	
Scanning Method	Contact Image Sensor (CIS)	
Scanning Resolution <sup>11</sup>	1200 x 1200 dpi (Optical)	
Maximum Color Scanning	Grayscale: 16-bit / 8-bit; Color: 16-bit / 8-bit Per Color	
Bit Depth		
Maximum Document Size	Flatbed: Letter; ADF: Legal	
ADF Sheet Canacity	Letter Size: 50 Sheets Plain Paper; Legal Size: 10 Sheets Plain Paper	
FAX	Caller Rejection, Fax Reception Reject, Fax Number Re-Entry, Check RX Fax Info, Dial Search, Memory Transmission, Answering Machine Connectivity, Remote Reception, Redial, Double Sided Printing (Fax Images), Fax To Folder	
FAX Fax Features	RX Fax Info, Dial Search, Memory Transmission, Answering Machine Connectivity, Remote Reception, Redial, Double Sided Printing	
FAX Fax Features Fax Resolution	RX Fax Info, Dial Search, Memory Transmission, Answering Machine Connectivity, Remote Reception, Redial, Double Sided Printing (Fax Images), Fax To Folder	
FAX Fax Features Fax Resolution Modem Speed <sup>12</sup>	RX Fax Info, Dial Search, Memory Transmission, Answering Machine Connectivity, Remote Reception, Redial, Double Sided Printing (Fax Images), Fax To Folder Up to 300x300 dpi (Extra Fine)	
FAX Fax Features Fax Resolution Modem Speed <sup>12</sup> Transmission Speed <sup>13</sup>	RX Fax Info, Dial Search, Memory Transmission, Answering Machine Connectivity, Remote Reception, Redial, Double Sided Printing (Fax Images), Fax To Folder Up to 300x300 dpi (Extra Fine) Max. 33.6 kbps (Automatic Fall Back)	
Fax Features  Fax Resolution  Modem Speed <sup>12</sup> Transmission Speed <sup>13</sup> Memory Capacity <sup>14</sup> Group Dialing	RX Fax Info, Dial Search, Memory Transmission, Answering Machine Connectivity, Remote Reception, Redial, Double Sided Printing (Fax Images), Fax To Folder Up to 300x300 dpi (Extra Fine) Max. 33.6 kbps (Automatic Fall Back) Black: Approx. 3 sec; Color: Approx. 1 min	
Fax Features  Fax Resolution  Modem Speed <sup>12</sup> Transmission Speed <sup>13</sup> Memory Capacity <sup>14</sup> Group Dialing	RX Fax Info, Dial Search, Memory Transmission, Answering Machine Connectivity, Remote Reception, Redial, Double Sided Printing (Fax Images), Fax To Folder  Up to 300x300 dpi (Extra Fine)  Max. 33.6 kbps (Automatic Fall Back)  Black: Approx. 3 sec; Color: Approx. 1 min  Approx. 250 Pages	
Fax Features  Fax Resolution  Modem Speed <sup>12</sup> Transmission Speed <sup>13</sup> Memory Capacity <sup>14</sup> Group Dialing  Ink Information	RX Fax Info, Dial Search, Memory Transmission, Answering Machine Connectivity, Remote Reception, Redial, Double Sided Printing (Fax Images), Fax To Folder  Up to 300x300 dpi (Extra Fine)  Max. 33.6 kbps (Automatic Fall Back)  Black: Approx. 3 sec; Color: Approx. 1 min  Approx. 250 Pages	
Fax Features  Fax Resolution  Modem Speed <sup>12</sup> Transmission Speed <sup>13</sup> Memory Capacity <sup>14</sup> Group Dialing  Ink Information  Ink System & Information	RX Fax Info, Dial Search, Memory Transmission, Answering Machine Connectivity, Remote Reception, Redial, Double Sided Printing (Fax Images), Fax To Folder  Up to 300x300 dpi (Extra Fine)  Max. 33.6 kbps (Automatic Fall Back)  Black: Approx. 3 sec; Color: Approx. 1 min  Approx. 250 Pages  Max. 99 Locations  4-Color Pigment Continuous Ink Supply System (CISS), FINE Print Heads, Integrated Ink Tanks, "Squeeze-Free" Ink Bottles For Easy & Mess Free Ink Filling, Unique Color Bottle Tip Shape for Correct Fillin,	
Fax Features  Fax Resolution  Modem Speed <sup>12</sup> Transmission Speed <sup>13</sup> Memory Capacity <sup>14</sup> Group Dialing  Ink Information  Ink System & Information	RX Fax Info, Dial Search, Memory Transmission, Answering Machine Connectivity, Remote Reception, Redial, Double Sided Printing (Fax Images), Fax To Folder  Up to 300x300 dpi (Extra Fine)  Max. 33.6 kbps (Automatic Fall Back)  Black: Approx. 3 sec; Color: Approx. 1 min  Approx. 250 Pages  Max. 99 Locations  4-Color Pigment Continuous Ink Supply System (CISS), FINE Print Heads, Integrated Ink Tanks, "Squeeze-Free" Ink Bottles For Easy & Mess Free Ink Filling, Unique Color Bottle Tip Shape for Correct Filling Every Time	
Modem Speed <sup>12</sup> Transmission Speed <sup>13</sup> Memory Capacity <sup>14</sup> Group Dialing	RX Fax Info, Dial Search, Memory Transmission, Answering Machine Connectivity, Remote Reception, Redial, Double Sided Printing (Fax Images), Fax To Folder  Up to 300x300 dpi (Extra Fine)  Max. 33.6 kbps (Automatic Fall Back)  Black: Approx. 3 sec; Color: Approx. 1 min  Approx. 250 Pages  Max. 99 Locations  4-Color Pigment Continuous Ink Supply System (CISS), FINE Print Heads, Integrated Ink Tanks, "Squeeze-Free' Ink Bottles For Easy & Mess Free Ink Filling, Unique Color Bottle Tip Shape for Correct Fillin Every Time  GI-26 Pigment-Based Ink Bottles (Cyan, Magenta, Yellow, Black)  GI-26 Black Ink Bottle: 167.0 ml	

#### PRODUCT/INK INFORMATION

Model No.	MAXIFY GX7020X	MAXIFY GX7020X MegaTank Inkjet Printer
Compatible Inks	GI-26 BK GI-26 C GI-26 M GI-26 Y	Black Ink Bottle Cyan Ink Bottle Magenta Ink Bottle Yellow Ink Bottle
Print Head	PH-20	Print Head
Maintenance Cartridge	MC-G01	Maintenance Cartridge

#### **CONNECTIVITY & SOFTWARE/APPS**

Connectivity Options	Hi-Speed USB; Wi-Fi* (Wireless LAN, 2.4/5 GHz, IEEE 802.11b/g/n) $^{10}$ , Wired LAN (100BASE-TX) / 10BASE-T)
Wireless Information	Standard: IEEE 802.11 b/g/n; Security: WEP64/128, WPA-PSK (TKIP, AES), WPA2-PSK (TKIP/AES); Wireless LAN Frequency Band(s): 2.4 GHz / 5 GHz; Wireless Direct Connection Capable/ Wireless Connection Capable: Yes
OS Compatibility	Windows*: <sup>15</sup> Windows 10, Windows 8.1, Windows 7 SP1, Windows Server 2008 R2 SP1, Server 2012 R2, Server 2016, and Server 2019 Mac: <sup>16</sup> MacOS v10.12.6 - 10.15 (Catalina) Chromebook Compatible <sup>17</sup> Mobile Operating Systems: <sup>18</sup> iOS*, iPadOS, Android™
Smart Assistant Support <sup>18</sup>	Amazon Alexa™, Google Assistant™
Mobile Printing Solutions & Apps (iOS°/ ANDROID™)	AirPrint*4, Mopria*5, Canon PRINT app³, Easy PhotoPrint Editor App¹9, Canon Print Service²0 (Android), PIXMA Cloud Link³, Creative Park App²1
Software (Windows <sup>15</sup> / Mac <sup>16</sup> )	MAXIFY GX7020X Driver, Easy-PhotoPrint Editor Software <sup>19</sup> , PosterArtist Lite Software <sup>22</sup> , PosterArtist Online Version <sup>23</sup>

#### **GENERAL**

General Features	Auto Power On/Off, Print/Scan/Copy, Quiet Mode, Wireless Direct Connection <sup>10</sup> , Wireless Connect <sup>10</sup> , Auto Paper Width Detection
Display	2.7" LCD Touchscreen
Supported Languages	33 Supported Languages: English, Japanese, German, French, Italian, Spanish, Portuguese, Dutch, Danish, Norwegian, Swedish, Finnish, Russian, Ukrainian, Polish, Czech, Slovenian, Hungarian, Slovakian, Croatian, Romanian, Bulgarian, Turkey, Greek, Estonian, Latvian, Lithuanian, Simplified Chinese, Korean, Traditional Chinese, Thai, Indonesia, Vietnamese

Power Information

Energy Efficiency: Energy Star\* Certified<sup>24</sup>
Auto Power On / Off Capable: Yes
Input Voltage: AC 100 – 240 V, 50 / 60 Hz
Power Consumption - GX7020X: 23W (0.9W Standby / 0.2W Off)
TEC (Typical Electricity Consumption): 0.15 kWh

 
 Sound Management
 Quiet Mode: Available Noise Level: Approx. 49.0 dB(A) (Plain Paper)

 Operating
 Operating Temperature: 41° - 95° F (5° - 35° C)

 Environment25
 Operating Humidity: 10 - 90% RH

Box Contents - MAXIFY GX7020X

• MAXIFY GX7020X MegaTank Inkjet Printer

• Set of Ink Bottles (GI-26: BK, C, M, Y)

• Documentation

• Power Cord

#### EXTENDED SERVICE PLANS AVAILABLE FOR PURCHASE

 eCarePAK Exchange 1-year
 5707B074AA

 eCarePAK Exchange 2-year
 5707B075AA

 eCarePAK Exchange 3-year
 5707B076AA

 eCarePAK Exchange 4-year
 5707B077AA

### **MAXIFY GX7020X BASIC DETAILS** MAXIFY GX7020X Print, Copy, Scan, Fax **Functions** 600 Sheets (2x 250 Sheets/Per Cassette + 100 Sheet Rear Tray) **Total Paper Capacity (Plain Paper)** Single-pass Duplex ADF YES uniFLOW Online Cloud Link YES **Print Connection** Printer Size (closed) (LxWxH) 15.8" x 16.2" x 12.4" Printer Size (trays extended) (LxWxH) 15.8" x 25.4" x 15.3"

**Printer Weight** 

- SPECIFICATIONS AND AVAILABILITY ARE SUBJECT TO CHANGE WITHOUT NOTICE. ALL VIEWSCREEN AND PRINTER OUTPUT IMAGES ARE SIMULATED. NOT RESPONSIBLE FOR TYPOGRAPHICAL ERRORS.

  1 Claim is based on page yield of 6,000 Black/14,000 Color pages per ink bottle set and MSRP (USD) of \$126,96 for full set of GI-26 ink bottles (1 bottle each of Cyan, Magenta, Yellow, Black) as of March 2021. Page yield of color inks is an average yield of cyan, magenta and yellow inks combined. Page yield of included ink bottles used for initial setup is lower than the replacement ink bottles, as a certain amount of ink is consumed to fill into the print head during caths (charging the gride had bigilial). Act all page yield on good the print in leave the fill into the print head during caths (charging the gride had bigilial). Act all page yield and cort are gride in large will have do not page to the print in large page. setup (charging the print head initially). Actual page yield and cost per print will vary significantly based on content printed, ink levels maintained in all four ink reservoirs, and other factors. Page yield is the estimated value based on Canon individual testing method using ISO/IEC 24712 test chart and continuous printing simulation with full set of replacement ink bottles after initial setup. Ink value savings and cost per print comparison with laser is based on total cost (using online manufacturers' prices as of March 2021) of high yield and standard capacity (where high yield are not available) laser cartridges necessary to achieve equivalent page yields by similarly featured color laser , printers
- printers.

  Document print speeds are the averages of ESAT (Estimated Saturated Throughput) in Office Category Test for the default simplex mode, ISO/IEC 24734. Photo print speed is based on the default setting using ISO/IIS-SCID N2 on Photo Paper Plus Glossy II and does not take into account data processing time on host computer. Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc. Copy speeds are the average of sFCOT and sESAT, ISO/IEC 29183. Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up time. See www.usa.canon.com/ipm for additional details.

  Requires an Internet connection and the Canon PRINT Inkjet/SELPHY app, available for free on the App Store and at Google Play. Compatible with iPad, iPhone 3GS or later, and iPod touch 3rd generation or later devices running (DS 12.0 or later, and Android" mobile devices running Android 4 A or later. Your device must be connected to the same working network with wireless 802.11 b/g/n capability as your printer. Requires a compatible social media account's Terms of Service. Certain exceptions may apply. AirPicif furtionality requires a compatible iPad ii Phone or iPad Touch device.
- AirPrint functionality requires a compatible iPad, iPhone, or iPod Touch device.
- Requires Android\* mobile device with Mopria\* Print Service pre-loaded with that device. The Mopria\* experience is also available with a download of the Mopria\* Print Service from Google Play.

  Supported file formats include: JPEG, TIFF and PDF.
- Cloud Link Print Connection is a user-based license. The subscription of at least one uniFLOW Online Cloud Print & Scan or Image Processing License is required.
- Reporting requires the use of the uniFLOW Online Cloud Link Print Connection print driver
- Canon offers products that contain certain security features, yet many variables can impact the security of your devices and data. Canon does not warrant that use of features will prevent security issues. Nothing herein should be construed as legal or regulatory advice concerning applicable laws; customers must have their own qualified counsel determine the feasibility of a solution as it relates to regulatory and statutory compliance. Some security features may impact functionality/performance; you may want to test these settings in your environment.
- Wireless printing and scanning requires a working network with wireless 802 IIb/g/n capability, operating at 2.4GHz or 5.0GHz. Wireless performance may vary based on terrain and distance between the printer and wireless
- 11 Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standard.

- 12 The Public Switched Telephone Network currently supports fax modem speeds of 28.8 Kbps or lower, depending on
- telephone line conditions. Sending and receiving fax machines need to conform to ITU-T v34 guidelines.

  Black & white document fax transmission speed is based on default setting using ITU-T No.1 chart. Color document fax transmission speed is based on default setting using ITU-T No.1 chart. Color document fax transmission speed is based on default setting using Canon Color Fax Test Sheet. Actual transmission speed varies depending on document complexity, fax setting at receiving end, and line conditions etc.

  Page count is based on ITU-T No.1 chart or Canon FAX Standard Chart No.1. The number of pages able to be kept in
- memory will vary based on remaining memory capacity and document complexity.

  Operation can only be guaranteed on a PC with pre-installed Windows 10, Windows 8.1, Windows 7 SPI.

Approx. 28.6 lbs.

- Internet Connection required during software installation. For full compatibility macOS v10.12 or later is recommended. 17 Functions and features may vary by printer model. Scanning requires Chrome OS 89 or later.
- Some functions may not be available with these Operating Systems. Please refer to manual or Canon website for details.
- 18 Requires an active smart assistant account linked and accompanying app enabled, the smart device and printer to be actively connected with permission to the Canon Inkjet Cloud Printing Center, and the required action(s), skill(s), or applet(s) available/ enabled to the compatible printer. Voice commands can not be displayed as text on Amazon smart devices with screens.
- The Easy-PhotoPrint Editor software requires an Internet connection and is compatible with the following perating systems; Microsoft Windows 10 (64-bit/32-bit), Microsoft Windows 8.1 (64-bit/32-bit), Microsoft Windows 7.5PI (64-bit/32-bit), macOS High Sierra v10.13, macOS Sierra v10.12, Mac OS X EI Capitan v10.11 and Mac OS X EI Capitan v10.10.5. Minimum Windows and macOS/Mac OS X requirements are: 2GB of RAM and a monitor with 1024x768 resolution. The Easy-PhotoPrint Editor mobile application requires an Internet connection and the Easy-PhotoPrint Editor app v1.10, available for free on the App Store and at Google Play. Compatible with iPad Air2 (2nd Generation), iPad Mini 4 and iPhone 6s or later devices running iOS 10 or later, and Android mobile devices running Android 5x or later. Certain exceptions may apply. The following file formats are supported. JPEG, PNG, HEIF (devices running iOS 11 and mac OS v10.13 or later). DLP save data, Poster Artist export data, Easy-PhotoPrint Editor export data.

  20 Canon Print Service is a print plug-in for Android smart devices, which enables printing from Android v4.4 - v5.0
- devices to many Canon printers via a Wi-Fi network. The plug-in does not work as a standalone app. Available for free at Google Play.
- Requires an Internet connection and the Creative Park app, available for free on the App Store and at Google Play. Requires an active 'Canon ID' available for free, and subject to 'Canon ID' Terms of Service. Visit myid.canon for more information. Certain exceptions may apply.
- 22 PosterArtist Lite software v3.X is compatible with 64/32 bit versions of Microsoft\* Windows\* 10, Windows 8.1, Windows 7 and only compatible with select Canon PIXMA (released after July 2015), MAXIFY, imagePROGRAF and Océ printers. Minimum computer system requirements: Pentium4 2.8Ghz CPÚ or hígher with 1GB ŘAM, 1024x768 pixel display and 5GB of system hard drive space.
- 23 PosterArtist Online Version requires a personal computer with Internet access and a compatible Canon printer. The service is not available on some operating systems or browsers. See usa.canon.com/PosterArtist for details.

  24 As an ENERGY STAR\* Partner, Canon U.S.A., Inc. has certified this printer as meeting the ENERGY STAR energy
- efficiency criteria through an EPA-recognized certification body.
- 25 Print quality might be lower depending on the operating environment













