

PIXMA G3272 Wireless MegaTank All-in-One Inkjet Printer

WiFi P







FEATURES

PRODUCTIVITY & COST-SAVINGS



HIGH PAGE YIELD

Print up to approx. 6,000 Black / 7,700 Color High Page Yield pages with just a single set of inks.1



STAY TIME-CONSCIOUS Thanks to high page yield ink bottles, keep time spent refilling ink to a minimum.



PosterArtist⁶ is a poster creation software program designed to be used by all levels of

PosterArtist users to create professional looking posters, banners and signage.



\$1,000 INK SAVINGS

Ink savings of over \$1,000 with the included ink bottle set.1



100-SHEET REAR PAPER TRAY

For letter size plain paper (only). Can also easily load envelopes, labels, high resolution paper and more in the rear trav.

USABILITY





EASY TO FILL

Ink bottles have a "keyed nozzle" design to only fit and fill the correct color ink tank.

BACKLIT 1.35" SQUARE LCD SCREEN Get the job done with an intuitive and easy to use 1.35" Square LCD Screen.

COMPACT SIZE

Small compact design to fit your home or workspace

EASY SETUP EASY



Get running in just a few minutes thanks to a streamlined and easy setup process out of the box.



Easy Wi-Fi[®] setup in minutes. Connect to Wi-Fi° without the need for a computer ^{3,8}



MOBILE DEVICE PRINTING

Print from your favorite mobile devices using the free Canon PRINT app⁴. Apple AirPrint^{®5}, and Mopria Print Service^{®6}

PERFORMANCE & DEPENDABILITY



INTEGRATED INK TANKS

Conveniently view and refill ink using ink Integrated Ink Tanks bottles



BORDERLESS PHOTO PRINTING Print beautiful borderless photos up to



8.5" x 11" (Letter size).9 **EASY USER REPLACEMENT PARTS -**LESS DOWN TIME (Sold Separately)

User replaceable directly from the front and back of the printer.



VERSATILE MEDIA SUPPORT

Print on envelopes, photos, high resolution paper, and more!



1-YEAR LIMITED WARRANTY¹⁰

Have peace of mind with a 1-Year Limited Warranty.



anon

SPECIFICATIONS

High Page Yield¹

Print Features	Wireless, Print, Copy, Scan
Types of Printing ⁶	Document Printing, Photo Printing, Wireless Printing ³ , Mobile Device Print- ing ⁴⁵⁶ , Borderless Printing ⁹ , Business Card Printing, Greeting Card Printing, Label Printing, Camera Direct Photo Printing, Square Media Printing Support, Double-sided Matte Paper Support.
Printing Capability	Single Sided (Simplex) Printing, Borderless ⁹ Printing (3.5" x 3.5" to 8.5" x 11")
Print Speed (ESAT) ²	Black Document Simplex (Letter): Approx. 11.0 ipm Color Document Simplex (Letter): Approx. 6.0 ipm
Number of Nozzles	Color (C/M/Y): 384x3 / Pigment Black: 640 / Total: 1,792
Resolution	Up to 4800 x 1200 dpi
Duty Cycle	Up to 3,000 Pages / Month
Media Handling	Rear Paper Tray
Supported Paper / Media Sizes	3.5" x 3.5" (Square), 4" x 6", 5" x 5" (Square), 5" x 7", 7" x 10", 8" x 10", Letter (8.5" x 11"), 44, A5, A6, B5, Legal (8.5" x 14"), U.S. #10 Envelopes, Card Size (91 mm x 55 mm), Custom size (width 2.1–8.5 in, length 3.5–47.2 in)
Supported Borderless Printing	3.5″ x 3.5″ (Square), 4″ x 6″, 5″ x 5″ (Square), 5″ x 7″, 7″ x 10″, 8″ x 10″, Letter (8.5″ x 11″), A4, B5, Card Size (91 mm x 55 mm)
Canon Paper / Media Compatibility	Plain: Plain Paper, Canon High Resolution Paper; Glossy: Photo Paper Plus Glossy II, Photo Paper Glossy; Semi-Gloss: Photo Paper Plus Semi-Gloss, Photo Paper Pro Luster; Matte: Matte Photo Paper, Double-sided Matte Paper; Other (Canon): Magnetic Photo Paper, Restickable Photo Paper, Iron-On Transfers; Other (non-Canon): Cardstock, Greeting Card, U.S. #10 Envelopes, Recycled paper and Chlorine-free paper can be used
Paper Capacity	Rear Paper Tray: 100 Sheets of Plain Paper OR 20 Sheets 4" x 6"
Supported Media Thickness / Weight	Rear Paper Tray: Plain Paper: 64-105 gsm2 OR Canon Paper: Max. approx. 265 gsm (Canon PP-301 Media)
COPY Copy Features	4-on-1 / 2-on-1 Copy, Borderless ⁹ Copy, Document Copy, Fit-to-Page, Frame Erase Copy (Flatbed Only), ID Card Copy, Auto Exposure Copy, Multiple Copy (Up To 99 Pages), Photo Copy, Preset Copy Ratios, Reduction / Zoom Copy (25% - 400%), Standard Copy
Maximum Document Size	8.5" x 11.7" (Letter / A4)
SCAN	
Scan Features	Document Scanning, Photo Scanning, Wireless Scanning ³ , Scan to Canon PRINT app ⁴ ,Attach to Email, Scan Multi-Page PDF, Save to PC
Scanning Capability	Single Sided (Simplex) Scanning
C	
Scanner Type	Flatbed
	Flatbed Contact Image Sensor (CIS)
Scanning Method Scanning Resolution ¹¹ Maximum Color Scanning	Contact Image Sensor (CIS)
Scanner Type Scanning Method Scanning Resolution ¹¹ Maximum Color Scanning Bit Depth Maximum Document Size	Contact Image Sensor (CIS) 600 x 1200 dpi (Optical)
Scanning Method Scanning Resolution" Maximum Color Scanning Bit Depth	Contact Image Sensor (CIS) 600 x 1200 dpi (Optical) Grayscale: 16-bit/8-bit; Color: 16-bit/8-bit Per Color
Scanning Method Scanning Resolution ¹¹ Maximum Color Scanning Bit Depth Maximum Document Size	Contact Image Sensor (CIS) 600 x 1200 dpi (Optical) Grayscale: 16-bit/8-bit; Color: 16-bit/8-bit Per Color
Scanning Method Scanning Resolution ¹¹ Maximum Color Scanning Bit Depth Maximum Document Size INK INFORMATION	Contact Image Sensor (CIS) 600 x 1200 dpi (Optical) Grayscale: 16-bit / 8-bit; Color: 16-bit / 8-bit Per Color Flatbed: 8.5" x 11.7" (Letter / A4) 4-Color Continuous Ink Supply System (CISS), FINE Print Heads, Hybrid Ink System, Integrated Ink Tanks, 'Squeeze-Free' Ink Bottles For Easy &
Scanning Method Scanning Resolution ¹¹ Maximum Color Scanning Bit Depth Maximum Document Size INK INFORMATION Ink System & Information	Contact Image Sensor (CIS) 600 x 1200 dpi (Optical) Grayscale: 16-bit / 8-bit, Color: 16-bit / 8-bit Per Color Flatbed: 8.5" x 11.7" (Letter / A4) 4-Color Continuous Ink Supply System (CISS), FINE Print Heads, Hybrid Ink System, Integrated Ink Tanks, "Squeeze-Free' Ink Bottles For Easy & Mess Free Ink Filling, Unique Color Bottle Tip Shape for Correct Filling GI-21 Pigment-Based Black Ink Bottle

Default Mode: Up to 6,000 (Black & White) / 7,700 (Color) Pages (Per

Economy Mode: Up to 7,600 (Black & White) / 8,100 (Color) Pages (Per

Full Ink Bottle Set)

Full Ink Bottle Set)

Wireless MegaTank All-In-One Printer GI-21 PGK Black Ink Bottle Compatible Inks GI-21 C Cyan Ink Bottle GI-21 M Magenta Ink Bottle GI-21 Y Yellow Ink Bottle **CONNECTIVITY & SOFTWARE/APPS Connectivity Options** Hi-Speed USB Wi-Fi® (Wireless LAN, 2.4/5 GHz, IIEEE 802.11b/g/n/a/ac)³ Standard: IEEE 802.11b/g/n/a/ac Security: WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), WPA3-SAE Wireless Information (AFS) Wireless LAN Frequency Band(s): 2.4 GHz / 5 GHz Wireless Direct Connection Capable/ Wireless Connect[®] Capable: Yes Display Backlit 1.35" Square LCD Screen Display Windows^e,¹³ Windows 11, Windows 10, Windows 8.1, Windows 7 SP1; Windows Server 2008 R2 SP1, Server 2012 R2, Windows Server 2016, **OS Compatibility** Windows Server 2019, Windows Server 2022 Mac°:14 macOS° v10.14.6 - 12 Mobile Operating Systems:¹⁵ iOS[®], iPadOS[®], Android[™], Chromebook[™] Compatible Mobile Printing Solutions & Apps (iOS*/ ANDROID™) AirPrint^{es}, Mopria^{e6}, Canon PRINT app⁴, Easy PhotoPrint Editor App¹⁷, Canon Print Service¹⁸ (Android Only), PIXMÁ Cloud Link⁴ PIXMA G3272 Driver, Easy-PhotoPrint Editor Software¹⁷, Poster-Software (Windows¹³/Mac¹⁴) Artist Web Version Software⁷ Auto Power On/Off, Print/Scan/Copy, Quiet Mode, Wireless Direct **General Features** Connection⁸, Wireless Connect⁸, Auto Paper Width Detection Supported Languages 32 Supported Languages: Japanese, English(mm & inch), German, French, Italian, Spanish, Dutch, Portuguese, Norwegian, Swedish, Danish, Finnish, Russian, Czech, Hungarian, Polish, Slovene, Turkish, Greek, Simplified Chinese, Traditional Chinese, Korean, Indonesian, Slovakian, Estonian, Latvian, Lithuanian, Ukrainian, Romanian, Bulgarian, Croatian, Vietnamese Energy Efficiency: Rated EPEAT Silver, Energy Star* Certified¹⁹ Power Information Auto Power On / Off Capable: Yes Input Voltage: AC 100 – 240 V, 50 / 60 Hz Power Consumption - G3272: 16W (0.6W Standby / 0.1W Off) TEC (Typical Electricity Consumption): 0.15 kWh/week Sound Management Quiet Mode: Available Noise Level: Approx. 48.5 dB(A) (Plain Paper) Operating Operating Temperature: 41° - 95° F (5° - 35° C) Operating Humidity: 10 - 90% RH Environment 1-Year Limited Warranty with InstantExchange Program Warrantv¹⁰ • PIXMA MegaTank G3272 Wireless All-in-One Printer Box Contents - G3270 Set of Ink Bottles (GI-21: PGBK, C, M, Y) Print Head Documentation Power Cord

PRODUCT/INK INFORMATION

Model No.

PIXMA G3272

PIXMA G3272

Wireless MegaTank All-in-One Inkjet Printer



PIXMA G3272 MAIN FEATURES

	PIXMA G3272
Functions	Wireless, Print, Copy, Scan
Total Paper Capacity (Plain Paper)	100 Sheets of Plain Paper
Single-pass Duplex ADF	NO
Fax Capable	NO
Printer Size (closed) (LxWxH)	16.4" x 13.3" x 7"
Printer Size (trays extended) (LxWxH)	16.4" × 21.9" × 10.6"
Printer Weight	Approx. 13.2 lbs.

SPECIFICATIONS AND AVAILABILITY ARE SUBJECT TO CHANGE WITHOUT NOTICE. ALL VIEWSCREEN AND PRINTER OUTPUT IMAGES ARE SIMULATED. NOT RESPONSIBLE FOR TYPOGRAPHICAL ERRORS.

- Page yield of included ink bottles used for initial setup is lower than the replacement ink bottles, as a certain Page yield of included ink bottles used for initial setup is lower than the replacement ink bottles, as a certain amount of ink is consumed to fill into the print head during setup (charging the print head initially). Page yield is the estimated value based on Canon individual test method using the ISO/IEC 24712 chart and continuous print-ing simulation with the replacement ink bottles after initial setup. Page yield of color inks is an average yield of cyan, magenta and yellow inks combined. Page yield varies significantly depending on content printed, ink levels maintained in all four reservoirs, and other factors. Up to 6,000 (black)/7,700 (color) printed page yields are approximate using 'economy printing mode' up to 8,300 (black)/7,700 (color) printed page yields are approximate using 'economy printing mode' ui Windows/Mac OS driver or printer copy setting, based off document pages printed. A full set of MegaTank GI-21 ink bottles (pigment black, cyan, magenta, yellow) is equivalent to 30 each standard capacity Black (PG-260) and Color (CL-261, composed of cyan, magenta, yellow) ink cartridges sold individually based on print yield. Ink value savings based on MSRP (USD) of stated equivalent ink cartridges as of February 2023. of February 2023.
- un reuruary 2023. Document print speeds are the averages of ESAT in Office Category Test for the default simplex mode, ISO/ IEC 24734. Photo print speed is based on the default setting using ISO/JIS-SCID N2 on Photo Paper Plus Glossy II and does not take into account data processing time on host computer. Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc. Copy speeds are the average of SFCOT and sESAT, ISO/IEC 20183. Copy speed may vary depending on doc-ument complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up time. See www.usa.canon.com/jmm for additional details. 2
- Wireless printing and scanning requires a working network with wireless 802.11b/g/n capability, operating at 2.4GHz or 5.0GHz. Wireless performance may vary based on terrain and distance between the printer ar 3 wireless network clients
- We eless network clients Requires an Internet connection and the Canon PRINT app, available for free on the App Store and at Google Play. Compatible with iPad, iPhone 3GS or later, and iPod touch 3rd generation or later devices running iOS 12.0 or later, and Android[®] mobile devices running Android 4.4 or later. Your device must be connected to the same working network with wireless 802.11 b/g/r capability as your printer. Requires a compatible social media account and is subject to that social media account's Terms of Service. Certain exceptions may apply.
- AirPrint functionality requires a compatible iPad, iPhone, or iPod Touch device running iOS 7.0 or later, and an AirPrint-enabled printer connected to the same network as your iOS device. A printer connected to the USB port of your Mac, PC, AirPort Base station, or Time Capsule is not supported.
- Requires Android[™] mobile device with Android 4.4 operating system or later with the Mopria Print Service pre-loaded with that device and the compatible PIXMA printer on the same wireless network. The Mopria experience is also available on Android 4.4 or later mobile devices with a download of the Mopria Print Service from Google Play.
- PosterArtist Online Version requires a personal computer with Internet access and a compatible Canon printer

The service is not available on some operating systems or browsers. See usa.canon.com/PosterArtist for details.

- Requires a smart device with the Canon PRINT app installed and connected to the desired active wireless 8 network to complete cableless setup
- 9 Paper types NOT supported for borderless printing are as follows: Envelope, High Resolution Paper, T-Shirt Transfer and Photo Stickers. The maximum borderless printing size is 8.5"x11".
- 10. Warranty programs are subject to certain conditions and restrictions. See www.usa.canon.com/support for details.
- 11. Resolution may vary based on printer driver setting. Color ink droplets can be placed with a horizontal pitch of 1/4800 inch at minimum
- 12. Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standard.
- 13. Operation can only be guaranteed on a PC with pre-installed Windows 10, Windows 8.1, Windows 7 SP1.
- Internet Connection required during software installation. For full compatibility macOS v10.12.1 or later is 14. recommended.
- Some functions may not be available with these Operating Systems. Please refer to manual or Canon website 15. for details.
- Functions and features may vary by printer model. Scanning requires Chrome OS 89 or later
- Functions and features may vary by printer model. Scanning requires Chrome US 89 or later. The Easy-PhotoPrint Editor software requires an Internet connection and is compatible with the following operating systems; Microsoft Windows 10 (64-bit/32-bit), Microsoft Windows 8.1 (64-bit/32-bit), Microsoft Windows 7 SPI (64-bit/32-bit), macOS High Sierra v10.13, macOS Sierra v10.12, Mac OS X El Capitan v10.11 and Mac OS X El Capitan v10.10.5. Minimum Windows and macOS/Mac OS X requirements are: 2GB of RAM and a monitor with 1024x768 resolution. The Easy-PhotoPrint Editor mobile application requires an Internet connection and the Easy-PhotoPrint Editor app v1.10, available for free on the App Store and at Google Play. Compatible with iPad Air2 (2nd Generation), IPad Mini 4 and iPhone 6s or later devices running iOS 10 or later, and Android mobile devices running Android 5.x or later. Certain exceptions may apply. The following file formats are supported: JPEG, PNG, HEIF (devices running iOS 11 and mac OS v10.13 or later), DLP save data, Poster Artist export data, EasyPhoto+ export data, Easy-PhotoPrint Editor export data. 17.
- Canon Print Service is a print plug-in for Android smart devices, which enables printing from Android v4.4 v5.0 devices to many Canon printers via a Wi-Fi network. The plug-in does not work as a standalone app. Available for free at Google Play.
- As an ENERGY STAR[®] Partner, Canon U.S.A., Inc. has certified this printer as meeting the ENERGY STAR energy efficiency criteria through an EPA-recognized certification body.



©2024 Canon U.S.A., Inc. Canon and PIXMA are registered trademarks of Canon Inc. in the U.S. and may be registered trademarks or trademarks in other countries. Microsoft, Windows and the Windows logo are trademarks or registered trademarks of the Microsoft group of companies in the U.S. and other countries. Mac and the Mac logo are registered trademarks of Apple Inc. The Mopria logo is a trademark of Mopria Alliance. Inc. Wi-Fi is a registered trademark of the Wi-Fi Alliance. The 'Wi-Fi CERTIFIED' logo is a certification mark of the Wi-Fi Alliance. All other product and brand names are trademarks of their respective owners. As an ENERGY STAR' partner, Canon U.S.A., Inc. has certified this product as meeting the ENERGY STAR' energy efficiency criteria through an EPA-recognized certification body.