

PRISMA SOLUTIONS

DEVICE GUIDE

PRISMAlytics Dashboard v2

PRISMAlytics Dashboard is a simple cloud-based production management information tool which is designed to help provide insightful overviews of print production engines, monitoring performance and helping customers maximize the productivity of their print operation.



Printer	Controller Version/Bundle
imagePRESS V1350	PRISMAsync 9.4
	E9000
imagePRESS V1000	PRISMAsync 9.4
	D3000
imagePRESS V900 / V800 / V700	PRISMAsync 9.4
	N500 / P400 / Canon
imagePRESS C910 / C810 / C710	PRISMAsync 9.4
	H350 / G250 / Canon
imagePRESS C650 / C750 / C850	PRISMAsync 8.3, R8.2
	H300 / F200 / G100 / G200 / Canon
imagePRESS C600 / C700 / C800	PRISMAsync 8.3, R8.2
imagePRESS C10010VP / C9010VP	PRISMAsync 8.3, R8.2.3
	B7000/B6000
imagePRESS C10000VP / C8000VP	PRISMAsync 8.3, R8.2.3
	B5000 / B5100 / B4000 / B4100 / B7000 / B6000
imagePRESS C710CA / C660CA	H350 / G250
imagePRESS lite C165 / C170	L30 / M10 / Canon
imagePRESS lite C270 / C265	M20 / Canon
imagePRESS C65	H300 / F200 / G100 / G200
imageRUNNER ADVANCE 8505 / 8595 / 8585	Y1 / Y2 / Canon
imageRUNNER ADVANCE 8505 / 8595 / 8585 III	Y3 / Canon
imageRUNNER ADVANCE 8705 / 8795 / 8786	Y3 / Canon
imageRUNNER ADVANCE C5235 / C5030 / C5255	Canon
varioPRINT iX2100	PRISMAsync 9.5, R4.4
varioPRINT iX3200	PRISMAsync 9.3
varioPRINT i200/i300	PRISMAsync 9.3
varioPRINT 110 / 115 / 120 / 130 / 135 / 140	PRISMAsync 9.5
varioPRINT 6160 / 6200 / 6250 / 6320	PRISMAsync 8.6
varioPRINT 6180 / 6220 / 6270 / 6330 TITAN	PRISMAsync 8.6
ColorStream 8000 / 8133 / 8160	19.4.2
ColorStream 8110 / 8200	19.4.3
ProStream 1000 / 1800	19.4.2
ProStream 3080 / 3133 / 2133	19.4.2

Printer	Controller Version/Bundle
imagePROGRAF PRO-2000 / PRO-4000	1.11
imagePROGRAF PRO-520 / PRO-540	1.11
imagePROGRAF GP-200 / GP-300	1
imagePROGRAF GP-5200 / GP-5300	1
imagePROGRAF PRO-560	1
imagePROGRAF PRO-521 / PRO-541 / PRO-561	1
imagePROGRAF PRO-6000	1
imagePROGRAF PRO-2100 / PRO-4100 / PRO-6100	1
imagePROGRAF PRO-540S / PRO-560S	1.11
imagePROGRAF PRO-561S / PRO-541S	1
imagePROGRAF PRO-4000S / PRO-6000S	1.11
imagePROGRAF PRO-4100S / PRO-6100S	1
imagePROGRAF GP-520 / GP-540	1
imagePROGRAF GP-2000 / GP-4000	1
imagePROGRAF TX-2000 / TX-3000/TX-4000	1
imagePROGRAF TX-2100 / TX-3100/ TX-4100	1
imagePROGRAF TX-5200 / TX-5300/ TX-5400	1
imagePROGRAF TX-5210 / TX-5310/ TX-5410	1
imagePROGRAF TM-200 / TM-205 / TM-300 / TM-305	1
imagePROGRAF TM-5200 / TM-5205	1
imagePROGRAF TM-5300 / TM-5305	1
imagePROGRAF TZ-30000	1
imagePROGRAF TZ-5300	1
imageFORCE C7165	1.10
colorWAVE 550/650	3
colorWAVE 500/700	all
colorWAVE 3500/3700/3600/3800	all
colorWAVE T60/T65	all
colorWAVE 810/910	1.2.1
colorWAVE 9000	all
plotWAVE 340/360/345/365/450/550/500	all
plotWAVE 3000/3500/5000/5500/7500	all
plotWAVE T30/T35/T50/T55/T75	all

PRISMAlytics Accounting

PRISMAlytics Accounting retrieves device data directly from supported PRISMAsync-driven digital presses and provides preformatted reports that can be quickly viewed or exported for tracking, cost analysis, billing, charge-backs, and business planning.



Printer	Print Server	System Software Version
imagePRESS C / 65	Fiery F / 200 / G / 200 / H30	1.0 / 2.0
imagePRESS C / 660	Canon Controller	
imagePRESS C165 / C170	Fiery M10 / M20 /L30	1.0 / 2.0
imagePRESS V1350	PRISMAsync Mark 9.3	R9.3 or higher
	Fiery E9000	1.0
imagePRESS V1000	PRISMAsync Mark 8.3	R8.3 or higher
	Fiery D3000	1.0
imagePRESS V900 / V800 / V700	PRISMAsync Mark 9.2	R9.2 or higher
	Fiery N500 / P400	1.0
	Canon Controller	
imagePRESS C10010VP / C9010VP	PRISMAsync Mark 7.4.2	R7.4 or higher
	PRISMAsync Mark 8.1 / 8.1.1 / 8.1.2	R8.1 / R8.2 / R8.3
	Fiery B6000 / B7000	1.0 / 2.1
imagePRESS C10000VP / C8000VP	PRISMAsync Mark 7.4.2	R7.3 or higher
	PRISMAsync Mark 8.1 / 8.1.2	R8.1 / R8.2.1
	Fiery B4000 / B4100 / B5000 / B5100 / B6000 / B7000	1.0
imagePRESS C800 / C700 / C600	PRISMAsync Mark 6	R6.1 or higher
	Fiery F200 / G100 / G200 / H300	1.0 / 2.0
	Canon Controller	
imagePRESS C850 / C750 / C650	PRISMAsync Mark 7.4.2	R7.3 or higher
imagePRESS C910 / C810 / C710	PRISMAsync Mark 7.4.1	R7 or higher
	PRISMAsync Mark 8.1 / 8.1.2	R8.1 / R8.2
	Fiery G250 / H350	1.0 / 2.0
	Canon Controller	
imagePRESS C7011VPS / C6011VPS / C6011S	PRISMAsync Mark 4	R5 or higher
varioPRINT 140 / 130 / 115	PRISMAsync Mark 7.4	R6
	PRISMAsync Mark 8.1	R8.1
varioPRINT 135 / 120 / 110	PRISMAsync Mark 7.4	R5.1 / 6
	PRISMAsync Mark 8.1 / 8.1.3	R8.1
varioPRINT 6180 / 6220 / 6270 / 6330 TITAN	PRISMAsync Mark 7.4.2	R8.3
	PRISMAsync Mark 8.1	R8.4.2 / R8.5.2
	PRISMAsync Mark 8.1.1 / 8.1.2	R2.4 / R7.1.2
varioPRINT 6160 / 6200 / 6250 / 6330 TITAN	PRISMAsync Mark 7.4	R7.1 or higher
varioPRINT 6160 / 6200 / 6250 / 6320 Ultra+	PRISMAsync Mark 8.1 / 8.1.3	R8.4.2 or R8.5.2

Printer	Print Server	System Software Version
varioPRINT 6140 / 6160 / 6200 / 6250 / 6320 Ultra	PRISMAsync Mark 6	R5.1 or higher
varioPRINT iX2100 / iX3200	PRISMAsync Mark 7.4.2	R4.1.2
varioPRINT i200 / i300	PRISMAsync Mark 7.4.2	R4.1.2
	PRISMAsync Mark 8.1	R4.1.3
varioPRINT i300 / i200	PRISMAsync Mark 7.2 / 7.4.2	R2.4 / R4.1.2
imageRUNNER ADVANCE 8505 / 8585/ 8595/ 8505 III / 8595III	Y1/Y2/Y3	1.0 / 2.0
imageRUNNER ADVANCE 8705 / 8786 / 8795	Y3	
	Canon Controller	
imageRUNNER ADVANCE 5030 / 5235 / 5255	Canon Controller	
imageFORCE C7165	T1	1.0
	Canon Controller	
colorWAVE 550 / 650		3
colorWAVE 500 / 700		all
colorWAVE 3500 / 3700 / 3600 / 3800		all
colorWAVE T60 / T65		all
colorWAVE 810 / 910		1.2.1
colorWAVE 9000		all
plotWAVE 340 / 360 / 345 / 365 / 450 / 550 / 500		all
plotWAVE 3000 / 3500 / 5000 / 5500 / 7500		all
plotWAVE T30 / T35 / T50 / T55 / T75		all

PRISMAremote Monitoring

PRISMAremote Monitoring is a cloud-based print operation alerting app for Android and iOS compatible tablets and phones. It not only shows you what's going on, but also alerts you to what actions you need to take to help keep production running.




Printer	Print Server
imagePRESS V1350	PRISMAsync Mark 9.3
imagePRESS V1000	PRISMAsync Mark 9.3
imagePRESS V700 / V800 / V900 Series	PRISMAsync Mark 9.3
imagePRESS C10010VP / C10000VP Series	PRISMAsync Mark 8.3
imagePRESS C910 / C810 / C710 Series	PRISMAsync Mark 9.4
imagePRESS C800 / C850 Series	PRISMAsync Mark 8.3
varioPRINT 140 / 135 / 130 / 120 / 115 / 110	PRISMAsync Mark 9.1
varioPRINT 6000 / 6000 TITAN Series	PRISMAsync Mark 8.6
varioPRINT iX-series	PRISMAsync Mark 9.4
varioPRINT i-series	PRISMAsync Mark 9.3
Colorado M-series	R4
Colorado 1650	R3
Colorado 1630	R2

PRISMAcolor Manager

PRISMAcolor Manager helps users with the color output verification and validation challenge with a single web-based tool that works with virtually any CMYK device. The following guide is for the Canon printers support. Manage one device or a fleet of color devices, even in multiple locations, and track and trend performance over time.



imagePRESS Printer	DFE	PcM Download Chart	In-RIP Configurable ICC	PcM i1 Measure with Cloud Connector	PcM Direct Print	Auto Upload Validation CGATS
V1350	Fiery JDF/JMF	Yes	Yes	Yes	Yes	
	PRISMAsync	Yes	Yes	Yes	Yes with Mark 9+	Unsupported ⁴
V1000	Fiery JDF/JMF	Yes	Yes	Yes	Yes	
	PRISMAsync	Yes	Yes	Yes	Yes with Mark 9.3+	Yes with Mark 9.3+ ³
V900 Series	Canon PDL	Yes				
	Fiery JDF/JMF	Yes	Yes	Yes	Yes	
	PRISMAsync	Yes	Yes	Yes	Yes with Mark 9+	Yes with Mark 9+ ³
C910 Series	Canon PDL	Yes				
	Fiery JDF/JMF	Yes	Yes	Yes	Yes	
	PRISMAsync	Yes	Yes	Yes	Yes with Mark 8.3+	
C10000 VP Series	Fiery JDF/JMF	Yes	Yes	Yes	Yes	
	PRISMAsync	Yes	Yes	Yes	Yes with Mark 8.3+	Yes with Mark 8.3+ ³
C10010 VP Series	Fiery	Yes	Yes	Yes	Yes	
	PRISMAsync	Yes	Yes	Yes	Yes with Mark 8.3+	Yes with Mark 8.3+ ³



This document is intended to inform and guide you to understand which series of printers are supported by PRISMA Home Cloud Solutions.

There is an overview provided for each application or tool along with a list of which printers and controllers are supported.

As new printers and devices are released this document will be updated.

All applications and tools contained in this document are subject to change.

¹ This print server is supported; however, it has not been tested because it's compatible with other print servers.

² For Canon PDL print server there is a limitation; only media which has been assigned to an input tray can be retrieved from the print server.

³ At the time of this writing, Image Reader is currently required to enable PRISMAsync SMB Shares which in turn enables PRISMAsync color validation test results in CGATS format to auto upload to PRISMAcolor Manager.

⁴ At the time of this writing, Auto Upload Validation CGATS is currently unsupported due to the unavailability of image Reader (thus SMB Share) for the V1350 engine model.



Canon

canon.us/PRISMA