



CONNECTSUITE E-CERTIFY

Simplify the Preparation, Tracking, and Storage of Your Certified Mail® with Return Receipt™




Is managing document proof of delivery simply a hassle? Does your business require a signature when documents have been mailed or delivered? With ConnectSuite e-Certify, you can centralize the processing of Certified Mail and track your document directly through the United States Post Office®. Preparing your Certified Mail with Return Receipt electronically helps to save you time and money, enabling you to access specific delivery information and images of recipient signatures, all securely stored in the cloud.

If you need assurance and proof your important documents have been both delivered and received, without the hassle of preparing the mail pieces and storing the Return Receipt “green cards”, then ConnectSuite e-Certify is for you.

ConnectSuite e-Certify helps you to:

- Reduce manual labor and increase efficiency.
- Enhance tracking via an easy-to-use centralized portal.
- Retrieve and store recipient signatures securely in the cloud.
- Receive automatic email notifications when signatures are available.
- Reduce postage costs for Certified Mail with Return Receipt™.
- Prepare Certified Mail from multiple locations and send through a centralized mailroom.

Send Certified Mail in just 4 Easy Steps!



Mail Piece Creation and Address Validation

Log in to the e-Certify web portal and type the recipient's address (or select it from your address book).

Print Certified Mail Barcode

Two ways to print:

- a) Print a Certified Mail barcode on standard 8.5" x 11" paper.
- b) Print a Certified Mail barcode on a custom label.

Prepare your Document for Mailing

Two methods to preparing your documents:

- a) Insert the folded cover page and documents into a Certified Mail window envelope.
- b) Apply custom label onto any sized envelope.

Meter the Envelope and Mail

Meter the envelope and bring your mail piece to the USPS® along with your Form 3877 to be stamped.

Quadient-Certified Label Printer Specifications

Model	Brother TD-4000 & TD-4100N
Model type	Industrial desktop printer
Maximum media width	4.13" (105 mm)
Media types	Drop-in roll or fanfold (rear slot) continuous label or paper, die cut labels, tag stock
Adhesive media thickness	0.003"-0.007" (0.076 mm-0.178 mm)
Networking	Available on the TD-4100N model only (10/100 print server built-in)
Interface	USB (1.1 or 2.0), serial (RS-232C), ethernet for the TD-4100N only (10/100 Base-TX)
System Dimensions	Length x Depth x Height
Brother TD-4000 & TD 4100N	6.8" x 9.0" x 6.2" (173 mm x 229 mm x 158 mm)
Weight	4.0 lbs. (1.85 kg) without RD roll

About Quadient®

Quadient is the driving force behind meaningful customer experiences. By focusing on four key solution areas including Customer Experience Management, Business Process Automation, Mail-related Solutions, and Parcel Locker Solutions, Quadient helps simplify the connection between people and what matters. Quadient supports hundreds of thousands of customers worldwide in their quest to create relevant, personalized connections and achieve customer experience excellence. Quadient is listed in compartment B of Euronext Paris (QDT) and belongs to the SBF 120 index.



1-844-50-CANON | usa.canon.com/business

Quadient is a trademark of Quadient s.r.o. a Neopost SA company.

Canon is a registered trademark of Canon Inc. in the United States and elsewhere. All other referenced product names and marks are trademarks of their respective owners and are hereby acknowledged.

Neither Canon Inc. nor Canon U.S.A., Inc. makes any representation or warranty with respect to any third-party product or feature referenced herein. Not responsible for typographical errors. Specifications and pricing subject to change without notice. May be subject to third-party cloud service provider's terms and conditions.

© 2025 Canon U.S.A., Inc. All rights reserved.

12/25-0372-8763