

Canon Accessibility Conformance Report

ITI VPAT® Version 2.4

Name of Product: Canon imagePRESS V900 Canon imagePRESS V800 Canon imagePRESS V700



Product Description: Production Printers/Color Sheetfed Digital Presses

Date: October 17, 2022

Contact information: US section 508 : accessibility@cusa.canon.com EN 301 549 : DS-accessibility@canon-europe.com

Notes:

Evaluation Methods Used: Inspection, measurement and testing are based on product knowledge and testing with consistant evaluation methods through our products. Softwares are tested with JAWS.

Applicable Standards / Guidelines & Table of contents:

This report covers the degree of conformance for the following accessibility standard/guideline: US Section 508 standards (2017) with corrections (2018) EN 301 549 V3.1.1 (2019) WCAG 2.1 (2018) ISO/IEC 10779:2020

The composition of evaluated product:

Hardware Device Driver: Printer Driver Software Web Application: Remote UI Documents

Terms: The terms used in the Conformance Level information are defined as follows:

Supports: The functionality of the product has at least one method that meets the criteria without known defects or meets with equivalent facilitation.

Partially Supports: Some functionality of the product does not meet the criteria.

Supports through Equivalent Facilitation: Some functionality of the product meet the intent of the Criteria through alternate way.

<u>Supports when combined with Compatible AT:</u> Some functionality of the product meet the criteria using assistive technology which is not a part of the product itself.

Does Not Support: Majority of functionality of the product does not meet the criteria.

Not Applicable: The criteria are not relevant to the product. In the WCAG section, use 'supports' instead of 'not applicable' when reporting web conformance.

Not Applicable – Fundamental Alteration Exception Applies: The criteria are relevant to the product, but fundamentally impossible to meet the criteria, because of its conditions.

1

US Section 508 Standards

Chapter 3: Functional Performance Criteria

Chapter 3: Functional Performance Criteria Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision		
	Partially Supports	The Remote UI is the alternative. When a screen reader or screen magnifier is used with the Remote UI, blind or visually impaired users can operate Job, Inbox printing functions (normally found on the LCD touch screen display) from a PC. However, faxing and sending are not offered through the Remote UI. - Operation status can be determined through audio tones that confirm key entry, error, and job done as well as text messages on the display. - The Automatic Document Feeder helps ensure proper document placement.
302.2 With Limited Vision	Supports	The text at the top of the screen is not stylized and there is considerable contrast with the background. There is also a feature to enlarge text.
302.3 Without Perception of Color	Supports	All information conveyed using color is also conveyed using text and icons.
302.4 Without Hearing	Supports	Standard operation of this product does not require hearing.
302.5 With Limited Hearing	Supports	Standard operation of this product does not require hearing.
302.6 Without Speech	Supports	Standard operation of this product does not require vocal input.
302.7 With Limited Manipulation	Supports	The UI for this product does not require complex manipulation or simultaneous button presses/gestures.
302.8 With Limited Reach and Strength	Partially supports	The standard Remote UI provides alternative access to users with mobility and dexterity impairments.
302.8 With Limited Reach and Strength	Partially supports	The standard Remote UI provides alternative access to users with mobility and dexterity impairments.
302.9 With Limited Language, Cognitive, and Learning Abilities	Partially supports	Through the creation of shared buttons / My Buttons, "simple" one-touch operation is possible.

Chapter 4: Hardware

Chapter 4: Hardware		
Criteria	Conformance Level	Remarks and Explanations
402.1 General. (Closed Functionality)	No response required according to ITI VPAT.	
402.2.1 Information Displayed On-Screen	Not applicable	Voice guidance kits are not supported.
402.2.2 Transactional Outputs	Not applicable	Voice guidance kits are not supported.
402.2.3 Speech Delivery Type and Coordination	Not Applicable	Voice guidance kits are not supported.
402.2.4 User Control	Not Applicable	Voice guidance kits are not supported.
402.2.5 Braille Instructions	Not Applicable.	Voice guidance kits are not supported.
402.3.1 Private Listening	Not Applicable.	Voice guidance kits are not supported.
402.3.2 Non-private Listening	Not Applicable.	Voice guidance kits are not supported.
402.4 Characters on Display Screens	Supports	The text at the top of the screen is not stylized and there is considerable contrast with the background. There is also a feature to enlarge text.
402.5 Characters on Variable Message Signs	Not applicable	No characters on variable message signs.
403.1 Biometrics	Not applicable	Biometric forms of user identification are not used.
404.1 Preservation of Information Provided for Accessibility	Supports	Non-proprietary information provided for accessibility during the transmission of information or the import/export of settings is not removed by this product.
405.1 Privacy	Not applicable	Voice guidance kits are not supported.
406.1 Standard Connections	Supports	This product provides a connection method that conforms to a non-proprietary industry standard.
407.2 Contrast	Supports	There is considerable contrast between characters, symbols, and the backgrounds used by keys and other controls.

407.3.1 Tactilely Discernible	Partially supports	operation panel is a touch panel, and there is no tactile sense. Tactile recognition is possible for document sets, paper ejection, paper feed and other mechanical controls.
407.3.2 Alphabetic Keys	supports	The control panel of the unit is a flat touch panel.but it can be connected to a Tactilely discernible chararacter keys with USB keyboard.
407.3.3 Numeric Keys	supports	The control panel of the unit is a flat touch panel.but it can be connected to a Tactilely discernible chararacter keys with USB keyboard.
407.4 Key Repeat	Supports	If key repeat is supported, the delay before repeat shall be adjustable to at least 2 seconds. Key repeat rate shall be adjustable to 2 seconds per character.
407.5 Timed Response	Supports	In the Auto clear function, used to clear settings, the time can be to 0, there is no time limit.
407.6 Operation. (General)	Supports	The platen is heavier than the reference operating power in some cases, but there is also an automatic document feeder with less operating power. For maintenance and setup, it is inapplicable.
407.7 Tickets, Fare Cards, and Keycards	Not applicable	
407.8.1 Vertical Reference Plane	Supports	
407.8.1.1 Vertical Plane for Side Reach	Supports	
407.8.1.2 Vertical Plane for Forward Reach	Supports	
407.8.2 Side Reach	Partially supports	The Automatic Document Feeder height does not support the reference. The ADF (automatic document feeder) can be stopped in the open position within the reach of the driver. The optional ADF accelerator handle assists in closing from the released position.
407.8.2.1 Unobstructed Side Reach	Supports	
407.8.2.2 Obstructed side reach	Partially supports	When using the automatic document feeder of this machine, the reference height of the side reach may be exceeded.

407.8.3 Forward Reach	Supports	Multi-purpose tray (Optional) are no obstacles in the space.
407.8.3.1 Unobstructed forward reach	Supports	Multi-purpose tray (Optional) are no obstacles in the space.
407.8.3.2 Obstructed Forward Reach	Supports	No operating point is more than 510 mm deep
407.8.3.2.1 Height	Supports	Multi-purpose tray (Optional) are no obstacles to access to the operable parts.
407.8.3.2.2 Knee and Toe Space	Supports	Multi-purpose tray (Optional) are no obstacles in the space.
408.2 Display Screens (General)	Supports	The remote operation function is displays an operation screen on a mobile device similar to the touch panel display of a machine, which can be viewed from a height of less than 40 inches.
408.3 General. (Flashing)	Supports	The LCD screen flicker does not occur within this range.
409.1 Status Indicators	Dose not support	The device's removal of document sets and paper outputs can be tactile identified. But the touch-panel UI doesn't support it.
410.1 Color Coding	Supports	All information conveyed using color is also conveyed using text and icons.
411.1 Audible Signals	Supports.	All notification sounds played during operation of the device are accompanied by visual UI elements.

Chapter 5: Software

Criteria	Conformance Level	Remarks and Explanations
501.1 Scope. The requirements of Chapter 5 shall apply to software where required by 508 Chapter 2.	See WCAG section.	
502.2.1 User Control of Accessibility Features	PRINTER DRIVER: Not Applicable	PRINTER DRIVER: The printer driver is not a platform.
502.2.2 No Disruption of Accessibility Features		PRINTER DRIVER: The printer driver can be used without disruption of the accessibility features of the platform (verified with the accessibility functionality of Windows 10).

	1
PRINTER DRIVER: Partially Supports	PRINTER DRIVER: The roles, states, and names of UI objects in the printer driver can be recognized programmatically. However, for the reading of labels indicating valid ranges of values that can be entered or tooltips, the use of assistive technology (e.g. JAWS) is needed.
PRINTER DRIVER: Partially Supports	PRINTER DRIVER: All components in the printer driver that can be configured by the user can also be configured programmatically. However, for some non-text content (icons), there are only differences in shape and color; therefore, these cannot be configured solely by the use of screen readers.
PRINTER DRIVER: Supports when combined with Compatible AT	PRINTER DRIVER: The use of assistive technology (e.g. JAWS) is required for the recognition of table structures in the UI of the printer driver.
PRINTER DRIVER: Supports when combined with Compatible AT	PRINTER DRIVER: The currently set value can be recognized programmatically for any UI object in the printer driver for which a value can be entered. However, for the reading of labels indicating valid ranges of values that can be entered, the use of assistive technology (e.g. JAWS) is needed.
PRINTER DRIVER: Supports	PRINTER DRIVER: Values can be changed programmatically for any UI object in the printer driver for which a value can be entered.
PRINTER DRIVER: Supports	PRINTER DRIVER: The labels associated with UI components in the printer driver can be recognized programmatically.
PRINTER DRIVER: Partially Supports	PRINTER DRIVER: The hierarchical (parent-child) relationships of UI components in the printer driver can be recognized programmatically. Note that there are some components whose hierarchical relationship can be difficult to determine from the component name alone; however, it is possible to understand the hierarchical relationship from the order in which the components receive focus.
PRINTER DRIVER: Supports	PRINTER DRIVER: In the printer driver, the attributes of UI objects for which text can be entered, as well as the boundary of text displayed on the screen, can be recognized programmatically.
	Supports PRINTER DRIVER: Partially Supports PRINTER DRIVER: Supports when combined with Compatible AT PRINTER DRIVER: Supports When combined with Compatible AT PRINTER DRIVER: Supports PRINTER DRIVER: Supports

PRINTER DRIVER: Supports	PRINTER DRIVER: Text can be changed programmatically for any UI object in the printer driver for which text can be entered.
PRINTER DRIVER: Partially Supports	PRINTER DRIVER: In the printer driver, operations that can be executed on a UI object can be recognized with the use of screen readers. Note that there is some content that cannot be recognized with screen readers; however, these items can be configured using alternative methods.
PRINTER DRIVER: Supports	PRINTER DRIVER: In the printer driver, operations that can be executed from UI objects can be performed solely by the use of screen reading assistive technology (e.g. JAWS).
PRINTER DRIVER: Supports	PRINTER DRIVER: Changes of focus, component attributes, and text insertion points can be recognized by the printer driver.
PRINTER DRIVER: Partially Supports	PRINTER DRIVER: Changes of focus, component attributes, and text insertion points can be recognized and set programmatically by the printer driver. However, for some non-text content (icons), there are only differences in shape and color; therefore, these cannot be configured solely by the use of screen readers.
PRINTER DRIVER: Partially Supports	PRINTER DRIVER: The printer driver supports notification of changes to components when such changes occur. However, for the reading of tooltips, the use of assistive technology (e.g. JAWS) is needed.
PRINTER DRIVER: Not Applicable	PRINTER DRIVER: The printer driver is neither a platform nor platform software.
PRINTER DRIVER: Supports	PRINTER DRIVER: The printer driver uses and does not disable platform settings relating to display (verified with the accessibility functionality of Windows 10).
PRINTER DRIVER: Not Applicable	PRINTER DRIVER: The printer driver does not provide functionality relating to accessibility.
	PRINTER DRIVER: Partially Supports PRINTER DRIVER: Supports PRINTER DRIVER: Supports PRINTER DRIVER: Supports PRINTER DRIVER: Partially Supports PRINTER DRIVER: Partially PRINTER DRIVER: Not PRINTER DRIVER: Not PRINTER DRIVER: Supports PRINTER DRIVER: Not PRINTER DRIVER: Supports

Applicable	PRINTER DRIVER: The printer driver does not include any video content.
Applicable	PRINTER DRIVER: The printer driver does not include any video content.

Chapter 6: Support Documentation and Services

Criteria	Conformance Level	Remarks and Explanations
602.2 Accessibility and Compatibility Features	Supports	
602.3 Electronic Support Documentation	Partially supports	*An alternate means to non-textual content is not provided which directly describes the non-textual content. *When shifting focus using cursor keys, a shifting order may not coincide with an order of displayed elements.
602.4 Alternate Formats for Non-electronic Support Documentation	Supports	Product support documentation will be
603.2 Information on Accessibility and Compatibility Features	Partially supports	An information of the accessibility features of products will be provided upon request in electronic format.
603.3 Accommodation of Communication Needs	Supports	Canon U.S.A., Inc. provides support services accommodating users with disabilities through OKCANON assistance, TTY support at (866) 251-3752. Canon otherwise available to U.S. federal government agencies through Federal Relay.

EN 301 549 Accessibility requirements for ICT products and services

Chapter 4: Functional Performance Statements

Chapter 4: Functional Performance Statements Criteria	Conformance Level	Remarks and Explanations
4.2.1 Usage without vision		
	Partially Supports	The Remote UI is the alternative. When a screen reader or screen magnifier is used with the Remote UI, blind or visually impaired users can operate Job, Inbox printing functions (normally found on the LCD touch screen display) from a PC. However, faxing and sending are not offered through the Remote UI. - Operation status can be determined through audio tones that confirm key entry, error, and job done as well as text messages on the display. - The Automatic Document Feeder helps ensure proper document placement.
4.2.2 Usage with limited vision	Supports	The text at the top of the screen is not stylized and there is considerable contrast with the background. There is also a feature to enlarge text.
4.2.3 Usage without perception of colour	Supports	All information conveyed using color is also conveyed using text and icons.
4.2.4 Usage without hearing		
	Supports	Standard operation of this product does not require hearing.
4.2.5 Usage with limited hearing	Supports	Standard operation of this product does not require hearing.
4.2.6 Usage with no or limited vocal capability	Supports	Standard operation of this product does not require vocal input.
4.2.7 Usage with limited manipulation or strength	Supports	The UI for this product does not require complex manipulation or simultaneous button presses/gestures.
4.2.7 Usage with limited manipulation or strength	Partially supports	The standard Remote UI provides alternative access to users with mobility and dexterity impairments.
4.2.8 Usage with limited reach	Partially supports	The standard Remote UI provides alternative access to users with mobility and dexterity impairments.
4.2.9 Minimize photosensitive seizure triggers	Supports	Both local and remote UI for the product fulfill this requirement.
4.2.10 Usage with limited cognition, language or learning	Partially supports	Through the creation of shared buttons / My Buttons, "simple" one-touch operation is possible.

4.2.11 Privacy	Supports	The local UI does not offer any features which relate to a user's privacy. The remote UI, if used on a standard PC, allows the use of a headphone jack to protect privacy.
----------------	----------	---

Chapter 5: Generic Requirements

Chapter 5: Generic Requirements Criteria	Conformance Level	Remarks and Explanations
5.1.2.2 Assistive technology	See information in 5.1.3 through 5.1.6	
5.1.3.1 Audio output of visual information	HARDWARE: Not applicable PRINTER DRIVER: Not Applicable Remote UI: Not applicable	HARDWARE: Voice guidance kits are not supported. PRINTER DRIVER: This guideline is not applicable to the printer driver. Remote UI: This is not applicable because the Remote UI supports the use of assistive technology (such as JAWS).
5.1.3.2 Auditory output delivery including speech	HARDWARE: Not applicable PRINTER DRIVER: Not Applicable Remote UI: Not applicable	PRINTER DRIVER: This guideline is not applicable to the printer driver. Remote UI: The Remote UI does not have any auditory output functionality, but this can be provided with assistive technology (such as JAWS).
5.1.3.3 Auditory output correlation	HARDWARE: Not applicable PRINTER DRIVER: Supports Remote UI: Partially supports	Remote UI: The Remote UI does not have any auditory output functionality, but this can be provided with assistive technology (such as JAWS), and the auditory information is correlated with the information displayed on the screen.
5.1.3.4 Speech output user control	HARDWARE: Not Applicable PRINTER DRIVER: Supports Remote UI: Supports	HARDWARE: Voice guidance kits are not supported. Remote UI: Speech output from the Remote UI is possible using assistive technology (such as JAWS), and the remote UI has no functionality that interferes with such speech output.
5.1.3.5 Speech output automatic interruption	HARDWARE: Not Applicable PRINTER DRIVER: Supports Remote UI: Supports	HARDWARE: Voice guidance kits are not supported. Remote UI: Speech output from the Remote UI is possible using assistive technology (such as JAWS), and the remote UI has no functionality that interferes with such speech output.
5.1.3.6 Speech output for non-text content	HARDWARE: Not applicable PRINTER DRIVER: Supports through Equivalent Facilitation Remote UI: Supports	PRINTER DRIVER: Based on the WCAG guideline 1.1.1 evaluation results.

5.1.3.7 Speech output for video information	HARDWARE: Not applicable PRINTER DRIVER: Not Applicable Remote UI: Not applicable	HARDWARE: The product does not use any video content. PRINTER DRIVER: The printer driver does not include any video content. Remote UI: The Remote UI does not use any pre-recorded video content.
5.1.3.8 Masked entry	HARDWARE: Not applicable PRINTER DRIVER: Supports Remote UI: Supports	PRINTER DRIVER: The masking characters are read as displayed, and the entered characters are not read. Remote UI: Assistive technology (such as JAWS) will not provide auditory output of information hidden by masking characters in the Remote UI.
5.1.3.9 Private access to personal data	HARDWARE: Not applicable PRINTER DRIVER: Supports Remote UI: Supports	Remote UI: By using earphones, auditory output of personal information output by assistive technology (such as JAWS) can be provided privately.
5.1.3.10 Non-interfering audio output	HARDWARE: Not Applicable. PRINTER DRIVER: Supports Remote UI: Not applicable	Remote UI: Auditory output from the Remote UI is possible with assistive technology (such as JAWS), and the Remote UI does not interfere with the functionality of the assistive technology.
5.1.3.11 Private listening	HARDWARE: Not applicable PRINTER DRIVER: Supports Remote UI: Supports	PRINTER DRIVER: Auditory output volume can be controlled using functionality native to the PC. Remote UI: The Remote UI does not have any auditory output functionality, but this can be provided with assistive technology (such as JAWS), and the volume can be adjusted via the assistive technology or through the OS.
5.1.3.12 Speaker volume	HARDWARE: Not Applicable. PRINTER DRIVER: Not Applicable Remote UI: Not applicable	HARDWARE: Voice guidance kits are not supported. PRINTER DRIVER: The printer driver does not have auditory output functionality. Remote UI: As the output volume is dependent on the speakers, assistive technology (such as JAWS) is not applicable.
5.1.3.13 Volume reset	HARDWARE: Not Applicable. PRINTER DRIVER: Not Applicable Remote UI: Not applicable	PRINTER DRIVER: The printer driver does not have auditory output functionality.
5.1.3.14 Spoken languages	HARDWARE: Not applicable PRINTER DRIVER: Supports Remote UI: Supports	PRINTER DRIVER: Reading in the displayed language is possible with the use of screen readers.

5.1.3.15 Non-visual error identification		1
	HARDWARE: Not applicable PRINTER DRIVER: Supports Remote UI: Supports	PRINTER DRIVER: In the printer driver, when errors are displayed, the display of the error can be recognized programmatically and the error is displayed using an item name together with error content, which can be read by screen readers.
5.1.3.16 Receipts, tickets, and transactional outputs	HARDWARE: Not applicable PRINTER DRIVER: Not Applicable Remote UI: Not applicable	PRINTER DRIVER: The printer driver is not provided as a self-service interface. Remote UI: The Remote UI does not have any functionality that outputs receipts, tickets, or the results of other self- service transactions.
5.1.4 Functionality closed to text enlargement	HARDWARE: Supports PRINTER DRIVER: Not Applicable Remote UI: Not applicable	PRINTER DRIVER: Not evaluated because the UI text in the printer driver can be resized using functionality provided by the OS without loss of printer driver functionality. Remote UI: This is not applicable as text enlargement of the Remote UI is possible using the text enlargement/zoom functionality of a Web browser or PC.
5.1.5 Visual output for auditory information	HARDWARE: Not applicable PRINTER DRIVER: Not Applicable Remote UI: Not applicable	HARDWARE: The product does not use any pre-recorded auditory information. PRINTER DRIVER: The printer driver does not have any functionality that plays audio data. Remote UI: The Remote UI does not use any pre-recorded auditory information.
5.1.6.1 Closed functionality	HARDWARE: See information in 5.1.3.1 through 5.1.3.16 PRINTER DRIVER: See information in 5.1.3.1 through 5.1.3.16 Remote UI: See information in 5.1.3.1 through 5.1.3.16	
5.1.6.2 Input focus	HARDWARE: Not applicable PRINTER DRIVER: Not Applicable Remote UI: Not applicable	HARDWARE: There is no movement of focus between UI elements. PRINTER DRIVER: Not evaluated because the printer driver runs on systems with keyboards. Remote UI: This is not applicable because the Remote UI can be accessed via a keyboard.
5.1.7 Access without speech	HARDWARE: Supports PRINTER DRIVER: Not applicable Remote UI: Supports	PRINTER DRIVER: The printer driver does not have any functionality that requires speech to operate.

5.2 Activation of accessibility features		
	HARDWARE: Supports PRINTER DRIVER: Supports Remote UI: Supports	HARDWARE: Low-vision users may enable accessibility features by doing the following: -Use a pinch gesture to enlarge screen items -Enable the reversed display colors feature (Once the setting has been linked to the device via the authentication settings, it may be enabled using IC card authentication). Users who have difficulty with complex gestures may adjust Key Repeat and enable or disable Flick/Pinch settings using IC card authentication (after the settings have been linked to the device via the authentication settings). PRINTER DRIVER: The printer driver does not impede the activation of support functions used by the printer driver. Remote UI: The Remote UI does not interfere with the activation of accessibility features of the OS or that of assistive technology (such as JAWS).
5.3 Biometrics	HARDWARE: Not applicable PRINTER DRIVER: Not Applicable Remote UI: Not applicable	HARDWARE: Biometric forms of user identification are not used. PRINTER DRIVER: The printer driver does not support the use of biological characteristics for user identification. Remote UI: The Remote UI does not have any biometric authentication functionality.
5.4 Preservation of accessibility information during conversion	HARDWARE: Supports PRINTER DRIVER: Not Applicable Remote UI: Supports	HARDWARE: Non-proprietary information provided for accessibility during the transmission of information or the import/export of settings is not removed by this product. PRINTER DRIVER: The printer driver does not provide functionality relating to accessibility. Remote UI: Non-proprietary information provided for accessibility during the transmission of information or the import/export of settings is not removed by this product.
5.5.1 Means of operation	HARDWARE: Supports PRINTER DRIVER: Not Applicable Remote UI: Not applicable	HARDWARE: The platen is heavier than the reference operating power in some cases, but there is also an automatic document feeder with less operating power. For maintenance and setup, it is inapplicable. PRINTER DRIVER: This guideline is not applicable to the printer driver. Remote UI: This is not applicable because the Remote UI is software.

5.5.2 Operable parts discernibility		
	HARDWARE: Partially supports PRINTER DRIVER: Supports Remote UI: Supports	HARDWARE: operation panel is a touch panel, and there is no tactile sense. Tactile recognition is possible for document sets, paper ejection, paper feed and other mechanical controls. PRINTER DRIVER: Based on the WCAG guideline 3.2.1 evaluation results. Remote UI: The operable parts of the Remote UI can be distinguished with assistive technology (such as JAWS) without activating the function associated with the operable part.
5.6.1 Tactile or auditory status	HARDWARE: Dose not support PRINTER DRIVER: Supports Remote UI: Supports	HARDWARE: The device's removal of document sets and paper outputs can be tactile identified. But the touch-panel UI doesn't support it. PRINTER DRIVER: Based on the WCAG guideline 1.3.1 evaluation
		results for auditory status. Remote UI: The status of operable parts for locking or other toggles can be visually confirmed on the Remote UI, and auditory confirmation is possible with assistive technology (such as JAWS).
5.6.2 Visual status		
	HARDWARE: Supports PRINTER DRIVER: Supports Remote UI: Supports	HARDWARE: Product controls are not presented to the user non- visually. PRINTER DRIVER: Based on the WCAG guideline 1.3.1 evaluation results for auditory status. Remote UI: The status of operable parts for locking or other toggles can be visually confirmed on the Remote UI, and auditory confirmation is possible with assistive technology (such as JAWS).
5.7 Key repeat	HARDWARE: Supports PRINTER DRIVER: Supports Remote UI: Supports	PRINTER DRIVER: Configurable in the operating system. Remote UI: Key repeat can be prevented with functionality in the OS (Windows) that the Remote UI runs on, and the Remote UI does not interfere with that functionality.
5.8 Double-strike key acceptance	HARDWARE: Does not Support PRINTER DRIVER: Supports Remote UI: Supports	PRINTER DRIVER: Configurable in the operating system. Remote UI: An accidental additional key-press of the same key can be prevented with functionality in the OS (Windows) that the Remote UI runs on, and the Remote UI does not interfere with that functionality.

5.9 Simultaneous user actions	HARDWARE: Supports PRINTER DRIVER: Supports Remote UI: Supports	HARDWARE: Basic device operations support this. Maintenance and troubleshooting steps are not included.
		PRINTER DRIVER: For keyboard operation, operating system settings can be configured so that multiple simultaneous key presses are unnecessary.
		Remote UI: It is possible to configure the accessibility settings of the OS to provide an alternative method for operations in the Remote UI that require simultaneous actions, and the Remote UI does not interfere with this functionality.

Chapter 8: Hardware

Criteria	Conformance Level	Remarks and Explanations
8.1.2 Standard connections	Supports	This product provides a connection method that conforms to a non-proprietary industry standard.
8.1.3 Colour	Supports	All information conveyed using color is also conveyed using text and icons.
8.3.4.1 Change in level	Not applicable	
8.3.4.2 Clear floor or ground space	Not applicable	
8.3.4.3.1 General	Not applicable	
8.3.4.3.2 Forward approach	Not applicable	
8.3.4.3.3 Parallel approach	Not applicable	
8.3.2.4 Knee and toe clearance width	Supports	Multi-purpose tray (Optional) are no obstacles in the space.
8.3.2.5 Toe clearance	Supports	Multi-purpose tray (Optional) are no obstacles in the space.
8.3.2.6 Knee clearance	Supports	Multi-purpose tray (Optional) are no obstacles in the space.
8.3.2.1 Unobstructed high forward reach	Supports	Multi-purpose tray (Optional) are no obstacles in the space.

Supports	Multi-purpose tray (Optional) are no obstacles in the space.
Supports	There are no obstacles to access to the operable parts.
Supports	Multi-purpose tray (Optional) are no obstacles to access to the operable parts.
Supports	No operating point is more than 510 mm deep
Partially supports	
Partially supports	
Partially supports	The Automatic Document Feeder height does not support the reference when in the open position. The ADF (automatic document feeder) can be stopped in the open position within the reach of the driver. The optional ADF accelerator handle assists in closing from the released position.
Partially supports	When using the automatic document feeder of this machine, the reference height of the side reach may be exceeded.
Supports	The remote operation function is displays an operation screen on a mobile device similar to the touch panel display of a machine, which can be viewed from a height of less than 40 inches.
Supports	Installation dimensions are provided in the catalog and instruction manual.
supports	The control panel of the unit is a flat touch panel.but it can be connected to a Tactilely discernible chararacter keys with USB keyboard.
Supports	The platen is heavier than the reference operating power in some cases, but there is also an automatic document feeder with less operating power. For maintenance and setup, it is inapplicable.
Supports	The operating power of the platen is heavier than the reference operating power in some cases, but there is also an automatic document feeder with less operating power. For maintenance and setup, it is inapplicable.
	Supports Supports Supports Supports Partially supports Partially supports Partially supports Supports Supports Supports Supports Supports

8.4.3 Keys, tickets and fare cards	Not applicable	
8.5 Tactile indication of speech mode	Not Applicable.	Voice guidance kits are not supported.

Chapter 9: Web

Criteria	Conformance Level	Remarks and Explanations
9.1.1.1 through 9.4.1.3	See WCAG section.	

Chapter 10: Non-web Documents

Criteria	Conformance Level	Remarks and Explanations
10.1.1.1 through 10.4.1.3	See WCAG section.	
10.5 Caption positioning	DOCUMENT: Not applicable	
10.6 Audio description timing	DOCUMENT: Not applicable	

Chapter 11: Software

Criteria	Conformance Level	Remarks and Explanations
11.1.1.1 through 11.4.1.3	See WCAG section.	
11.5.2.1 Platform accessibility service support for software that provides a user interface	See information in 11.5.2.5 through 11.5.2.17	
11.5.2.2 Platform accessibility service support for assistive technologies	See information in 11.5.2.5 through 11.5.2.17	
11.5.2.3 Use of accessibility services	PRINTER DRIVER: Partially Supports	PRINTER DRIVER: The printer driver uses the accessibility services of the platform (verified with the accessibility functionality of Windows 10), and operation is possible. However, for the reading of labels indicating valid ranges of values that can be entered or tooltips, the use of assistive technology (e.g. JAWS) is needed. Furthermore, for some non-text content (icons), there are only differences in shape and color; therefore, these cannot be recognized/configured solely by the use of screen readers.
11.5.2.4 Assistive technology	PRINTER DRIVER: Not Applicable	PRINTER DRIVER: The printer driver is not assistive technology.
11.5.2.5 Object information	PRINTER DRIVER: Partially Supports	PRINTER DRIVER: The roles, states, and names of UI objects in the printer driver can be recognized programmatically. However, for the reading of labels indicating valid ranges of values that can be entered or tooltips, the use of assistive technology (e.g. JAWS) is needed.
11.5.2.6 Row, column, and headers	PRINTER DRIVER: Supports when combined with Compatible AT	PRINTER DRIVER: The use of assistive technology (e.g. JAWS) is required for the recognition of table structures in the UI of the printer driver.

11.5.2.7 Values	1	
	PRINTER DRIVER: Supports when combined with Compatible AT	PRINTER DRIVER: The currently set value can be recognized programmatically for any UI object in the printer driver for which a value can be entered. However, for the reading of labels indicating valid ranges of values that can be entered, the use of assistive technology (e.g. JAWS) is needed.
11.5.2.8 Label relationships	PRINTER DRIVER: Supports	PRINTER DRIVER: The labels associated with UI components in the printer driver can be recognized programmatically.
11.5.2.9 Parent-child relationships	PRINTER DRIVER: Partially Supports	PRINTER DRIVER: The hierarchical (parent-child) relationships of UI components in the printer driver can be recognized programmatically. Note that there are some components whose hierarchical relationship can be difficult to determine from the component name alone; however, it is possible to understand the hierarchical relationship from the order in which the components receive focus.
11.5.2.10 Text	PRINTER DRIVER: Supports	PRINTER DRIVER: In the printer driver, the attributes of UI objects for which text can be entered, as well as the boundary of text displayed on the screen, can be recognized programmatically.
11.5.2.11 List of available actions	PRINTER DRIVER: Partially Supports	PRINTER DRIVER: In the printer driver, operations that can be executed on a UI object can be recognized with the use of screen readers. Note that there is some content that cannot be recognized with screen readers; however, these items can be configured using alternative methods.
11.5.2.12 Execution of available actions	PRINTER DRIVER: Supports	PRINTER DRIVER: In the printer driver, operations that can be executed from UI objects can be performed solely by the use of screen reading assistive technology (e.g. JAWS).
11.5.2.13 Tracking of focus and selection attributes	PRINTER DRIVER: Supports	PRINTER DRIVER: Changes of focus, component attributes, and text insertion points can be recognized by the printer driver.
11.5.2.14 Modification of focus and selection attributes	PRINTER DRIVER: Partially Supports	PRINTER DRIVER: Changes of focus, component attributes, and text insertion points can be recognized and set programmatically by the printer driver. However, for some non-text content (icons), there are only differences in shape and color; therefore, these cannot be configured solely by the use of screen readers.

11.5.2.15 Change notification		
	PRINTER DRIVER: Partially Supports	PRINTER DRIVER: The printer driver supports notification of changes to components when such changes occur. However, for the reading of tooltips, the use of assistive technology (e.g. JAWS) is needed.
11.5.2.16 Modifications of states and properties	PRINTER DRIVER: Partially Supports	PRINTER DRIVER: All components in the printer driver that can be configured by the user can also be configured programmatically. However, for some non-text content (icons), there are only differences in shape and color; therefore, these cannot be configured solely by the use of screen readers.
11.5.2.17 Modifications of values and text	PRINTER DRIVER: Supports	PRINTER DRIVER: Text can be changed programmatically for any UI object in the printer driver for which text can be entered. Values can be changed programmatically for any UI object in the printer driver for which a value can be entered.
11.6.1 User control of accessibility features	PRINTER DRIVER: Not Applicable	PRINTER DRIVER: The printer driver is not a platform.
11.6.2 No disruption of accessibility features	PRINTER DRIVER: Supports	PRINTER DRIVER: The printer driver can be used without disruption of the accessibility features of the platform (verified with the accessibility functionality of Windows 10).
11.7 User preferences	PRINTER DRIVER: Supports	PRINTER DRIVER: The printer driver uses and does not disable platform settings relating to display (verified with the accessibility functionality of Windows 10).
11.8.2 Accessible content creation	PRINTER DRIVER: Not applicable	
11.8.3 Preservation of accessibility information in transformations	PRINTER DRIVER: Not applicable	
11.8.4 Repair assistance	PRINTER DRIVER: Not applicable	
11.8.5 Templates	PRINTER DRIVER: Not applicable	

Chapter 12: Documentation and Support Services

Criteria	Conformance Level	Remarks and Explanations
12.1.1 Accessibility and compatibility features	Supports	
12.1.2 Accessible documentation	Supports	
12.2.2 Information on accessibility and compatibility features	Partially supports	Basic Information is described in user manual for each product. Additional information will be provided based on request basis.
12.2.3 Effective communication	Partially supports	You can reach contact support from below URL. https://www.canon-europe.com/support/business- product-support/contact_support/ Please choose proper country. Phone number and e-mail address are described. If there is not proper country, please access below and contact each office in your country. https://www.canon- europe.com/contact_us/canon_europe_middle_east _and_africa_offices/
12.2.4 Accessible documentation	Supports	

WCAG Web Contents Accesseibility Guidelines

WCAG Report (Level A & AA)

WCAG Report (Level A & AA) Criteria	Conformance Level	Remarks and Explanations
1.1.1 Non-text Content(A)		PRINTER DRIVER: The non-text content items in the UI of the printer driver are visual representations of various setting values; therefore, there are text alternatives. There is some non-text content that cannot be recognized by screen readers; however, these items can be configured using alternative methods. Remote UI: Images that convey important information have text that explains the purpose or meaning of the image. DOCUMENT: An alternate means to non-textual content is not provided which directly describes the non-textual content.
1.2.1 Audio-only and Video-only (Prerecorded)(A)	HARDWARE: See information in 5.1.5, 5.1.3.7 PRINTER DRIVER: Not Applicable Remote UI: Not applicable DOCUMENT: Not applicable	PRINTER DRIVER: The printer driver does not include any audio/video content. Remote UI: Remote UI does not use any multimedia presentations.
1.2.2 Captions (Prerecorded)(A)	HARDWARE: Supports PRINTER DRIVER: Not Applicable Remote UI: Not applicable DOCUMENT: Not applicable	PRINTER DRIVER: The printer driver does not include any audio/video content. Remote UI: Remote UI does not use any multimedia presentations.
1.2.3 Audio Description or Media Alternative (Prerecorded)(A)	HARDWARE: See information in 5.1.3.7 PRINTER DRIVER: Not Applicable Remote UI: Not applicable DOCUMENT: Not applicable	PRINTER DRIVER: The printer driver does not include any audio/video content. Remote UI: Remote UI does not use any multimedia presentations.
1.2.4 Captions (Live)(AA)	HARDWARE: Supports PRINTER DRIVER: Not Applicable Remote UI: Not applicable DOCUMENT: Not applicable	PRINTER DRIVER: The printer driver does not include any audio/video content. Remote UI: Remote UI does not use any multimedia presentations.
1.2.5 Audio Description (Prerecorded)(AA)	HARDWARE: Supports PRINTER DRIVER: Not Applicable Remote UI: Not applicable DOCUMENT: Not applicable	PRINTER DRIVER: The printer driver does not include any audio/video content. Remote UI: Remote UI does not use any multimedia presentations.

1.3.1 Info and Relationships(A)		
	HARDWARE: See information in 5.1.3.1 PRINTER DRIVER: Partially Supports Remote UI: Partially supports DOCUMENT: Supports	PRINTER DRIVER: Text is provided for structures that can be interpreted programmatically. However, for table structures and tooltips, the use of assistive technology (e.g. JAWS) is needed for cursor movement. Remote UI: Explanations are conveyed primarily via text, but for information that requires cursor movement to be properly conveyed the use of JAWS is required for increased accessibility.
1.3.2 Meaningful Sequence(A)	HARDWARE: See information in 5.1.3.1 PRINTER DRIVER: Partially Supports Remote UI: Partially supports DOCUMENT: Supports	PRINTER DRIVER: In the printer driver, the order in which the UI content is read by screen readers matches the order in which it is presented, and the content can be read in the correct order even in cases where the order will affect the meaning. However, for the reading of labels indicating valid ranges of values that can be entered or tooltips, the use of assistive technology (e.g. JAWS) is needed. Remote UI: For cases where the order in which information is presented could affect its meaning, that information is presented in the same order whether or not voiceover is used. However, for information that requires cursor movement to be properly conveyed, the use of JAWS is required for increased accessibility.
1.3.3 Sensory Characteristics(A)	HARDWARE: Supports PRINTER DRIVER: Partially Supports Remote UI: Supports DOCUMENT: Supports	PRINTER DRIVER: In the printer driver, text is provided in the UI for explaining and operating content; therefore, the instructions do not solely rely on sensory characteristics. However, for the reading of labels indicating valid ranges of values that can be entered or tooltips, the use of assistive technology (e.g. JAWS) is needed. Furthermore, for some non-text content (icons), there are only differences in shape and color; therefore, these cannot be recognized solely by the use of screen readers. Remote UI: Explanations of content and controls are conveyed via text and do not ever rely solely upon the user's ability to determine sequence.
1.3.4 Orientation(AA)	HARDWARE: Supports PRINTER DRIVER: Supports Remote UI: Supports DOCUMENT: Supports	HARDWARE: Operation is from a control panel on the front of the device itself, so change of display orientation is unnecessary. PRINTER DRIVER: Meets the requirements. The display orientation changes in accordance with the OS settings.

1.3.5 Identify Input Purpose(AA)		
	HARDWARE: Partially supports PRINTER DRIVER: Supports Remote UI: Supports DOCUMENT: Not applicable	HARDWARE: The device itself does not have audio screen reading support, but as operation via PC is possible, audio screen reading support is available via PC. PRINTER DRIVER: Meets the requirements. When entering user information, the purpose and associated information can be read using screen readers (e.g. JAWS). Remote UI: Entry fields for user information in the Remote UI have labels or additional guidance messages that allow the purpose of each field to be understood.
1.4.1 Use of Color(A)	HARDWARE: Supports PRINTER DRIVER: Supports through Equivalent Facilitation Remote UI: Supports DOCUMENT: Supports	HARDWARE: All information conveyed using color is also conveyed using text and icons. PRINTER DRIVER: The printer driver does not use color-coding as the only means of conveying information. Text information is included with color-coding. However, for some non-text content (icons), there are only differences in color; therefore, these cannot be recognized solely by the use of screen readers. Remote UI: Remote UI does not use color-coding as the only means of conveying information. It has text information with color-coding. Information and instructions in Remote UI are not communicated only through color. They have context or markup.
1.4.2 Audio Control(A)	HARDWARE: Supports PRINTER DRIVER: Not Applicable Remote UI: Not applicable DOCUMENT: Supports	PRINTER DRIVER: The printer driver does not have any functionality that plays audio data. Remote UI: The remote UI for this product does not play any audio.
1.4.3 Contrast (Minimum)(AA)	HARDWARE: Supports PRINTER DRIVER: Supports Remote UI: Supports DOCUMENT: Supports	PRINTER DRIVER: The text in the printer driver meets the contrast ratio requirements. Remote UI: Displayed text meets contrast requirements/standards.
1.4.4 Resize text(AA)	HARDWARE: See information in 5.1.4 PRINTER DRIVER: Supports Remote UI: Supports DOCUMENT: Supports	PRINTER DRIVER: The UI text in the printer driver can be resized using functionality provided by the OS without loss of printer driver functionality, and there is no functionality in the printer driver that impedes the resizing of text. Remote UI: Users may resize text while operating the device via the remote UI on a standard PC browser without any loss of functionality.

1.4.5 Images of Text(AA)		۱ ۱
	HARDWARE: See information in 5.1.3.6 PRINTER DRIVER: Not Applicable Remote UI: Supports DOCUMENT: Does not Support	PRINTER DRIVER: The printer driver uses text to convey information and does not have any images of text. Remote UI: The remote UI does not use any images of text. DOCUMENT: An alternate means to non-textual content is not provided which directly describes the non-textual content.
1.4.10 Reflow(AA)	HARDWARE: Supports PRINTER DRIVER: Supports Remote UI: Partially Supports DOCUMENT: Supports	PRINTER DRIVER: This printer driver only has 1 level of content, with some exceptions where the amount of scrolling required does not impact accessibility. Remote UI: Support is provided for screens other than the Job Log screen.
1.4.11 Non-text Contrast(AA)	HARDWARE: Supports PRINTER DRIVER: Partially Supports Remote UI: Supports DOCUMENT: Supports	PRINTER DRIVER: There is 1 bitmap icon in the [Poster Details] dialog for which the contrast does not fully meet the requirements (2.8:1). All other items meet the requirements.
1.4.12 Text Spacing(AA)	HARDWARE: Supports PRINTER DRIVER: Not Applicable Remote UI: Supports DOCUMENT: Supports	HARDWARE: Markup language is not used in the local user interface. PRINTER DRIVER: No part of the printer driver is implemented using markup languages.
1.4.13 Content on Hover or Focus(AA)	HARDWARE: Supports PRINTER DRIVER: Supports Remote UI: Not applicable DOCUMENT: Not applicable	HARDWARE: There is no additional content display that is triggered by pointer hover or keyboard focus. PRINTER DRIVER: Meets the requirements. These conditions also apply to tooltips in this driver.
2.1.1 Keyboard(A)	HARDWARE: See information in 5.1.6.1 PRINTER DRIVER: Supports Remote UI: Supports DOCUMENT: Supports	PRINTER DRIVER: The printer driver runs on systems with keyboards, and all functionality can be operated solely with the keyboard. Remote UI: Remote UI allows the user to move through the software using the "Tab" and "Shift + Tab" keys. Operations may be executed using the "Enter" key.

2.1.2 No Keyboard Trap(A)		
	HARDWARE: See information in 5.1.6.2 PRINTER DRIVER: Supports Remote UI: Supports DOCUMENT: Supports	PRINTER DRIVER: It is possible to move the keyboard focus among page components using only the keyboard. Remote UI: Any component to which focus may be moved using only a keyboard may also have focus moved away from it using only a keyboard.
2.1.4 Character Key Shortcuts(A)	HARDWARE: See information in 5.1.6.1 PRINTER DRIVER: Supports Remote UI: Not applicable DOCUMENT: Not applicable	PRINTER DRIVER: General operations meet the requirements; however, there are some operations that are exceptions due to limitations in the OS.
2.2.1 Timing Adjustable(A)		
	HARDWARE: Supports PRINTER DRIVER: Supports Remote UI: Does not Support DOCUMENT: Not applicable	HARDWARE: The time limit for Auto Reset can be disabled, but cannot be adjusted or extended to the extent defined in the conditions. PRINTER DRIVER:
		There are no time limits applied to any operations that can be performed with the printer driver. Remote UI: It is not possible to change the amount of time before remote UI session timeout.
2.2.2 Pause, Stop, Hide(A)	HARDWARE: Does not Support PRINTER DRIVER: Supports Remote UI: Supports DOCUMENT: Not applicable	HARDWARE: It is not possible to pause, stop, hide or control the frequency of the update for toggle messages. PRINTER DRIVER: There are no UI components in the printer driver that automatically move or update. Remote UI: The remote UI does not have any components which auto-update.
2.3.1 Three Flashes or Below Threshold(A)	HARDWARE: Supports PRINTER DRIVER: Supports Remote UI: Supports DOCUMENT: Not applicable	PRINTER DRIVER: There are no UI components in the printer driver that flash. Remote UI: Blinking or flashing objects in Remote UI such as LEDs for service calls have been evaluated. And these meet the criteria.
2.4.1 Bypass Blocks(A)	HARDWARE: Not applicable PRINTER DRIVER: Not Applicable Remote UI: Partially supports DOCUMENT: Supports	PRINTER DRIVER: The printer driver is not a Web page. Remote UI: The repetitive navigation links are read at the last of each page.

2.4.2 Page Titled(A)	HARDWARE: Not applicable PRINTER DRIVER: Supports Remote UI: Supports DOCUMENT: Supports	PRINTER DRIVER: Although the printer driver is not a Web page, each screen of the printer driver has a title that indicates the purpose of the screen. Remote UI: Each remote UI page displays a title or tab that explains the purpose of the screen on which it is displayed.
2.4.3 Focus Order(A)	HARDWARE: Supports PRINTER DRIVER: Supports Remote UI: Supports DOCUMENT: Does not Support	PRINTER DRIVER: Although the printer driver is not a Web page, the order of navigation focus preserves meaning and operability. Remote UI: All focusable components in the remote UI receive focus in an order that preserves meaning and operability. DOCUMENT: When shifting focus using cursor keys, a shifting order may not coincide with an order of displayed elements.
2.4.4 Link Purpose (In Context)(A)	HARDWARE: Supports PRINTER DRIVER: Not Applicable Remote UI: Supports DOCUMENT: Supports	PRINTER DRIVER: There is no link text in the printer driver. Remote UI: The purpose of each link in the remote UI can be determined from the link text.
2.4.5 Multiple Ways(AA)	HARDWARE: Not applicable PRINTER DRIVER: Not Applicable Remote UI: Does not Support DOCUMENT: Supports	PRINTER DRIVER: The printer driver is not a Web page. Remote UI: When using the remote UI, it is not possible to reach a page without going through the required pages in the required order.
2.4.6 Headings and Labels(AA)	HARDWARE: Supports PRINTER DRIVER: Supports Remote UI: Supports DOCUMENT: Supports	PRINTER DRIVER: The text used in the labels in the printer driver describes the content. Remote UI: Each label and heading displayed in the remote UI describes purpose.
2.4.7 Focus Visible(AA)	HARDWARE: Supports PRINTER DRIVER: Supports Remote UI: Supports DOCUMENT: Supports	PRINTER DRIVER: The keyboard focus is indicated visually in the UI of the printer driver. Remote UI: When using the remote UI, the focus of the keyboard is conveyed visually.

HARDWARE: Supports PRINTER DRIVER: Not Applicable Remote UI: Supports DOCUMENT: Supports	PRINTER DRIVER: This driver does not have any multipoint/path-based gesture functionality.
HARDWARE: Supports PRINTER DRIVER: Supports Remote UI: Supports DOCUMENT: Supports	HARDWARE: Functions can be canceled after completion of the down event. For the Start key, the user can cancel the operation by moving their finger outside of the area of the Start button while maintaining contact with the touch screen. PRINTER DRIVER: All applicable areas of this printer driver meet the requirements.
HARDWARE: See information in 5.1.3.3 PRINTER DRIVER: Supports Remote UI: Supports DOCUMENT: Does not Support	PRINTER DRIVER: All applicable areas of this printer driver meet the requirements.
HARDWARE: Supports PRINTER DRIVER: Not Applicable Remote UI: Not applicable DOCUMENT: Not applicable	PRINTER DRIVER: This printer driver does not contain any functionality that can be operated by user or device motion.
HARDWARE: See information in 5.1.3.14 PRINTER DRIVER: Partially Supports Remote UI: Supports DOCUMENT: Supports	PRINTER DRIVER: Although the printer driver is not a Web page, programmatic recognition of the names, structures, and relationships of UI components in the printer driver is possible. However, for the reading of labels indicating valid ranges of values that can be entered or tooltips, the use of assistive technology (e.g. JAWS) is needed. Furthermore, for some non-text content (icons), there are only differences in shape and color; therefore, these cannot be recognized solely by the use of screen readers. Remote UI: The remote UI includes a language layer in addition to HTML and natural human language is used.
HARDWARE: Not applicable PRINTER DRIVER: Partially Supports Remote UI: Supports DOCUMENT: Supports	PRINTER DRIVER: Although the printer driver is not a Web page, programmatic recognition of the names, structures, and relationships of UI components in the printer driver is possible. However, for the reading of labels indicating valid ranges of values that can be entered or tooltips, the use of assistive technology (e.g. JAWS) is needed. Furthermore, for some non-text content (icons), there are only differences in shape and color; therefore, these cannot be recognized solely by the use of screen readers. Remote UI: There are no cases of language aside from standard human language, proper names, or technical terms used in the remote UI.
	PRINTER DRIVER: Not Applicable Remote UI: Supports DOCUMENT: Supports HARDWARE: Supports PRINTER DRIVER: Supports Remote UI: Supports DOCUMENT: Supports HARDWARE: See information in 5.1.3.3 PRINTER DRIVER: Supports Remote UI: Supports DOCUMENT: Does not Support HARDWARE: Supports Remote UI: Supports DOCUMENT: Does not Support HARDWARE: Supports PRINTER DRIVER: Not Applicable Remote UI: Not applicable HARDWARE: See information in 5.1.3.14 PRINTER DRIVER: Partially Supports Remote UI: Supports DOCUMENT: Supports HARDWARE: See information in 5.1.3.14 HARDWARE: See information in 5.1.3.14 HARDWARE: Supports DOCUMENT: Not applicable HARDWARE: Not applicable HARDWARE: Not applicable HARDWARE: Not applicable HARDWARE: Not applicable BOCUMENT: Supports Remote UI: Supports

3.2.1 On Focus(A)		
3.2.1 OII FOLUS(A)	HARDWARE: Supports PRINTER DRIVER: Supports Remote UI: Supports DOCUMENT: Supports	PRINTER DRIVER: There are no UI components in the printer driver that change context upon receiving focus. Remote UI: There are no components in the remote UI that initiate a change of context upon receiving focus.
3.2.2 On Input(A)	HARDWARE: Supports PRINTER DRIVER: Supports Remote UI: Partially supports DOCUMENT: Supports	PRINTER DRIVER: There are no circumstances in which changing the settings in the printer driver result in other settings being changed. Remote UI: The remote UI includes components which may undergo a change of context after a change in settings.
3.2.3 Consistent Navigation(AA)	HARDWARE: Not applicable PRINTER DRIVER: Not Applicable Remote UI: Supports DOCUMENT: Supports	PRINTER DRIVER: The printer driver is not a Web page. Remote UI: Navigational mechanisms that are repeated throughout the remote UI occur in the same order each time they are repeated.
3.2.4 Consistent Identification(AA)	HARDWARE: Not applicable PRINTER DRIVER: Not Applicable Remote UI: Supports DOCUMENT: Supports	PRINTER DRIVER: The printer driver is not a Web page. Remote UI: The same terminology is used for the naming/labeling of components within the remote UI which have the same functionality.
3.3.1 Error Identification(A)	HARDWARE: See information in 5.1.3.15 PRINTER DRIVER: Supports Remote UI: Supports DOCUMENT: Supports	PRINTER DRIVER: In the printer driver, when errors are displayed, the display of the error can be recognized programmatically and the error is displayed using an item name together with the error content. Remote UI: In the remote UI, an item name is displayed along with an error description whenever possible.
3.3.2 Labels or Instructions(A)	HARDWARE: Partially supports PRINTER DRIVER: Supports Remote UI: Supports DOCUMENT: Supports	HARDWARE: The device itself does not have audio screen reading support, but as operation via PC is possible, audio screen reading support is available via PC. PRINTER DRIVER: All entry fields in the UI of the printer driver are labeled. Remote UI: Any content in the remote UI (such as text boxes), which require a user's input are appropriately labeled.

3.3.3 Error Suggestion(AA)		
	HARDWARE: Supports PRINTER DRIVER: Supports Remote UI: Partially supports DOCUMENT: Supports	HARDWARE: As far as possible, we provide suggestions for correction. PRINTER DRIVER: Messages with instructions for correcting errors are displayed in the UI of the printer driver for all locations where errors can occur. Remote UI: In the remote UI, suggestions for the correction of errors are not offered for every error, but they are offered in many cases.
3.3.4 Error Prevention (Legal, Financial, Data)(AA)	HARDWARE: Supports PRINTER DRIVER: Not Applicable Remote UI: Not applicable DOCUMENT: Not applicable	HARDWARE: For billing jobs and the sending of legally binding documents/data or financial transactions using the fax or send functions, and for data deletion: Cancellation, checking and confirmation are all possible. PRINTER DRIVER: There is no mechanism in the printer driver for sending information to external sites. Remote UI: The remote UI does not send any information to outside sites.
4.1.1 Parsing(A)	HARDWARE: Not applicable PRINTER DRIVER: Not Applicable Remote UI: Supports DOCUMENT: Supports	PRINTER DRIVER: No part of the printer driver is implemented using markup languages. Remote UI: The HTML used in the remote UI adheres to the appropriate standards. As a result, assistive technology (such as JAWS) is able to properly navigate the data.
4.1.2 Name, Role, Value(A)	HARDWARE: Not applicable PRINTER DRIVER: Partially Supports Remote UI: Supports DOCUMENT: Supports	PRINTER DRIVER: In the printer driver, names and roles of UI components can be recognized and configured programmatically, and notification of changes can be made available. However, for some non-text content (icons), there are only differences in shape and color; therefore, these cannot be configured solely by the use of screen readers. Remote UI: The HTML used in the remote UI adheres to the appropriate standards. As a result, assistive technology (such as JAWS) is able to properly navigate the data.
4.1.3 Status Messages(AA)	HARDWARE: Not applicable PRINTER DRIVER: Not Applicable Remote UI: Supports DOCUMENT: Does not Support	PRINTER DRIVER: No part of the printer driver is implemented using markup languages.

ISO/IEC 10779: 2020 Information technology - Office equipment - Accessibility guidelines for older persons and persons with disabilities

Chapter 5: Functional Performance Statements Criteria	Conformance Level	Remarks and Explanations
5.1.2 Blindness		
	Partially Supports	The Remote UI is the alternative. When a screen reader or screen magnifier is used with the Remote UI, blind or visually impaired users can operate Job, Inbox printing functions (normally found on the LCD touch screen display) from a PC. However, faxing and sending are not offered through the Remote UI. - Operation status can be determined through audio tones that confirm key entry, error, and job done as well as text messages on the display. - The Automatic Document Feeder helps ensure proper document placement.
5.1.3 Low vision	Supports	The text at the top of the screen is not stylized and there is considerable contrast with the background. There is also a feature to enlarge text.
5.1.4 Colour blindness	Supports	All information conveyed using color is also conveyed using text and icons.
5.1.5 Deafness	Supports	Standard operation of this product does not require hearing.
5.1.6 Hearing impairment	Supports	Standard operation of this product does not require hearing.
5.1.7 Speech impairment	Supports	Standard operation of this product does not require vocal input.
5.1.8 Impairment that limits upper limb strength and action (limited manipulation)	Supports	The UI for this product does not require complex manipulation or simultaneous button presses/gestures.
5.1.8 Impairment that limits upper limb strength and action (limited strength)	Partially supports	The standard Remote UI provides alternative access to users with mobility and dexterity impairments.
5.1.9 Impairment that limits reach ranges	Partially supports	The standard Remote UI provides alternative access to users with mobility and dexterity impairments.
5.1.10 Photosensitive seizure	Supports	Both local and remote UI for the product fulfill this requirement.
5.1.11 Cognitive, language, or learning disorders	Partially supports	Through the creation of shared buttons / My Buttons, "simple" one-touch operation is possible.

Chantor	6.	Requirements	
Unabler	υ.	Neudirenienies	

6 - General No response required 6 - Zosaet functionality (General) No response required 8 - Z - Speech-output enabled (General) No response required 8 - Z - Speech-output enabled (General) No response required 8 - Z - Speech-output enabled (General) No response required 8 - Z - Z - Information displayed on-screen No response required 6 - Z - Z - Speech-output enabled (General) No response required 6 - Z - Z - Speech-output enabled (General) No response required 6 - Z - Z - Speech-delivery type and coordination Not applicable 6 - Z - Z - Speech-delivery type and coordination Not Applicable 6 - Z - Z - Speech-delivery type and coordination Not Applicable 6 - Z - Z - Speech-delivery type and coordination Not Applicable 6 - Z - Z - Tracilia indication of speech-output mode Not Applicable. 6 - Z - Tracilia indication of speech-output mode Not Applicable. 6 - Z - Z - Tracilia indication of speech-output mode Not applicable 6 - Z - Z - Tracilia indication of speech-output mode Not applicable 6 - Z - Z - Tracilia indication of speech-output mode Not applicable 6 - Z - Z - Tracilia indication of speech-output mode Not applicable	Chapter 6: Requirements	Conformares Lauri	Domostro and Evaluation
5.2 Disease include Morresponse required 6.2.2 Sepsench-output anable (German) Norresponse required 6.2.2.3 Internation displayed on acreen Voice guidance kits are not supported. 8.2.2.3 Spacken languages Not applicable 8.2.2.3 User control Not Applicable 8.2.2.3 Voice guidance kits are not supported. 8.2.2.4 Next-Interfering audio output Not Applicable. 8.2.7 Tactile indication of speech output mode Not applicable. 8.2.3 Voice guidance kits are not supported. Stapportable. 8.2.3 Voice guidance kits are not supported. Stapportable. 8.2.3 Voice guidance kits are not supported. Stapportable. 8.2.3 Non-private listening Not applicable 8.2.4 Characters on display screene Supporta 8.2.4 Characters on display screene Supporta 8.3 Bornetice Not applicable 8.4 Preservation of inf	Criteria 6 1 General	Conformance Level	Remarks and Explanations
5.2.5 Speech-output inabled (Centrari) Not response required Voice guidance kits are not supported. 6.2.2.2 Information displayed on-screen Not applicable Voice guidance kits are not supported. 6.2.2.3 Speech alonguages Not applicable Voice guidance kits are not supported. 6.2.2.4 Speech delivery type and coordination Not Applicable Voice guidance kits are not supported. 6.2.2.4 Speech delivery type and coordination Not Applicable Voice guidance kits are not supported. 6.2.2.5 User centred Not Applicable Voice guidance kits are not supported. 6.2.2.6 Non-interfering sudio output Not Applicable Voice guidance kits are not supported. 6.2.2.7 Tractile indication of speech output mode Not Applicable Voice guidance kits are not supported. 6.2.3 Volume (General) Not applicable Voice guidance kits are not supported. 6.2.3 Tractile intering Not applicable Voice guidance kits are not supported. 6.2.4 Charactors on display screens Supports The fext at the top of the screen is not subjected and there is also a facture to easing that. 6.3 Biometrics Not applicable Biometric forms of user identification are not used. 6.4 Preservation of information provided for accessability Supports Response along trature ther			
6.2.2.2 Information displayed on-screen Voice guidance kits are not supported. 6.2.2.3 Speken languages Not applicable 6.2.2.4 Speech delivery type and coordination Not applicable 6.2.2.4 Speech delivery type and coordination Not applicable 6.2.2.5 User control Not Applicable 6.2.2.6 User control Not Applicable 6.2.2.7 Tecilic indication of speech output Not Applicable 6.2.2.7 Tecilic indication of speech output mode Not Applicable 6.2.3.7 Tecilic indication of speech output Not applicable 6.2.3.7 Tecilic indication of user identification are not supported. State are not supported. 6.3.8 Jonneritice Not applicable The test			
B.2.3.3 Spoken languages Not applicable B.2.4.3 Spoken languages Not applicable B.2.5.3 User control Not Applicable C.2.6 Non-interforting audio output Not Applicable B.2.7 Tactile indication of speech output mode Not Applicable C.2.3 Volume (General) Not applicable B.2.3 Volume (General) Not applicable B.2.3 Non-private listening Not applicable B.2.4 Characters on display screens Not applicable B.2.4 Characters on display screens Supports C.3 Blometrics Not applicable B.3 Blometrics Not applicable B.4 Preservation of information provided for accessibility Supports B.5 Privacy Not applicable B.5 Privacy Not applicable <td>6.2.2.2 Information displayed on-screen</td> <td></td> <td>Voice guidance kits are not supported.</td>	6.2.2.2 Information displayed on-screen		Voice guidance kits are not supported.
Not applicable Volce guidance kits are not supported. 8.2.2.4 Speech delivery type and coordination Not Applicable Volce guidance kits are not supported. 6.2.2.5 User control Not Applicable Volce guidance kits are not supported. 6.2.2.6 Non-interfering audio output Not Applicable. 6.2.2.7 Tactile indication of speech output mode Not Applicable. 6.2.2.7 Tactile indication of speech output mode Not Applicable. Volce guidance kits are not supported. 8.2.3.2 Private listening Not applicable. Volce guidance kits are not supported. 8.2.3.2 Private listening Not applicable. Volce guidance kits are not supported. 8.2.3.3 Non-private listening Not applicable. Volce guidance kits are not supported. 8.2.4 Characters on display screens Supports The text at the top of the screen is not supforted and there is considerable contrast with the background. There is also a feature to enlarge text. 8.3 Biometrice Not applicable Biometrice forms of user identification are not used. 8.4 Preservation of information provided for accessibility Supports Biometrice forms of user identification are not used. 8.5 Privacy Not applicable Not applicable Supports Supporte. 8.5 Priv		Not applicable	The product does not use any video content.
Not Applicable Voice guidance kits are not supported. 6.2.2.5 User control Not Applicable Voice guidance kits are not supported. 6.2.2.6 Non-interfering audio output Not Applicable. 6.2.2.7 Tactile indication of speech output mode Not Applicable. Voice guidance kits are not supported. 6.2.2.7 Tactile indication of speech output mode Not Applicable. Voice guidance kits are not supported. 6.2.3 Volume (General) Not applicable Coice guidance kits are not supported. 6.2.3 Volume (General) Not applicable Supported 6.2.3 Non-private listening Not applicable Voice guidance kits are not supported. 6.2.4 Characters on display screens Supports The text at the top of the screen is not stylized and there is considerable contrast with the background. 6.3 Biometrics Not applicable Biometric forms of user identification are not used. 6.4 Preservation of information provided for accessibility Supports Non-proprietary information provided for accessibility 6.5 Privacy Not applicable Coice guidance kits are not supported. 6.5.2 Maaked entry Not applicable Coice guidance kits are not supported. 6.5.3 Private access to personal data Not applicable Supports 6.5.4 Privacy Not applicable Coice guidance kits are not supported. 6.5.5 Pr	6.2.2.3 Spoken languages	Not applicable	
Not Applicable Voice guidance kits are not supported. 6.2.2.6 Non-interfering audio output Not Applicable. 6.2.2.7 Tactile indication of speech output mode Not Applicable. Voice guidance kits are not supported. 6.2.2.7 Tactile indication of speech output mode Not Applicable. Voice guidance kits are not supported. 6.2.3.7 Volume (General) Not applicable Image: Comparison of the second supported. 6.2.3.2 Private listening Not applicable Voice guidance kits are not supported. 6.2.3.3 Non-private listening Not Applicable. Voice guidance kits are not supported. 6.2.4 Characters on display screens Supports The text at the top of the screen is not stylized and there is considerable contrast with the background. There is also aderable contrast with the background. There is also address addres industry standard. <tr< td=""><td>6.2.2.4 Speech delivery type and coordination</td><td>Not Applicable</td><td>Voice guidance kits are not supported.</td></tr<>	6.2.2.4 Speech delivery type and coordination	Not Applicable	Voice guidance kits are not supported.
6.2.2.7 Tactile indication of speech output mode Not Applicable. Voice guidance kits are not supported. 6.2.3. Volume (General) Not applicable Voice guidance kits are not supported. 6.2.3.2 Private listening Not applicable 6.2.3.3 Non-private listening Not applicable Voice guidance kits are not supported. 6.2.4 Characters on display screens Not Applicable. Voice guidance kits are not supported. 6.3.3 Non-private listening Not Applicable. Voice guidance kits are not supported. 6.2.4 Characters on display screens Supports The text at the top of the screen is not stylized and there is also a feature to enlarge text. 6.3 Biometrics Not applicable Biometric forms of user identification are not used. 6.4 Preservation of information provided for accessibility Supports Non-proprietary information provided for accessibility 6.5 Privacy Not applicable Ionetric forms of user identification are not used. 6.5.2 Masked entry Not applicable Voice guidance kits are not supported. 6.5.3 Private access to personal data Not applicable Ionetric forms of settings is not removed by tribs product. 6.5.3 Private access to personal data Not applicable Ionetric privides a connection method that conforms to a non-preprietar	6.2.2.5 User control	Not Applicable	Voice guidance kits are not supported.
Not Applicable. Voice guidance kits are not supported. 6.2.3 Volume (General) Not applicable 6.2.3.2 Private listening Not applicable 6.2.3.3 Non-private listening Not applicable 6.2.4 Characters on display screens Not Applicable. 6.2.4 Characters on display screens Supports 6.3 Biometrics Not applicable 6.4 Preservation of information provided for accessibility Supports 6.4 Preservation of information provided for accessibility Supports 8.5 Privacey Not applicable 6.5.2 Masked entry Not applicable 6.5.3 Private access to personal data Not applicable 6.5 Standard connections Supports 6.5 Standard connections Supports	6.2.2.6 Non-interfering audio output	Not Applicable.	
Not applicable Not applicable 6.2.3.2 Private listening Not applicable 6.2.3.3 Non-private listening Not Applicable 6.2.4 Characters on display screens Not Applicable 6.2.4 Characters on display screens Supports 6.3 Biometrics Not applicable 6.3 Biometrics Not applicable 6.4 Preservation of information provided for accessibility Supports 6.4 Preservation of information provided for accessibility Supports 8.5 Privacy Not applicable 6.5.2 Masked entry Not applicable 6.5.2 Masked entry Not applicable 6.5.2 Masked entry Not applicable 6.6.3 Private access to personal data Not applicable 6.6.3 Supports This product provides a connection method that conforms to a non-proprietary industry standard.	6.2.2.7 Tactile indication of speech output mode	Not Applicable.	Voice guidance kits are not supported.
Not applicable Not applicable 6.2.3.3 Non-private listening Not Applicable. Voice guidance kits are not supported. 6.2.4 Characters on display screens Supports The text at the top of the screen is not stylized and there is considerable contrast with the background. There is also a feature to enlarge text. 6.3 Biometrics Not applicable Biometric forms of user identification are not used. 6.4 Preservation of information provided for accessibility Supports Non-proprietary information provided for accessibility during the transmission of information or the import/export of settings is not removed by this product. 6.5 Privacy Not applicable Voice guidance kits are not supported. 6.5.2 Masked entry Not applicable Voice guidance kits are not supported. 6.6 Standard connections Supports This product provides a connection method that conforms to a non-proprietary industry standard.	6.2.3 Volume (General)	Not applicable	
Not Applicable. Voice guidance kits are not supported. 6.2.4 Characters on display screens Supports The text at the top of the screen is not stylized and there is considerable contrast with the background. There is also a feature to enlarge text. 6.3 Biometrics Not applicable Biometric forms of user identification are not used. 6.4 Preservation of information provided for accessibility Supports Non-proprietary information provided for accessibility 6.5 Privacy Not applicable Non-proprietary information provided for accessibility Non-proprietary information provided for accessibility during the transmission of information or the import/export of settings is not removed by this product. 6.5 Privacy Not applicable Voice guidance kits are not supported. 6.5.3 Private access to personal data Not applicable Insection provides a connection method that conforms to a non-proprietary industry standard. 6.6 Standard connections Supports This product provides a connection method that conforms to a non-prop	6.2.3.2 Private listening	Not applicable	
Supports The text at the top of the screen is not stylized and there is considerable contrast with the background. There is also a feature to enlarge text. 6.3 Biometrics Not applicable Biometric forms of user identification are not used. 6.4 Preservation of information provided for accessibility Supports Non-proprietary information provided for accessibility accessibility during the transmission of information or the import/export of settings is not removed by this product. 6.5 Privacy Not applicable Voice guidance kits are not supported. 6.5.2 Masked entry Not applicable Voice guidance kits are not supported. 6.5.3 Private access to personal data Not applicable Initian provides a connection method that conforms to a non-proprietary industry standard.	6.2.3.3 Non-private listening	Not Applicable.	Voice guidance kits are not supported.
Not applicableBiometric forms of user identification are not used.6.4 Preservation of information provided for accessibilitySupportsNon-proprietary information provided for accessibility during the transmission of information or the import/export of settings is not removed by this product.6.5 PrivacyNot applicableVoice guidance kits are not supported.6.5.2 Masked entryNot applicable6.5.3 Private access to personal dataNot applicable6.6 Standard connectionsSupportsThis product provides a connection method that 	6.2.4 Characters on display screens	Supports	there is considerable contrast with the background.
SupportsNon-proprietary information provided for accessibility during the transmission of information or the import/export of settings is not removed by this product.6.5 PrivacyNot applicableVoice guidance kits are not supported.6.5.2 Masked entryNot applicableSupports6.5.3 Private access to personal dataNot applicableSupports6.6 Standard connectionsSupportsThis product provides a connection method that conforms to a non-proprietary industry standard.	6.3 Biometrics	Not applicable	Biometric forms of user identification are not used.
Not applicable Voice guidance kits are not supported. 6.5.2 Masked entry Not applicable 6.5.3 Private access to personal data Not applicable 6.6 Standard connections Not applicable Supports This product provides a connection method that conforms to a non-proprietary industry standard.	6.4 Preservation of information provided for accessibility	Supports	accessibility during the transmission of information or the import/export of settings is not removed by
Not applicable 6.5.3 Private access to personal data Not applicable 6.6 Standard connections Supports This product provides a connection method that conforms to a non-proprietary industry standard.	6.5 Privacy	Not applicable	Voice guidance kits are not supported.
Not applicable 6.6 Standard connections Supports This product provides a connection method that conforms to a non-proprietary industry standard.	6.5.2 Masked entry	Not applicable	
Supports This product provides a connection method that conforms to a non-proprietary industry standard.	6.5.3 Private access to personal data	Not applicable	
6.7 Operable parts (General) No response required	6.6 Standard connections	Supports	
	6.7 Operable parts (General)	No response required	

Supports There is considerable contrast takened where and other controls. 6.7.3 hput controls (General) Mo response required controls. 6.7.3.7 facility decomble Partially supports controls is a buch panel, and then such and is a facility of the controls. 7.3.3 facility decomble supports controls. controls. 7.3.3 facility decomble supports controls. controls. 7.3.3 Alphabelo keys supports The control panel of the unit is a fail buch panel but fails fails on the panel but fails fails on the panel but fails fails on the panel but fails fai		1	- 1
6.7.3.2 Tacility discormible pertaling supports operation panel is a loach panel, and there is no target period. 7.3.3 Alphabetic keys rescale and the panel of the unit is a flat touch panel but it can be conclude to a Tacility discormibe thermactor keys with USB keyboard. 0.7.3.4 Numeric keys rescored panel of the unit is a flat touch panel but it can be conclude to a Tacility discormibe thermactor keys with USB keyboard. 0.7.3.4 Numeric keys rescored panel of the unit is a flat touch panel but it can be conclude to a Tacility discormibe thermactor keys with USB keyboard. 0.7.4 Key repeat Supports 0.7.5 Touchestike key Does not Support 0.7.6 Timod response Supports 0.7.7 Simultaneous user actions Supports 0.7.6 Physical operation Supports 0.7.6 Physical operation Supports 0.7.7 Simultaneous user actions Supports 0.7.8 Physical operation Supports 0.7.9 Fairs cards and key cards Not applicable 0.7.10 Vertical reference plane (General) Not applicable 0.7.10 2 Vertical plane for forward reach Supports 0.7.2 Supports The Automatic Document Feeder with ess operating power. For maintenance and estup. It is implicable. 0.7.10 2 Vertical plane for forward reach Not applicable	6.7.2 Contrast	Supports	symbols, and the backgrounds used by keys and
6.7.3.2 Tacility discormible partially supports operation panel is a touch panel, and there is no through entities. 7.3.3 Alphabetic keys supports The control panel of the unit is a flat buch panel, but there is no through entities. 6.7.3.3 Alphabetic keys supports The control panel of the unit is a flat buch panel, but the can be controls to a Tactiely discrimible characteric keys with USB keyboard. 6.7.4 Key repeat Supports The control panel of the unit is a flat buch panel, but the can be controls to a Tactiely discrimible characteric keys with USB keyboard. 6.7.4 Key repeat Supports The control panel of the unit is a flat buch panel, but the can be controls to a Tactiely discrimible characteric keys with USB keyboard. 6.7.5 Double-stitke key Does not Supports In the Auto clear function, used to clear settings, the function support this. 6.7.6 Timod response Supports Ratic device operations support this. 6.7.6 Timod response Supports Ratic device operations support this. 6.7.6 Physicial operation Supports Ratic device operations support this. 6.7.6 Physicial operation Supports The Autor device operations are not the interve and an outer state. 6.7.6 Physicial operation Nor response required Nor response required 6.7.10 Reach height and depth Nor response required			
auports The control panel of the unit is a flat touch panel but if can be connected to a Tracility discombilie charanceter keys with USB Keyboard. 6.7.3.4 Numeric keys The control panel of the unit is a flat touch panel but if can be connected to a Tracility discombilie charanceter keys with USB Keyboard. 6.7.4 Key repeat Supports 6.7.5 Double-strike key Does not Support 6.7.6 Timed response Does not Supports 6.7.7 Simultaneous user actions Supports 6.7.7 Simultaneous user actions Supports 6.7.8 Physical operation Supports 6.7.9 Fare cards and key cards Not applicable 6.7.10 Side reach (General) Not applicable 6.7.10.2.3 Vertical plane for forward reach Supports 6.7.10.3.2 Unobstructed side reach Supports	6.7.3 Input controls (General) 6.7.3.2 Tactilely discernible		tactile sense. Tactile recognition is possible for document sets, paper ejection, paper feed and other mechanical
a. 7.4 Key repeat Supports It is a flat touch panel.but panel.but panel.but panel.but panel panel.bu	6.7.3.3 Alphabetic keys	supports	it can be connected to a Tactilely discernible
Supports Supports 6.7.5 Double-strike key Does not Support 6.7.6 Timed response In the Auto clear function, used to clear settings, the time can be to 0, there is no time limit. 6.7.7 Simultaneous user actions Supports In the Auto clear function, used to clear settings, the time can be to 0, there is no time limit. 6.7.7 Simultaneous user actions Supports Basic device operation support this. Maintenance and troubleshooting steps are not included. 6.7.8 Physical operation Supports The platen is heavier than the reference operating power. For maintenance and setup, it is inapplicable. 6.7.9 Fare cards and key cards Not applicable For maintenance and setup, it is inapplicable. 6.7.10 Reach height and depth No response required Entry of the set of the seto	6.7.3.4 Numeric keys	supports	it can be connected to a Tactilely discernible
6.7.6 Timed response Supports In the Auto clear function, used to clear settings, the time can be to 0, there is no time limit. 6.7.7 Simultaneous user actions Supports Basic device operations support this. Maintenance and troubleshooting steps are not included. 6.7.8 Physical operation Supports The platen is heavier than the reference operating power in some cases, but there is also an automatic document feeder with less operating power. For maintenance and setup, it is inapplicable. 6.7.9 Fare cards and key cards Not applicable Intervent feeder with less operating power. For maintenance and setup, it is inapplicable. 6.7.10 Reach height and depth No response required For response required 6.7.10.2.2 Vertical plane for forward reach Supports The Automatic Document Feeder meight does not support the reach of the each of the each of position within the reach of the each of	6.7.4 Key repeat	Supports	
Supports In the Auto clear function, used to clear settings, the time can be to 0, there is no time limit. 6.7.7 Simultaneous user actions Supports Basic device operations support this. Maintenance and troubleshooting steps are not included. 6.7.8 Physical operation Supports The platen is heavier than the reference operating power in some cases, but there is also an automatic document feeder with less operating power. For maintenance and setup, it is inapplicable. 6.7.9 Fare cards and key cards Not applicable The platen is heavier than the reference operating power. For maintenance and setup, it is inapplicable. 6.7.10 Reach height and depth No response required Supports 6.7.10.2 Vertical plane for side reach Supports Supports 6.7.10.2.3 Vertical plane for forward reach Supports The Automatic Document Feeder height does not support the reference. The open position within the reach of the driver. The open position within the reach of the driver. 6.7.10.3. Side reach (General) Partially supports The Automatic Document Feeder height does not support the reference. 6.7.10.3.2. Unobstructed side reach In the released position. Support the released position.	6.7.5 Double-strike key	Does not Support	
Supports Basic device operations support this. Maintenance and troubleshooting steps are not included. 6.7.8 Physical operation Supports The platen is heavier than the reference operating power in some cases, but there is also an automatic document feeder with less operating power. For maintenance and setup, it is inapplicable. 6.7.9 Fare cards and key cards Not applicable For maintenance and setup, it is inapplicable. 6.7.0 Reach height and depth No response required Image: Card State S	6.7.6 Timed response	Supports	
Supports The platen is heavier than the reference operating power in some cases, but there is also an automatic document feeder with less operating power. For maintenance and setup, it is inapplicable. 6.7.9 Fare cards and key cards Not applicable 6.7.10 Reach height and depth No response required 6.7.10.2 Vertical reference plane (General) No response required 6.7.10.2.2 Vertical plane for side reach Supports 6.7.10.2.3 Vertical plane for forward reach Supports 6.7.10.3 Side reach (General) Supports 6.7.10.3 Side reach (General) Partially supports 7 The Automatic Document Feeder height does not support the reference. The ADF (automatic document feeder) can be stopped in the open position within the reach of the driver. 6.7.10.3.2 Unobstructed side reach Image: Supports 6.7.10.3.2 Unobstructed side reach Image: Supports	6.7.7 Simultaneous user actions	Supports	Maintenance and troubleshooting steps are not
Not applicable Not applicable 6.7.10 Reach height and depth No response required 6.7.10.2 Vertical reference plane (General) No response required 6.7.10.2.2 Vertical plane for side reach Supports 6.7.10.2.3 Vertical plane for forward reach Supports 6.7.10.3 Side reach (General) Supports 6.7.10.3 Side reach (General) Partially supports 6.7.10.3 Side reach (General) Partially supports 6.7.10.3.2 Unobstructed side reach Supports	6.7.8 Physical operation	Supports	power in some cases, but there is also an automatic document feeder with less operating power.
6.7.10.2 Vertical reference plane (General) No response required 6.7.10.2.2 Vertical plane for side reach Supports 6.7.10.2.3 Vertical plane for forward reach Supports 6.7.10.3 Side reach (General) Supports 6.7.10.3 Side reach (General) The Automatic Document Feeder height does not support the reference. Partially supports The Automatic Document Feeder height does not support in the open position within the reach of the driver. 6.7.10.3.2 Unobstructed side reach General	6.7.9 Fare cards and key cards	Not applicable	
6.7.10.2 Vertical reference plane (General) No response required 6.7.10.2.2 Vertical plane for side reach Supports 6.7.10.2.3 Vertical plane for forward reach Supports 6.7.10.3 Side reach (General) Supports 6.7.10.3 Side reach (General) The Automatic Document Feeder height does not support the reference. Partially supports The Automatic Document Feeder height does not support in the open position within the reach of the driver. 6.7.10.3.2 Unobstructed side reach General	6.7.10 Reach height and depth	No response required	1
6.7.10.2.3 Vertical plane for forward reach Supports 6.7.10.3 Side reach (General) Supports 6.7.10.3 Side reach (General) The Automatic Document Feeder height does not support the reference. The ADF (automatic document feeder) can be stopped in the open position within the reach of the driver. The optional ADF accelerator handle assists in closing from the released position. 6.7.10.3.2 Unobstructed side reach Image: Comparison of the distance of the driver. The optional ADF accelerator handle assists in closing from the released position.	6.7.10.2 Vertical reference plane (General)	· _ · _ ·	
Supports Supports 6.7.10.3 Side reach (General) The Automatic Document Feeder height does not support the reference. The ADF (automatic document feeder) can be stopped in the open position within the reach of the driver. The optional ADF accelerator handle assists in closing from the released position. 6.7.10.3.2 Unobstructed side reach Image: Comparison of the close of the clos	6.7.10.2.2 Vertical plane for side reach	Supports	
Figure 1 The Automatic Document Feeder height does not support the reference. The ADF (automatic document feeder) can be stopped in the open position within the reach of the driver. The optional ADF accelerator handle assists in closing from the released position. 6.7.10.3.2 Unobstructed side reach	6.7.10.2.3 Vertical plane for forward reach	Supports	
	6.7.10.3 Side reach (General)	Partially supports	support the reference. The ADF (automatic document feeder) can be stopped in the open position within the reach of the driver. The optional ADF accelerator handle assists in
	6.7.10.3.2 Unobstructed side reach	Supports	

6.7.10.3.3 Obstructed side reach		
6.7.10.3.3 Obstructed side reach	Partially supports	When using the automatic document feeder of this machine, the reference height of the side reach may be exceeded.
6.7.10.4 Forward reach (General)	Supports	Multi-purpose tray (Optional) are no obstacles in the space.
6.7.10.4.2 Unobstructed forward reach	Supports	Multi-purpose tray (Optional) are no obstacles in the space.
6.7.10.4.3 Obstructed forward reach (General)	Supports	No operating point is more than 510 mm deep
6.7.10.4.3.2 Operable part height for office equipment with obstructed forward reach	Supports	Multi-purpose tray (Optional) are no obstacles to access to the operable parts.
6.7.10.4.3.3 Knee and toe space under office equipment with obstructed forward reach	Supports	Multi-purpose tray (Optional) are no obstacles in the space.
6.8 Visibility of display screens	Supports	The remote operation function is displays an operation screen on a mobile device similar to the touch panel display of a machine, which can be viewed from a height of less than 40 inches.

	1	
6.9 Flashing	Supports	The LCD screen flicker does not occur within this range.
6.10 Status indicators	Dose not support	The device's removal of document sets and paper outputs can be tactile identified. But the touch-panel UI doesn't support it.
6.11 Colour coding	Supports	All information conveyed using color is also conveyed using text and icons.
6.12 Audible signals	Supports.	All notification sounds played during operation of the device are accompanied by visual UI elements.
6.13 Software requirements for closed functionality (General)	No response required	
6.13.2 Sensory characteristics Instructions provided for understanding and operating content do not rely solely on sensory characteristic of components such as shape, colour, size, visual location, orientation, or sound (WCAG 2.1:2018, 1.3.3).	Supports	
6.13.3 Audio control	Supports	
6.13.4 Text contrast	Supports	
6.13.5 Non-text contrast	Supports	
6.13.6 No-key trap	See information in 5.1.6.2	
6.13.7 Pause, stop, hide	Does not Support	It is not possible to pause, stop, hide or control the frequency of the update for toggle messages.
6.13.8 Focus order	Supports	
6.13.9 Focus visible	Supports	
6.13.10 Pointer gestures	Supports	
6.13.11 Label in name	See information in 5.1.3.3	
6.13.12 On focus	Supports	

Chapter 7: Support Documentation and Services

Criteria	Conformance Level	Remarks and Explanations
7.1 Disclosure of information related to accessibility	Supports	
7.2 Requirements for user documentation and support services	Partially supports	Basic Information is described in user manual for each product. Additional information will be provided based on request basis. You can reach contact support from below URL. https://www.canon-europe.com/support/business- product-support/contact_support/ Please choose proper country. Phone number and e-mail address are described. If there is not proper country, please access below and contact each office in your country. https://www.canon- europe.com/contact_us/canon_europe_middle_east _and_africa_offices/

<u>Note1</u>: This document was prepared based on normal walk-up functionality. It does not include maintenance and troubleshooting procedures. The information contained in this document is proprietary information and is not for reproduction, publication or manipulation in any way or form. This document addresses a multitude of the product's features; however, any specific inquiries should be made to the Canon Marketing Representative.

Note2: Comments in the "Conformance Level" column are based on the Information Technology Industry Council's suggested language for use when filling out the Voluntary Product Accessibility Template. The Remarks and Explanations column provides additional information on the evaluation results, and explains the standard functions of the product that can accommodate users with disabilities.

Note3: This document is for informational purposes only. This information is based on Canon's current understanding of the standards It is not intended to address applicability of these laws to a particular end-user, customer, application or procurement.

Note4: All product design and specifications are subject to change. Some of the information may be based upon data collected or tests conducted on similar product modules.

Note5: The information in this Report should not be considered a contractual agreement by Canon. FURTHER, THE INFORMATION AND MATERIALS PROVIDED IN THIS REPORT ARE "AS IS" WITHOUT WARRANTIES OF ANY KIND, INCLUDING WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT OF INTELLECTUAL PROPERTY. Canon does not warrant the accuracy and completeness of the information or materials in this Report. Canon may make changes to the information in this Report, or to the products described in this Report at any time, without notice.