



imageCLASS

B&W LASER PRINTERS



MF462dw II

High-Volume B&W All-In-One Laser Printer



MF465dw II

High-Volume B&W All-In-One Laser Printer



Designed for home office and small office environments, the imageCLASS MF465dw II / MF462dw II laser printers balance speedy performance and minimal maintenance. These printers are easy to set up and offer versatility to print on a variety of media types and sizes, including envelopes and more.

	MF462Cdw II	MF465Cdw II
Print Speeds	Up To 37 Pages Per Minute ¹	Up To 42 Pages Per Minute ¹
Functions	Print, Copy, Scan, Fax	
Connectivity	WiFi ² , USB, Ethernet	
Auto 2-Sided Print	Yes	
High Capacity Paper Trays	250 Sheet Cassette, 100 Sheet Multi-purpose Tray, And Optional 550 Sheet Cassette	
2-Sided Auto Document Feeder	Up To 50 Sheets Of Letter-Sized Plain Paper	
Canon Genuine Toner	Standard Cartridge 070 (Up To 3,000 Page Yield*), High Volume Cartridge 070 H (Up To 10,200 Page Yield*)	
Control Panel	Customizable 5-Inch Touchscreen	
Printer Size (W x D x H)	16.6" x 18.1" x 14.8"	

¹Approximate yields

Everything you need in a B&W laser printer: usability, reliability and efficiency.



Fast Print Speed

Print up to 42 pages-per-minute (MF465dw II) / 37 pages-per-minute (MF462dw II) with your first print out in approximately 4.9 seconds (letter).¹



Mobile Connectivity

Print on-the-go with Canon PRINT App, Apple® AirPrint® and Mopria™ Print Service.³



50 Sheet, 2-Sided Auto Document Feeder (One Pass Scan)

Scans both sides of your documents in one pass and helps keep your documents in order.



Customizable 5-Inch Touchscreen LCD

Easily navigate all the features through an adjustable 5-inch touchscreen LCD.



Application Library & Cloud Connectivity

Easily access the features you use the most with Application Library. Application Library's Cloud App feature also supports cloud storage directly from an external webpage. Print or scan⁴ documents directly to or from DropBox, Google Drive, or OneDrive.



Large Paper Capacity Tray Options

These printers can hold up to 250 sheets in standard cassette, up to 100 sheets in the multi-purpose tray, and up to 550 sheets in optional cassette AH-1, for up to 900-sheet paper capacity.



High Volume Printing

Print up to 3,000 pages with Toner 070 or up to 10,200 pages with High Capacity Toner 070 H. High capacity toner provides high page yields to help limit replacements and help keep you printing longer.



USB Flash Drive Port

Print files directly from USB Flash Drives after attaching to port.



Support and Service

Canon U.S.A. takes pride in delivering complete customer satisfaction. Canon's friendly and knowledgeable Customer Service Team provides expert assistance for every level of experience, offering the support, peace of mind, and value your business deserves. These printers come with a three-year limited warranty.⁵



Main Unit

Core Functions (Standard)

Print, Copy, Scan, Fax

Item Code

MF462dw II: 7188C015
MF465dw II: 7188C006

Processor

Canon Custom Processor

Control Panel

5-inch Touch LCD

Memory

1GB

Standard Interface Connection

USB 2.0 High-Speed, 100Base-TX/10Base-T(IEEE 802.3 compliant), Wi-Fi (IEEE 802.11b/g/n)

Paper Capacity (Letter, 20 lb. Bond)

Standard: 250 sheets Paper Cassette
100 sheets multi-purpose Tray

Paper Output Capacity (Letter, 20 lb. Bond)

Standard: 150 sheets

Supported Media Types

Cassettes: Thin, Plain, Recycled, Thick, Bond
Multi-purpose Tray: Thin, Plain, Recycled, Thick, Bond, Label, Envelope

Supported Media Sizes

Cassettes: Letter, Legal, Statement, Executive Custom (Min. 4.1" x 5.8" to Max. 8.5" x 14")
Multi-purpose Tray: Letter, Legal, Statement, Executive Envelope: COM10, Monarch, C5, DL Custom (Min. 3" x 5" to Max. 8.5" x 14")

Supported Media Weights

Cassettes: 16 lb. Bond to 32 lb. Bond (60 to 120 g/m²)
Multi-purpose Tray: 16 lb. Bond to 43 lb. Bond (60 to 163 g/m²)

Warm-up Time

14 sec or less

Dimensions (W x D x H)

Standard (Desktop): 16.6" x 18.1" x 14.8"

Box Dimensions (W x D x H)

Box: 22.4" x 21.5" x 20.6"

Weight

Unit: Approx. 34.4 lb
Boxed Weight: Approx. 48.5 lb.

Operating System

Windows®10 / Windows®11 / Windows®Server2012 / Windows®Server2012 R2 / Windows®Server2016 / Windows®Server2019 / Windows®Server2022
macOS 10.13 (or later)

Print Specifications

Printing Method

Laser Beam Printing

Print Speed¹

MF462dw II: Up to 37ppm (Letter)
MF465dw II: Up to 42ppm (Letter)

First-Print-Out Time

Approx. 4.9 Seconds

Recommended Monthly Print Volume (RMPV)

750 to 4,000 Pages

Print Resolution (dpi)

Up to Up to 1200dpi x 1200dpi

Standard Page Description Languages

UFR II, PCL5/6, Adobe® Postscript 3®

Double-Sided Printing

Automatic (Standard)

Direct Print

Yes (USB)

Printing from Mobile and Cloud-based Services³

Canon PRINT App, Apple® AirPrint®, Mopria™ Print Service

Copy Specifications

Copy Speed¹

MF462dw II: Single sided (LTR): Up to 37 ppm
Double sided (LTR): Up to 31.5 ipm
MF465dw II: Single sided (LTR): Up to 42 ppm
Double sided (LTR): Up to 35.1 ipm

First-Copy-Out Time (Letter)

6.0 seconds

Copy Resolution (dpi)

Up to 600dpi x 600dpi

Copy Size

Platen: Up to Letter/A4
ADF: Up to Legal

Multiple Copies

Up to 999 Copies

Magnification

25% - 400% (1% Increments)

Copy Features

Single-Pass Duplexing Automatic Document Feeder

Scan Specifications

Type

Single-Pass Duplexing Automatic Document Feeder

Document Feeder Paper Capacity

50 Sheets (20 lb. Bond)

Document Feeder Supported Media Sizes

Letter, Legal Width Custom sizes (Min. 5.8"-Max.8.5")

Document Feeder Supported Media Weights

13-28 lb. Bond (50-105 g/m²)

Platen Acceptable Originals

Sheet, Book

Pull Scan

ScanGear MF for TWAIN, and WIA

Scan Resolution (dpi)

Up to 600 x 600 dpi

Scan-to-Mobile Devices

E-mail, PC, USB memory, FTP, Cloud, iFAX

Scan Speed¹ (Letter)

Single-sided:50/40 ipm (BW/Color)
Double-sided: 100/80 ipm (BW/Color)

Fax Specifications

Modem Speed

Super G3: 33.6 kbps
G3: 14.4 kbps

Compression Method

MH, MR, MMR, JBIG

Resolution (dpi)

400 x 400, 200 x 400, 200 x 200, 200 x 100

Sending/Recording Size

Statement to Legal

Fax Memory

Up to 512 pages

Speed Dials

Max. 281

Group Dials/Destinations

Max. 299

Sequential Broadcast

Max. 310 Addresses

Memory Backup

Yes

Fax Features

Sending 2-Sided Document, Printing Received Data 2-Sided, Sender's Name (TTI), Direct Send, Preview, TX Report, Sequential Broadcasting

Security Specifications

Authentication

Department ID

Network

TLS1.3, IPSec support, IEEE 802.1X authentication, SNMPv3, IP Address Filtering, Configure ON/OFF settings for network application functions, Job Log Conceal Function, Restricted access to the printer's storage media, Verify System at Startup

Document

SecurePrint, Device Signature PDF/XPS, Restricted E-mail/File send functions, Confirming FAX number, Restrict Fax Driver Transmissions, Restrict Sending from History

Wi-Fi Authentication Methods

Wi-Fi Infrastructure Mode: 128(104)/64(40)bit WEP
WPA-PSK(TKIP/AES-CCMP)
WPA2-PSK(TKIP/AES-CCMP)
WPA-EAP(AES-CCMP)
WPA2-EAP(AES-CCMP)
Wi-Fi Access Point: WPA2-PSK(AES-CCMP)

Environmental Specifications

Operating Environment

Temperature: 50 to 86 °F
Humidity: 20 to 80% RH (no condensation)

Power Requirements

AC 120-127 V 60 Hz 6.0A

Power Consumption

Maximum: Approx. 1250 W
Standby: Approx. 8 W
Sleep Mode: Approx. 0.9 W
Typical Electricity Consumption (TEC) Rating: 0.33 kWh

Standards

ENERGY STAR Certified, EPEAT® Silver

What's in the Box:

- MF462dw II or MF465dw II Printer
- Cartridge 070 Black Standard, Approx. 3,000 Page Yield
- Power Cord
- Telephone Cable
- User Software DVD-ROM
- Documentation



MF465dw II shown



OPTIONAL CASSETTE-AH1
Item: 0732A033
(Holds up to 550 sheets)

Extended Service Plans Available For Purchase

If service is required, you may receive a replacement model⁷ via advanced exchange. In this case, you'll be instructed to return the malfunctioning unit to Canon in the replacement packaging, which also includes a prepaid shipping label. Or you may choose to carry your existing equipment to a local Authorized service facility for repair. See Canon eCarePAK for details and restrictions.

Extended Service Plans Available For Purchase

Canon extended service plans extend standard three-year limited warranty⁵ support to cover an additional one or two years, depending on the extended service plan you select.

MF462dw II / MF465dw II: Three-year Limited Warranty

One-Year: 5707B042

Two-Year: 5707B043

GENUINE CONSUMABLES

Always look for the Canon anti-counterfeiting hologram on your Canon GENUINE product packaging.

- Cartridge 070^A
(Item No.: 5639C001)
Yields 3,000 Pages
- Cartridge 070 H
(Item No.: 5640C001)
Yields 10,200 Pages



Use of Canon GENUINE toner cartridges helps provide long equipment life, high yields, reliable performance, high-quality output, and minimal jamming.

^A Standard Cartridge 070 Black (approx. 3,000-page Yield) included in box.

¹ Print and/or copy speed is based on internal testing. Print and/or copy speed may vary depending on the number of copies selected, as well as the settings for size, type, and orientation of paper, and whether two-sided is selected. In addition, first-print speeds may vary based on warm-up time and other restrictions.
² Wireless printing requires a working network with wireless 802.11b/g or 802.11n capability. Wireless performance may vary based on terrain and distance between the printer and wireless network clients.
³ Canon PRINT app is a free app available on the App Store[®] and Google Play[™] Store. For more information, including compatibility, please visit <https://www.usa.canon.com/mobile-app>. Please see the respective websites for Apple AirPrint and Mopria Print Service for compatibility and additional information.
⁴ Subscription to a third-party cloud service is required and subject to third party terms and conditions.
⁵ Warranty programs are subject to certain conditions and restrictions. See www.usa.canon.com/support for details.
⁶ For latest EPEAT ratings (Gold/Silver/Bronze), please visit: <http://www.epeat.net>.
⁷ Replacement model may be new or refurbished quality.



usa.canon.com



As an ENERGY STAR partner, Canon U.S.A., Inc. has qualified these models as meeting the ENERGY STAR energy efficiency criteria through an EPA recognized certification body. ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. Canon, imageCLASS, and the GENUINE logo are registered trademarks of Canon Inc. in the United States and may also be registered trademarks or trademarks in other countries. Wi-Fi is a registered trademark of the Wi-Fi Alliance. Android and Google Play are trademarks of Google Inc. iPad, iPhone, iPod touch, Mac, and the App Store are trademarks of Apple Inc., registered in the United States and/or other countries. AirPrint and the AirPrint logo are trademarks of Apple Inc. Mopria and the Mopria logo are trademarks of the Mopria Alliance, Inc. Windows and Windows Server are trademarks of Microsoft Inc. in the United States and/or other countries. All other referenced product names and marks are trademarks of their respective owners. Canon products offer certain security features, yet many variables can impact the security of your devices and data. Canon does not warrant that use of these features will prevent security issues. Nothing herein should be construed as legal or regulatory advice concerning applicable laws; customers must have their own qualified counsel determine the feasibility of a solution as it relates to regulatory and statutory compliance. Specifications and availability subject to change without notice. Not responsible for typographical errors.