



imageCLASS

COLOR LASER PRINTERS



MF662Cdw

High-Volume Color Multifunction Laser Printer



MF665Cdw

High-Volume Color **All-In-One** Laser Printer



Designed for home office and small office environments, the imageCLASS MF662Cdw / MF665Cdw multifunction laser printers balance speedy performance and minimal maintenance. They are easy to set up and offer media versatility to print on a variety of mediatypes and sizes, including envelopes, banners, and more.

	MF662Cdw	MF665Cdw
Print Speeds	Up to 35 pages per minute ¹	
Functions	Print, Copy, Scan	Print, Copy, Scan, Fax
Connectivity	WiFi ² , USB, Ethernet	
Auto 2-Sided Print	Yes	
High Capacity Paper Trays	250 Sheet Cassette, 100 Sheet Multi-purpose Tray, And Optional 550 Sheet Cassette	
Auto Document Feeder (ADF)	No	50-sheet, 2-sided ADF (One Pass Scan)
Canon Genuine Toner	Standard Cartridge 075 (CMYK: 1,300 Page Yield* Each) High Capacity Toner Cartridge 075 H (CMY: 2,500 / Black: 3,500 Page Yield*)	
Control Panel	Customizable 5-Inch Touchscreen LCD Panel	
Printer Size (W x D x H)	16.8" x 18.2" x 15.7"	

*Approximate yields

Everything you need in a color laser printer: usability, reliability and efficiency.



Fast Print Speed

Print up to 26 pages-per-minute with your first print out in approximately 0.3 seconds (letter).¹



Mobile Connectivity

Print on-the-go with Canon PRINT App, Apple® AirPrint® and Mopria™ Print Service.³



50 Sheet, 2-Sided Auto Document Feeder (One Pass Scan)

Quickly scan and keep your documents in order. (MF665Cdw only)



Customizable 5-Inch Touchscreen LCD

Easily navigate all the features through adjustable 5-inch touch LCD screen



Application Library & Cloud Connectivity

Easily access the features you use the most with Application Library. Application Library's Cloud App feature also supports cloud storage directly from an external webpage. Print or scan⁴ documents directly to or from DropBox, Google Drive, or OneDrive.



Large Paper Capacity Tray Options

These printers can hold up to 250 sheets in standard cassette.



High Volume Printing

High capacity toner provides high page yields to help limit replacements and help keep you printing longer.



USB Flash Drive Port

Print files directly from USB Flash Drives after attaching to port.



PosterArtist Online Version

PosterArtist Online Version⁵ is a poster creation software program designed to be used by all levels of users to help them create professional-quality posters, banners and signage.



Support and Service

Canon U.S.A. takes pride in delivering complete customer satisfaction. Canon's friendly and knowledgeable Customer Service Team provides expert assistance for every level of experience, offering the support, peace of mind, and value your business deserves. These printers come with a three-year limited warranty.⁶



Main Unit

Core Functions (Standard)

MF662dw: Print, Copy, Send (Lite)
MF665dw: Print, Copy, Scan, Fax

Item Code

MF662dw: 6928C005
MF665dw: 6928C016

Processor

Canon Custom Processor

Control Panel

5-inch Touch LCD

Memory

1GB

Standard Interface Connection

USB 2.0 x2 (Host), USB 2.0 x1 (Device) High-Speed,
10/100/1000Base-T Ethernet (Network), Wi-Fi®

Paper Capacity (Letter, 20 lb. Bond)

Standard: 250 sheets

Paper Sources (Letter, 20 lb. Bond)

Standard: 250-sheet Paper Cassette,
1-sheet multi-purpose Tray

Paper Output Capacity (Letter, 20 lb. Bond)

Standard: 75 sheets

Supported Media Types

Cassettes: Letter, Legal, Statement, Executive
Envelope: COM10, Monarch, C5,
DL Custom (Min. 3" x 5" to Max.
8.5" x 14")

Multi-purpose Tray: Letter, Legal, Statement,
Executive

Envelope: COM10, Monarch, C5,
DL Custom (Min. 3" x 5" to Max.
8.5" x 14")

Supported Media Weights

Cassettes: 16 lb. Bond to 53 lb. Bond
(60 to 200 g/m²)

Multi-purpose Tray: 16 lb. Bond to 53 lb. Bond
(60 to 200 g/m²)

Warm-up Time

From Power On: 13 Seconds or Less
From Sleep Mode: 6.1 Seconds or Less

Dimensions (W x D x H)

Standard (Desktop): 17.8" x 18.2" x 16.3"

Box Dimensions (W x D x H)

Box: 21.9" x 20.7" x 23.6"

Weight

Unit: Approx. 48.5 lb.
Boxed Weight: Approx. 60.7 lb.

Operating System

Windows® 7/Windows 8.1/Windows 10/Windows
11/Windows Server 2008/Windows Server 2008 R2/
Windows Server 2012/Windows Server 2012 R2/
Windows Server 2016/Mac OS X v10.9.5 (or later)

Print Specifications

Printing Method

Laser Beam Printing

Print Speed¹

Up to 26ppm (Letter); Up to 17.9 ppm (Legal)

First-Print-Out Time

Approx. 10.3 Seconds

Recommended Monthly Print Volume (RMPV)

150 - 2,500 Pages

Print Resolution (dpi)

600 x 600

Standard Page Description Languages

UFR II

Double-Sided Printing

Automatic (Standard)

Direct Print

Available from USB Memory (JPEG, TIFF, PDF)

Printing from Mobile and Cloud-based Services

Canon PRINT App, Apple® AirPrint®, Mopria™ Print
Service

Copy Specifications

Copy Speed¹

Up to 26 ppm (Letter); Up to 17.9 ppm (Legal)

First-Copy-Out Time (Letter)

Platen: 11.2 seconds/13.1 seconds (BW/Color)
ADF (MF665Cdw only): 12.1 seconds/14.2 seconds
(BW/Color)

Copy Resolution (dpi)

600 x 600

Copy Size

Platen: Up to Letter
ADF (MF665Cdw only): Up to Legal

Multiple Copies

Up to 999 Copies

Magnification

25% - 400% (1% Increments)

Preset Reductions

25%, 50%, 64%, 78%

Preset Enlargements

129%, 200%, 400%

Copy Features

Paper Setting, Favorite Setting, Two-sided, Original
Type Selection, Cancel, N-on-1, Density Adjustment,
Sharpness, Erase Frame, Collate, Copy ID Card

Scan Specifications

Type

Single-Pass Duplexing Automatic Document Feeder
(MF665Cdw only)

Document Feeder Paper Capacity

50 Sheets (20 lb. Bond) (MF665Cdw only)

Document Feeder Supported Media Sizes

Legal, Letter, Statement (MF665Cdw only)

Document Feeder Supported Media Weights

13-28 lb. Bond (50-105 g/m²), (MF665Cdw only)

Platen Acceptable Originals

Sheet, Book

Pull Scan

ScanGear MF for TWAIN, and WIA

Scan Resolution (dpi)

300 x 600, 600 x 600

Scan-to-Mobile Devices

Canon PRINT app

Scan Speed¹ (Letter)

28 (Simplex)/53 (Duplex), (Color/BW)

Memory Media

Standard USB Memory (JPEG, TIFF, PDF)

Send Specifications (MF665Cdw)

Destination

Email/Internet FAX (SMTP), SMB, FTP

Address Book

LDAP (50)/Local (300)/Speed Dial (281)

Send Resolution (dpi)

600 x 600 (Pull Scan), 196 x 204 (iFax),
300 x 300 (Other)

Communication Protocol

File: FTP, SMB
Email/iFax: SMTP, POP3, iFax (Simple)

File Format

Standard: TIFF, JPEG, PDF (Compact, Searchable)
Optional: PDF (Encrypted, Digital Signature)

Fax Specifications (MF665Cdw)

Modem Speed

Super G3: 33.6 kbps
G3: 14.4 kbps

Compression Method

MH, MR, MMR, JBIG

Resolution (dpi)

400 x 400, 200 x 400, 200 x 200, 200 x 100

Sending/Recording Size

Statement to Legal

Fax Memory

Up to 512 pages

Speed Dials

Max. 281

Group Dials/Destinations

Max. 299

Sequential Broadcast

Max. 310 Addresses

Memory Backup

Yes

Fax Features

RX Mode, Resolution, Two-sided Original, Density,
Sharpness, Favorite Settings

Security Specifications

Authentication

Department ID Authentication

Network

TLS1.3, IPsec, IEEE802.1X authentication, SNMPv3,
Firewall Functionality (IP/MAC Address Filtering),
Enabling/Disabling (Network Applications, Remote
UI, USB Interface), G3 FAX separation from LAN, USB
Port separation from LAN

Document

Print Security (Secure Print, Encrypted Secure Print),
Scan Security (Encrypted PDF, Device Signature PDF/
XPS), Send Data Security (Restricted Email/File send
functions, Confirming FAX number, Allow/Restrict Fax
Driver Transmissions, Allow/Restrict Sending from
History)

Wi-Fi Authentication Methods

Wi-Fi Infrastructure Mode: 128(104)/64(40) bit WEP
WPA-PSK (TKIP/AES-CCMP)
WPA2-PSK (TKIP/AES-CCMP)

Wi-Fi Access Point: WPA2-PSK(AES-CCMP)

Environmental Specifications

Operating Environment

Temperature: 50 to 86 °F
Humidity: 20 to 80% RH (no condensation)

Power Requirements

AC110-127V: 4.5A

Power Consumption

Maximum: Approx. 1080 W
Standby: Approx. 9 W
Sleep Mode: Approx. 0.7 W
Typical Electricity Consumption (TEC) Rating:
0.22 kWh

Standards

ENERGY STAR Certified, EPEAT⁷ Silver

What's in the Box (MF662Cdw):

- MF662dw Printer
- Printer, Canon Genuine Toner 075 Starter
(CMY: 500 / Black: 700 yield)
- Power Cord
- Documentation

What's in the Box (MF665Cdw):

- MF665Cdw Printer
- Printer, Canon Genuine Toner 075 Starter
(CMY: 500 / Black: 700 yield)
- Power Cord
- Fax Cable
- Documentation

Extended Service Plans Available For Purchase

If service is required, you may receive a replacement model⁵ via advanced exchange. In this case, you'll be instructed to return the malfunctioning unit to Canon in the replacement packaging, which also includes a prepaid shipping label. Or you may choose to carry your existing equipment to a local Authorized service facility for repair. See Canon eCarePAK for details and restrictions.

Extended Service Plans Available For Purchase

Canon extended service plans extend standard three-year limited warranty⁶ support to cover an additional one or two years, depending on the extended service plan you select.

MF662Cdw / MF665Cdw: Three-year Limited Warranty

One-Year: 5707B042

Two-Year: 5707B043

GENUINE CONSUMABLES

Always look for the Canon anti-counterfeiting hologram on your Canon GENUINE product packaging.



CARTRIDGE	ITEM NO.	YIELD (Approx.)
075 Black	6365C001	1,300 sheets
075 Cyan	6364C001	
075 Magenta	6363C001	
075 Yellow	6362C001	
075 H Black	6369C001	3,500 sheets
075 H Cyan	6368C001	2,500 sheets
075 H Magenta	6367C001	
075 H Yellow	6366C001	

Use of Canon GENUINE toner cartridges helps provide long equipment life, high yields, reliable performance, high-quality output, and minimal jamming.

High capacity toner provides high page yields to help limit replacements and help keep you printing longer.

^{*} Starter 075 Cartridges (CMY: approx. 500 / Black: approx. 700 yield) are included in box.

¹ Print and/or copy speed is based on internal testing. Print and/or copy speed may vary depending on the number of copies selected, as well as the settings for size, type, and orientation of paper, and whether two-sided is selected. In addition, first-print speeds may vary based on warm-up time and other restrictions.
² Wireless printing requires a working network with wireless 802.11b/g or 802.11n capability. Wireless performance may vary based on terrain and distance between the printer and wireless network clients.
³ Canon PRINT app is a free app available on the App Store[®] and Google Play[™] Store. For more information, including compatibility, please visit <https://www.usa.canon.com/mobile-app>. Please see the respective websites for Apple AirPrint and Mopria Print Service for compatibility and additional information.
⁴ Subscription to a third-party cloud service is required and subject to third party terms and conditions.
⁵ PosterArtist Online Version requires a personal computer with Internet access and a compatible Canon printer. The service is not available on some operating systems or browsers. See usa.canon.com/PosterArtist for details.
⁶ Warranty programs are subject to certain conditions and restrictions. See www.usa.canon.com/support for details.
⁷ For latest EPEAT ratings (Gold/Silver/Bronze), please visit www.epeat.net.
⁸ Replacement model may be new or refurbished quality.



usa.canon.com



As an ENERGY STAR partner, Canon U.S.A., Inc. has qualified these models as meeting the ENERGY STAR energy efficiency criteria through an EPA recognized certification body. ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. Canon, imageCLASS, and the GENUINE logo are registered trademarks of Canon Inc. in the United States and may also be registered trademarks or trademarks in other countries. Wi-Fi is a registered trademark of the Wi-Fi Alliance. Android and Google Play are trademarks of Google Inc. iPad, iPhone, iPod touch, Mac, and the App Store are trademarks of Apple Inc., registered in the United States and/or other countries. AirPrint and the AirPrint logo are trademarks of Apple Inc. Mopria and the Mopria logo are trademarks of the Mopria Alliance, Inc. Windows and Windows Server are trademarks of Microsoft Inc. in the United States and/or other countries. All other referenced product names and marks are trademarks of their respective owners. Canon products offer certain security features, yet many variables can impact the security of your devices and data. Canon does not warrant that use of these features will prevent security issues. Nothing herein should be construed as legal or regulatory advice concerning applicable laws; customers must have their own qualified counsel determine the feasibility of a solution as it relates to regulatory and statutory compliance. Specifications and availability subject to change without notice. Not responsible for typographical errors.