

Canon

imageCLASS

COLOR LASER PRINTERS



MF751Cdw II

High-Volume Color **Multifunction** Laser Printer



Wi-Fi



Printer



Copier



Scanner



ADF



MF753Cdw II

High-Volume Color **All-In-One** Laser Printer



Wi-Fi



Printer



Copier



Scanner



ADF



Fax

Designed for home office and small office environments, the imageCLASS MF751Cdw II / MF753 Cdw II balance speedy performance and minimal maintenance. They are easy to set up and offer media versatility to print on a variety of media types and sizes, including envelopes, banners, and more.

	MF751Cdw II	MF753Cdw II
Print Speeds	Up To 35 Pages Per Minute ¹	
Functions	Print, Copy, Scan	Print, Copy, Scan, Fax
Connectivity	WiFi ² , USB, Ethernet	
Auto 2-Sided Print	Yes	
High Capacity Paper Trays	250 Sheet Cassette, 50 Sheet Multi-purpose Tray, And Optional 550 Sheet Cassette	
2-Sided Auto Document Feeder	Up To 50 Sheets Of Letter Sized, Plain Paper, Single Sided Scanning	Up To 50 Sheets Of Letter Sized, Plain Paper, 2-Sided / One Pass Scanning
Canon Genuine Toner	Toner 069: CMY Each: 1,900 / Black: 2,100 Page Yield* Toner 069 High Capacity: CMY Each: 5,500 / Black: 7,600 Page Yield*	
Control Panel	Customizable 5-Inch Touchscreen LCD Panel	
Printer Size (W x D x H)	16.8" x 18.2" x 17"	

*Approximate yields

Everything you need in a color laser printer: usability, reliability and efficiency.



Fast Print Speed

Print up to 35 pages-per-minute with your first print out in approximately 7 seconds (letter).¹



Mobile Connectivity

Print on-the-go with Canon PRINT App, Apple® AirPrint® and Mopria™ Print Service.³



50-sheet Auto Document Feeder

The MF751Cdw II offers single-sided scanning, and the MF753Cdw II offers 2-sided scanning which scans both sides of your documents in one pass and helps keep your documents in order.



Customizable 5-Inch Touchscreen LCD

Easily navigate all the features through an adjustable 5-inch touchscreen LCD.



Application Library & Cloud Connectivity

Easily access the features you use the most with Application Library. Application Library's Cloud App feature also supports cloud storage directly from an external webpage. Print or scan⁴ documents directly to or from DropBox, Google Drive, or OneDrive.



Large Paper Capacity Tray Options

These printers can hold up to 250 sheets in standard cassette, up to 50 sheets in the multi-purpose tray, and up to 550 sheets in optional cassette PF-K1, for up to 850-sheet paper capacity.



High Volume Printing

Print up to 1,900 CMY and 2,100 Black pages with Toner 069 or up to 5,500 CMY and up to 7,600 Black pages with High Capacity Toner 069 H. High capacity toner provides high page yields to help limit replacements and help keep you printing longer.



PosterArtist Online Version

PosterArtist⁵ Online Version is a poster creation software program designed to be used by all levels of users to help create professional-quality posters, banners and signage.



Support and Service

Canon U.S.A. takes pride in delivering complete customer satisfaction. Canon's friendly and knowledgeable Customer Service Team provides expert assistance for every level of experience, offering the support, peace of mind, and value your business deserves. These printers come with a three-year limited warranty.⁶



Main Unit

Core Functions (Standard)

MF751Cdw II: Print, Scan, Copy
MF753Cdw II: Print, Scan, Copy, Fax

Item Code

MF751Cdw II: 7185C016
MF753Cdw II: 7185C011

Processor

Canon Custom Processor

Control Panel

5-inch Touch LCD

Memory

1GB

Standard Interface Connection

USB 2.0 x2 (Host), USB 2.0 x1 (Device) High-Speed,
10/100/1000Base-T Ethernet (Network), Wi-Fi®

Paper Capacity (Letter, 20 lb. Bond)

Standard: 250 sheets Paper Cassette
50 sheets multi-purpose Tray
Optional: 550 sheets Paper Cassette
(Cassette Unit PF-K1)

Paper Output Capacity (Letter, 20 lb. Bond)

Standard: 75 sheets

Supported Media Types

Cassettes: Thin, Plain, Recycled, Color, Thick,
Coated, Label, Letter, Envelope
(10 Envelopes)
Multi-purpose Tray: Thin, Plain, Recycled, Color, Thick,
Coated, Label, Letter, Envelope
(1 Envelope)

Supported Media Sizes

Cassettes: A4, A5, B5, Letter, Legal, Statement,
Executive, Envelope: COM10, Monarch, C5, DL,
Custom (Min. 3" x 5" to Max. 8.5" x 14")
Multi-purpose Tray: Letter, Legal, Statement,
Executive Envelope: COM10, Monarch, C5, DL Custom
(Min. 3" x 5" to Max. 8.5" x 14")

Supported Media Weights

Cassettes:
16 lb. Bond to 53 lb. Bond (60 to 200 g/m²)
Multi-purpose Tray:
16 lb. Bond to 53 lb. Bond (60 to 200 g/m²)

Warm-up Time

From Power On: 14 Seconds or Less
From Sleep Mode: 5.3 Seconds or Less

Dimensions (W x D x H)

Standard (Desktop): 16.8" x 18.2" x 17"

Box Dimensions (W x D x H)

Box: 21.3" x 21.1" x 22.3"

Weight

Unit: Approx. 48.5 lb.
Boxed Weight: Approx. 64 lb.

Operating System

Windows 8.1®/Windows 10/Windows 11/Windows
Server 2012/Windows Server 2012 R2/Windows Serv-
er 2016/Windows Server 2019/Windows Server 2022/
Mac OS (10.12 or later)

Print Specifications

Printing Method

Laser Beam Printing

Print Speed¹

Up to 35ppm (Letter)

First-Print-Out Time

Approx. 7 Seconds

Recommended Monthly Print Volume (RMPV)

750 to 4,000 Pages

Print Resolution (dpi)

Up to 600 x 600

Standard Page Description Languages

UFR II

Double-Sided Printing

Automatic (Standard)

Direct Print

Available from USB Memory (JPEG, TIFF, PDF)

Printing from Mobile and Cloud-based Services³

Canon PRINT App, Apple® AirPrint®, Mopria™ Print
Service

Copy Specifications

Copy Speed¹

Up to 35 ppm (Letter); Up to 22.9 ppm (Legal)

First-Copy-Out Time (Letter)

Platen: 8.1 seconds/9.2 seconds (BW/Color)
ADF: 7.4 seconds/8.6 seconds (BW/Color)

Copy Resolution (dpi)

Up to 600dpi x 600dpi

Copy Size

Platen: Up to Letter
ADF: Up to Legal

Multiple Copies

Up to 999 Copies

Magnification

25% - 400% (1% Increments)

Copy Features

Paper Setting, Favorite Setting, Two-sided, Original
Type Selection, Cancel, N-on-1, Density Adjustment,
Sharpness, Erase Frame, Collate, Copy ID Card

Scan Specifications

Type

Single-Pass Duplexing Automatic Document Feeder

Document Feeder Paper Capacity

50 Sheets (20 lb. Bond)

Document Feeder Supported Media Sizes

Letter, Legal *Width Custom sizes (Min. 5.8"-
Max. 8.5")

Document Feeder Supported Media Weights

13-28 lb. Bond (50-105 g/m²)

Platen Acceptable Originals

Sheet, Book

Pull Scan

ScanGear MF for TWAIN, and WIA

Scan Resolution (dpi)

Push Scan: Up to 300 x 600
Pull Scan: Up to 600 x 600

Scan-to-Mobile Devices

Canon PRINT App

Scan Speed¹ (Letter)

Single-sided: 40/50 ipm (300 x 600 dpi) (Color/BW)
Double-sided: 80/100 ipm (300 x 600) (Color/BW)

Memory Media

Standard USB Memory (JPEG, TIFF, PDF)

Fax Specifications (MF753Cdw II only)

Modem Speed

Super G3: 33.6 kbps
G3: 14.4 kbps

Compression Method

MH, MR, MMR, JBIG

Resolution (dpi)

400 x 400, 200 x 400, 200 x 200, 200 x 100

Sending/Recording Size

Statement to Legal

Fax Memory

Up to 512 pages

Speed Dials

Max. 281

Group Dials/Destinations

Max. 299

Sequential Broadcast

Max. 310 Addresses

Memory Backup

Yes

Fax Features

RX Mode, Resolution, Two-sided Original, Density,
Sharpness, Favorite Settings, Duplex Fax

Security Specifications

Authentication

Authentication Standard: Verify System at Startup

Network

TLS1.3, IPsec, IEEE802.1X authentication, SNMPv3,
Firewall Functionality (IP/MAC Address Filtering),
Enabling/Disabling (Network Applications, Remote UI,
USB Interface), USB Port separation from LAN
MF753Cdw II only: G3 FAX separation from LAN

Document

Print Security (Secure Print, Encrypted Secure Print),
Scan Security (Encrypted PDF, Device Signature
PDF/XPS)
Send Data Security (Restricted E-mail/File send
functions, Confirming FAX number, Allow/Restrict Fax
Driver Transmissions, Allow/Restrict Sending from
History)

Wi-Fi Authentication Methods

Wi-Fi Infrastructure Mode: 128(104)/64(40) bit WEP
WPA-PSK (TKIP/AES-CCMP)
WPA2-PSK (TKIP/AES-CCMP)
WPA-EAP (AES-CCMP)
WPA2-EAP (AES-CCMP)
Wi-Fi Access Point: WPA2-PSK (AES-CCMP)

Environmental Specifications

Operating Environment

Temperature: 50 to 86 °F
Humidity: 20 to 80% RH (no condensation)

Power Requirements

AC110-127V: 6.6A, 60 Hz

Power Consumption

Maximum: Approx. 1610 W
Standby: Approx. 24 W
Sleep Mode: Approx. 1 W
Typical Electricity Consumption (TEC) Rating:
0.34 kWh

Standards

ENERGY STAR Certified, EPEAT⁷ Silver

What's in the Box (MF751Cdw II):

- MF751Cdw II Printer
- Canon Genuine Toner 069 (Starter CMY: 1,100 /
Standard Black: 2,100 yield)
- Power Cord
- Documentation

What's in the Box (MF753Cdw II):

- MF753Cdw II Printer
- Canon Genuine Toner 069 (Starter CMY: 1,100 /
Standard Black: 2,100 yield)
- Power Cord
- Fax Cable
- Documentation



MF753Cdw II shown



OPTIONAL CASSETTE PF-K1
Item: 5693C001
(Holds up to 550 sheets)

Extended Service Plans Available For Purchase

If service is required, you may receive a replacement model⁸ via advanced exchange. In this case, you'll be instructed to return the malfunctioning unit to Canon in the replacement packaging, which also includes a prepaid shipping label. Or you may choose to carry your existing equipment to a local Authorized service facility for repair. See Canon eCarePAK for details and restrictions.

Extended Service Plans Available For Purchase

Canon extended service plans extend standard three-year limited warranty⁶ support to cover an additional one or two years, depending on the extended service plan you select.

MF751Cdw II / MF753Cdw II: Three-year Limited Warranty

MF751Cdw II: 5707B046 (1 year) and 5707B047 (2 year)

MF753Cdw II: 5707B050 (1 year) and 5707B051 (2 year)

GENUINE CONSUMABLES

Always look for the Canon anti-counterfeiting hologram on your Canon GENUINE product packaging.



CARTRIDGE	ITEM NO.	YIELD (Approx.)
069 Black	5094C001	2,100 Pages
069 Cyan	5093C001	1,900 Pages
069 Magenta	5092C001	
069 Yellow	5091C001	
069 H Black	5098C001	7,600 Pages
069 H Cyan	5097C001	5,500 Pages
069 H Magenta	5096C001	
069 H Yellow	5095C001	

Use of Canon GENUINE toner cartridges helps provide long equipment life, high yields, reliable performance, high-quality output, and minimal jamming.

High capacity toner provides high page yields to help limit replacements and help keep you printing longer.

[▲] Starter 069 Cartridges CMY (approx. 1,100 yield) and Standard 069 Black (approx. 2,100 yield) are included in box.

¹ Print and/or copy speed is based on internal testing. Print and/or copy speed may vary depending on the number of copies selected, as well as the settings for size, type, and orientation of paper, and whether two-sided is selected. In addition, first-print speeds may vary based on warm-up time and other restrictions.

² Wireless printing requires a working network with wireless 802.11b/g or 802.11n capability. Wireless performance may vary based on terrain and distance between the printer and wireless network clients.

³ Canon PRINT app is a free app available on the App Store[®] and Google Play[™] Store. For more information, including compatibility, please visit <https://www.usa.canon.com/mobile-app>. Please see the respective websites for Apple AirPrint and Mopria Print Service for compatibility and additional information.

⁴ Subscription to a third-party cloud service is required and subject to third party terms and conditions.

⁵ PosterArtist Online Version requires a personal computer with Internet access and a compatible Canon printer. The service is not available on some operating systems or browsers. See usa.canon.com/PosterArtist for details.

⁶ Warranty programs are subject to certain conditions and restrictions. See www.usa.canon.com/support for details.

⁷ For latest EPEAT ratings (Gold/Silver/Bronze), please visit www.epeat.net.

⁸ Replacement model may be new or refurbished quality.



usa.canon.com



As an ENERGY STAR partner, Canon U.S.A., Inc. has qualified these models as meeting the ENERGY STAR energy efficiency criteria through an EPA recognized certification body. ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. Canon, imageCLASS, and the GENUINE logo are registered trademarks of Canon Inc. in the United States and may also be registered trademarks or trademarks in other countries. Wi-Fi is a registered trademark of the Wi-Fi Alliance. Android and Google Play are trademarks of Google Inc. iPad, iPhone, iPod touch, Mac, and the App Store are trademarks of Apple Inc., registered in the United States and/or other countries. AirPrint and the AirPrint logo are trademarks of Apple Inc. Mopria and the Mopria logo are trademarks of the Mopria Alliance, Inc. Windows and Windows Server are trademarks of Microsoft Inc. in the United States and/or other countries. All other referenced product names and marks are trademarks of their respective owners. Canon products offer certain security features, yet many variables can impact the security of your devices and data. Canon does not warrant that use of these features will prevent security issues. Nothing herein should be construed as legal or regulatory advice concerning applicable laws; customers must have their own qualified counsel determine the feasibility of a solution as it relates to regulatory and statutory compliance. Specifications and availability subject to change without notice. Not responsible for typographical errors.