Canon

MAXIFY GX MEGATANK SERIES SMALL OFFICE ALL-IN-ONE PRINTERS

Designed to meet the needs of small offices, the MAXIFY GX MegaTank Series printers deliver high-quantity, low-cost printing, are easy to set up and maintain, and packed with features for superior versatility and connectivity.

HIGH PAGE YIELD: Print up to 6,000 Black / 14,000 Color pages per ink set⁷

LOW COST PER PRINT: Less than 2 cents per page⁷

ADDED SUPPORT: 3-Year or 80,000 Page* Limited Warranty

FAST PRINT SPEEDS: Print up to 24 ipm Black / 15.5 ipm Color⁹

VERSATILE MEDIA SUPPORT: Print on a variety of media types and sizes up to 8.5" x 47"



Wireless. Print. Copy. Scan. Fax.



MAXIFY GX6021

Wireless. Print. Copy. Scan.

Canon



Each printer purchase includes a full set of ink bottles



USABILITY

- 2.7" intuitive color touch screen.
- Easy Setup for smartphone and computer so you can get to work faster. With Wireless Connect, connect to Wi-Fi[®] without the need for a computer.
- Ink bottles have a "keyed nozzle" design that only fits and fills the correct color ink tank.
- Designed with a small footprint to fit in your workspace.



PERFORMANCE & DEPENDABILITY

- With a 4-Color Pigment Ink System you'll get sharp highlighter-resistant documents.
- Built to Last. Get the job done during those busy months with a monthly duty cycle of up to 45,000 pages.⁶
- Stay Waste-Conscious. Thanks to high page yield ink bottles, keep waste and time spent refilling ink to a minimum.
- Both the printhead and maintenance cartridge in the MAXIFY GX7021 are easily replaceable should the need arise. No service visits or calls required!



PRODUCTIVITY & COST SAVINGS

- Supports mobile solutions for printing and scanning.
- Save on printing with a low cost per print of less than 2 cents per page.⁷
- Scan multi-page documents with ease with the 50-Sheet Auto Document Feeder (ADF).
- Print on a wide variety of media types and sizes.

FEATURES

PRODUCTIVITY & COST-SAVINGS



HIGH PAGE YIELD Print up to 6,000 Black /14,000 Color pages **High Page Yield** with just a single set of inks7.



VERSATILE MEDIA SUPPORT Print on envelopes, greeting cards,



glossy photo paper, high resolution paper, banners, and more!



AUTO DOCUMENT FEEDER Easily copy multi-page documents with the 50-Sheet Auto Document Feeder.



SINGLE-PASS DUPLEX SCANNING (GX7021 ADF ONLY)

Maximize efficiency by scanning Single Pass 2-sided Scan double-sided documents in just one pass.



LOW COST PER PRINT

Save on printing with a low cost per print of less than 2 cents per page.7





REAR PAPER TRAY

Easily load envelopes, labels, and more in the rear tray—or up to 100 sheets of plain paper.



250-SHEET PAPER CASSETTE (GX6021 ONLY)

Load up to 250 sheets of plain paper in the bottom cassette.



TWO 250-SHEET PAPER CASSETTES (GX7021 ONLY)

Load up to 500 sheets of plain paper with two separate 250-Sheet bottom cassettes!

USABILITY





EASY TO FILL

Ink bottles have a "keyed nozzle" design that only fits and fills the correct color ink tank.



2.7" LCD TOUCH SCREEN Manage your job with an intuitive and easy to use 2.7" LCD touch screen.



SMALL FOOTPRINT Not only are the MAXIFY GX Series

printers packed with features, they're also designed to fit your workspace.



EASY SETUP

Get running in just a few minutes thanks to a streamlined and easy setup process out of the box.



WIRELESS CONNECT

Easily connect to Wi-Fi® without the need for a computer.1

_	
	•
Mobile	
	ting

MOBILE DEVICE PRINTING

Print from your favorite mobile devices using the Canon PRINT Inkjet/ SELPHY App², Apple AirPrint^{®3}, and Mopria[®] Print Service⁴.

PERFORMANCE & DEPENDABILITY





3-YEAR LIMITED WARRANTY

Have peace of mind with an included 3-Year or 80,000 Page* Limited Warranty.



SHARP TEXT & DOCUMENTS Thanks to a 4-Color Pigment Ink System, you'll get sharp and highlighter-resistant text.



WASTE-CONSCIOUS

Thanks to high page yield ink bottles, keep waste and time spent refilling ink High Yield to a minimum. Ink Bottles



ETHERNET

Built-In ethernet connection for Wired LAN support.



USB FLASH DRIVE

Print directly from a USB Flash Drive with the built-in USB Flash Drive reader.5

BUILT TO LAST



Get the job done during those busy months with a monthly duty cycle of up to 45,000 pages.6





MAXIFY GX7021 MAXIFY GX6021

Technical Information

FAX

Print Features GX7021: Print, Copy, Scan, Fax; GX6021: Print, Copy, Scan Print Speed⁶ Document Printing, Photo Printing, Wireless Printing⁸, Mobile Device Printing, Business Card Printing, Greeting Card Printing, Label Printing, Square Media Printing Support, Double-sided Matte Paper Support, Print from USB Flash Drive⁵ Single Sided (Simplex/Duplex) Printing **Printing Capability** Fast First Print Out (FPOT)⁹ As fast as 8 Seconds (from Ready Mode/Simplex/Color) Black Document Simplex (Letter): Approx. 24.0 ipm Print Speed (ESAT)⁹ Color Document Simplex (Letter): Approx. 15.5 ipm Number of Nozzles Color (C/M/Y): 1,024x3 / Pigment Black: 1,280 / Total: 4,352 Print Resolution⁷ Up to 600 x 1200 dpi **Duty Cycle** Up to 45,000 Pages / Month GX7021: 2 Cassettes: 500 Sheets (250 Sheets/Per Cassette x2) Media Handling 1 Rear Tray: 100 Sheets OR 20 Sheets 4" x 6" GX6021: 1 Cassette: 200 Sheets (250 Sheets/Per Cassette x1) 1 Rear Tray: 100 Sheets OR 20 Sheets 4" x 6" 4" x 6", 5" x 5" (Square), 5" x 7", 7" x 10", 8" x 10", Letter (8.5" x 11"), Supported Paper / Media Sizes Legal (8.5" x 14"). Executive. U.S. #10 Custom Size: Width: 3.5" - 8.5" / Length: 5" x 47" Canon Paper / Plain: Plain Paper, High Resolution Paper; Glossy: Photo Media Compatibility Paper Plus Glossy II, Photo Paper Glossy; Semi-Gloss: Photo Paper Plus Semi-Gloss, Photo Paper Pro Luster; Matte: Matte Photo Paper, Double-sided Matte Paper, Light Fabric Iron-on Transfers; Other (Canon): Magnetic Photo Paper, Restickable Photo Paper, Other (non-Canon): Greeting Card, Envelope, Recycled Paper and Chlorine-free Paper can be used Supported Media Thickness / Rear Tray: Plain Paper: 64 - 105 gsm OR Canon Paper: Max approx. 275 gsm (Canon PP-301 OR Thicker Paper: approx. 115 - 250 gsm); Weight Bottom Cassette: Plain Paper: 64 - 105 gsm COPY 4-on-1 / 2-on-1 Copy, Document Copy, Fit-to-Page, Frame Erase Copy **Copy Features** (Flatbed Only), ID Card Copy, Auto Exposure Copy, Multiple Copy (Up To 99 Pages), Preset Copy Ratios, Reduction / Zoom Copy (25% 400%), Standard Copy FCOT (Color/Simplex): Approx. 12 seconds Copy Speed⁹ Maximum Document Size Flatbed: | etter: ADF: | egal SCAN & ADF Scan Features Save to PC, Attach to E-mail, Multi-Page PDF, Save to USB Flash Drive, Unsharp mask, Descreen, Reduce slow-through, Rescan, Rotate, Auto Crop, Scan to Folder Scanning Capability Single Sided (Simplex) Scanning; GX7021 only: Single-pass Duplex Scanning ADF Scan Speed⁹ ESAT Simplex (Black): 22.2 ipm; ESAT Simplex (Color): 12.2 ipm Contact Image Sensor (CIS) Scanner Type Scanning Method Contact Image Sensor (CIS) Scanning Resolution¹¹ 1200 x 1200 dpi (Optical) Maximum Color Scanning Grayscale: 16-bit / 8-bit; Color: 16-bit / 8-bit Per Color Bit Depth Maximum Document Size Flatbed: Letter; ADF: Legal **ADF Sheet Capacity** Letter Size: 50 Sheets Plain Paper; Legal Size: 10 Sheets Plain Paper Fax Features Caller rejection, Fax reception reject, Fax number re-entry, Check RX fax info, Dial search, Memory transmission, Answering machine connectivity, Remote reception, Redial, Double sided printing (fax images), FAX to Folder Fax Resolution Up to 300x300 dpi (Extra Fine) Modem Speed¹² Max. 33.6 kbps (Automatic Fall Back) Transmission Speed¹³ Black: Approx. 3 sec; Color: Approx. 1 min Memory Capacity¹⁴ Approx. 250 Pages Max. 99 Locations Group Dialing INK INFORMATION Ink System & Information 4-Color Pigment Continuous Ink Supply System (CISS), FINE Print Heads, Integrated Ink Tanks, 'Squeeze-Free' Ink Bottles For Easy & Mess Free Ink Filling, Unique Color Bottle Tip Shape for Correct Filling Every Time GI-26 Pigment-Based Ink Bottles (Cyan, Magenta, Yellow, Black) Ink Type Ink Tank & Fill Volume GI-26 Black Ink Bottles: 167.0 ml GI-26 C, M, Y Ink Bottles: 132.0 ml (each) High Page Yield⁷ Up to 6,000 (Black & White) / 14,000 (Color) Pages (Per Full Ink Bottle Set)

PRODUCT/CONSUMABLES INFORMATION

Model No.	MAXIFY GX7021 MAXIFY GX6021	Wireless MegaTank Small Office All-In-One Printer Wireless MegaTank Small Office All-In-One Printer	4471C037AA 4470C037AA	
Compatible Inks	GI-26 BK GI-26 C GI-26 M	Black Ink Bottle Cyan Ink Bottle Magenta Ink Bottle	4409C001AA 4421C001AA 4422C001AA	
Barthad	GI-26 Y	Yellow Ink Bottle	4423C001AA	
Print Head	PH-20	Print Head	5945C001AA	
Maintenance Cartridge	MC-G01	Maintenance Cartridge	4589C001AA	
CONNECTIVITY &	SOFTWARE/AF	PPS		
Connectivity Options	Hi-Speed USB; Wi-I (100BASE-TX) / 101	^Ξ i [*] (Wireless LAN, 2.4/5 GHz, IEEE 802.11b/g/n) [®] , Wire BASE-T)	d LAN	
Wireless Information	Standard: IEEE 802.11 b/g/n; Security: WEP64/128, WPA-PSK (TKIP / AES), WPA2-PSK (TKIP / AES); Wireless LAN Frequency Band(s): 2.4 GHz / 5 GHz; Wireless Direct Connection Capable/ Wireless Connect' Capable: Yes			
OS Compatibility	Server 2012 R2, Se Mac: ¹⁶ MacOS v10.1 Chromebook Comp	ws 10, Windows 8.1, Windows 7 SP1, Windows Server 2 rver 2016, and Server 2019 2.6 - 10.15 (Catalina) atible ¹⁷ systems: ¹⁸ iOS [*] , iPadOS, Android [™]	008 R2 SP1,	
Smart Assistant Support ¹⁹	Amazon Alexa™, Go	ogle Assistant™		
Mobile Printing Solutions & Apps (iOS'/ ANDROID™)	AirPrint ³ , Mopria ⁴ , Canon PRINT app ² , Easy PhotoPrint Editor App ²⁰ , Canon Print Service ²¹ (Android), PIXMA Cloud Link ² , Creative Park App ²²			
Software (Windows ¹² / Mac ¹³)	MAXIFY GX7021/GX6021 Driver, Easy-PhotoPrint Editor Software ²⁰ , PosterArtist Lite Software ²³ , PosterArtist Online Version ²⁴			
GENERAL				
General Features	Auto Power On/Off, F Connect ¹ , Auto Pape	Print/Scan/Copy, Quiet Mode, Wireless Direct Connection ¹ , r Width Detection	Wireless	
Display	2.7" LCD Touchscre	en		
Supported Languages	Spanish, Portugues Polish, Czech, Slove	yuages: Japanese, English (mm & inch), German, French e, Dutch, Danish, Norwegian, Swedish, Finnish, Russian anian, Hungarian, Slovakian, Croatian, Romanian, Bulga tvian, Lithuanian, Simplified Chinese, Korean, Tradition tnamese	, Ukrainian, 'ian, Turkey,	
Power Information	Energy Efficiency: Energy Star' Certified ²⁶ Auto Power On / Off Capable: Yes Input Voltage: AC 100 - 240 V, 50 / 60 Hz Power Consumption - GX7021: 23W (0.9W Standby / 0.2W Off) Power Consumption - GX6021: 21W (0.9W Standby / 0.2W Off) TEC (Typical Electricity Consumption): 0.15 kWh			
Sound Management	Quiet Mode: Availa Noise Level: Approx	ble x. 49.0 dB(A) (Plain Paper)		
Operating Environment ²⁵	Operating Temperature: 41° - 95° F (5° - 35° C) Operating Humidity: 10 - 90% RH			
Box Contents - GX7021	MAXIFY GX7021 Wireless MegaTank Small Office All-in-One Printer Set of Ink Bottles (GI-26: BK, C, M, Y) Documentation Power Cord			
Box Contents - GX6021	 MAXIFY GX6021 Wireless MegaTank Small Office All-in-One Printer Set of Ink Bottles (GI-26: BK, C, M, Y) Documentation (Getting Started, Ink Information Sheets, Safety and Important Information, Warranty Card) Power Cord 			
WARRANTY*				
3-Year or 80 000 Page	e Limited Warranty	vith InstantExchange Program		

3-Year or 80,000 Page Limited Warranty with InstantExchange Program

EXTENDED SERVICE PLANS AVAILABLE FOR PURCHASE

Upgrade your warranty with a CarePAK Accident Protection Plan www.usa.canon.com/carepak-plus		
GX7021 CarePAK PLUS (4YR)	6463B206AA	
GX7021 CarePAK PLUS (2YR)	6463B116AA	
GX6021 CarePAK PLUS (4YR)	6463B206AA	
GX6021 CarePAK PLUS (2YR)	6463B116AA	

KEY MODEL DIFFERENCES



MAXIFY GX7021



MAXIFY GX6021

Functions Print, Copy, Scan, Fax		Print, Copy, Scan	
Total Paper Capacity (Plain Paper)600 Sheets (2x 250 Sheets/Per Cassette + 100 Sheet Rear Tray)		350 Sheets (1x 250 Sheets/Per Cassette + 100 Sheet Rear Tray)	
Single-pass Duplex ADF	Single-pass Duplex ADF YES		
Fax Capable	YES		
Printer Size (closed) (LxWxH)	15.8" x 16.2" x 12.4"	15.8" × 16.2" × 10"	
Printer Size (trays extended) (LxWxH) 15.8" x 25.4" x 15.3"		15.8" x 25.4" x 12.9"	
Printer Weight	Approx. 28.6 lbs.	Approx. 25.6 lbs.	

SPECIFICATIONS AND AVAILABILITY ARE SUBJECT TO CHANGE WITHOUT NOTICE. ALL VIEWSCREEN AND PRINTER OUTPUT IMAGES ARE SIMULATED. NOT RESPONSIBLE FOR TYPOGRAPHICAL ERRORS.

- Warranty is effective for three (3) years from date of original purchase or the printing of 80,000 pages, whichever comes first. Warranty program is subject to certain conditions and restrictions. See www.usa.canon.com/maxify-gx-series-warranty for details.
- 1 Requires a smart device with the Canon PRINT Inkjet/SELPHY app installed and connected to the desired active wireless network to complete cableless setup
- 2 Requires an Internet connection and the Canon PRINT Inkjet/SELPHY app, available for free on the App Store and at Google Play. Compatible with iPad, iPhone 3GS or later, and iPod touch 3rd generation or later devices running iOS 12.0 or later, and Android[®] mobile devices running Android 4.4 or later. Your device must be connected to the same working network with wireless 802.11 b/g/n capability as your printer. Requires a compatible social media account and is subject to that social media account's Terms of Service. Certain exceptions may apply.
- 3 AirPrint functionality requires a compatible iPad, iPhone, or iPod Touch device.
- 4 Requires Android¹⁰ mobile device with Mopria⁴ Print Service pre-loaded with that device. The Mopria⁴ experience is also available with a download of the Mopria⁴ Print Service from Google Play.
- 5 Supported file formats include: JPEG, TIFF and PDF.
- 6 Duty Cycle is defined as the maximum number of printed pages for a single peak month
- Claim is based on page yield of 6,000 Black/14,000 Color pages per ink bottle set and MSRP (USD) of \$126.96 for full set of 6.26 ink bottles (I bottle each of Cyan, Magenta, Yellow, Black) as of April 2022. Page yield of color inks is an average yield of cyan, magenta and yellow inks combined. Page yield of included ink bottles used for initial setup is lower than the replacement ink bottles, as a certain amount of ink is consumed to fill into the print head during setup (charging the print head initially). Actual page yield and cost per print will vary significantly based on content printed, ink levels maintained in all four ink reservoirs, and other factors. Page yield is the estimated value based on Conton individual testing method using ISO/IEC 24712 test chart and continuous printing simulation with full set of replacement ink bottles after initial setup.
- 8 Wireless printing and scanning requires a working network with wireless 802.11b/g/n capability, operating at 2.4GHz or 5.0GHz. Wireless performance may vary based on terrain and distance between the printer and wireless network clients.
- 9 Document print speeds are the averages of ESAT in Office Category Test for the default simplex mode, ISO/IEC 24734. Photo print speed is based on the default setting using ISO/IJS-SCID N2 on Photo Paper Plus Glossy II and does not take into account data processing time on host computer. Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc. Copy speeds are the average of sFCOT and sESAT, ISO/IEC 29183. Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up time. See www.usa.canon.com/ipm for additional details.
- 10 Resolution may vary based on printer driver setting. Color ink droplets can be placed with a horizontal pitch of 1/1200 inch at minimum
- 11 Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standard.
- 12 Page count is based on ITU-T No.1 chart or Canon FAX Standard Chart No.1. The number of pages able to be kept in memory will vary based on remaining memory capacity and document complexity.
- 13 Black & white document fax transmission speed is based on default setting using ITU-T No.1 chart. Color document fax transmission speed is based on default setting using Canon Color Fax Test Sheet. Actual transmission speed varies depending on document complexity, fax setting at receiving end, and line conditions etc.

- 14 The Public Switched Telephone Network currently supports fax modem speeds of 28.8 Kbps or lower, depending on telephone line conditions. Sending and receiving fax machines need to conform to ITU-T v.34 guidelines.
- 15 Operation can only be guaranteed on a PC with pre-installed Windows 10, Windows 8.1, Windows 7 SP1
- 16 Internet Connection required during software installation. For full compatibility macOS v10.12.1 or later is recommended.
- 17 Functions and features may vary by printer model. Scanning requires Chrome OS 89 or later
- 18 Some functions may not be available with these Operating Systems. Please refer to manual or Canon website for details
- 19 Requires an active smart assistant account linked and accompanying app enabled, the smart device and printer to be actively connected with permission to the Canon Inkjet Cloud Printing Center, and the required action(s), skill(s), or applet(s) available/ enabled to the compatible printer. Voice commands can not be displayed as text on Amazon smart devices with screens.
- enabled to the compatible printer. Voice commands can not be displayed as text on Amazon smart devices with screens. 20 The Easy-PhotoPrint Editor software requires an Internet connection and is compatible with the following operating systems; Microsoft Windows 10 (64-bit/32-bit), Microsoft Windows 8.1 (64-bit/32-bit), Microsoft Windows 7.5P1 (64-bit/32-bit), macOS High Sierra v10.13, macOS Sierra v10.12, Mac OS X EI Capitan v10.11 and Mac OS X EI Capitan v10.105. Minimum Windows and macOS/Mac OS X requirements are: 2GB of RAM and a monitor with 1024x768 resolution. The Easy-PhotoPrint Editor mobile application requires an Internet connection and the Easy-PhotoPrint Editor apy 1.10, available for free on the App Store and at Google Play. Compatible with Plad Air2 (2nd Generation), Plad Mini 4 and iPhone 6s or later devices running 105 10 or later, and Android mobile devices running Android 5.x or later. Certain exceptions may apply. The following file formats are supported. JPEC, PMC, HEIF (devices running 40.5 x or later. Certain exceptions may apply. The following export data, EasyPhoto+ export data, Easy-PhotoPrint Editor export data.
- 21 Canon Print Service is a print plug-in for Android smart devices, which enables printing from Android v4.4 v5.0 devices to many Canon printers via a Wi-Fi network. The plug-in does not work as a standalone app. Available for free at Google Play.
- 22 Requires an Internet connection and the Creative Park app, available for free on the App Store and at Google Play. Requires an active 'Canon ID' available for free, and subject to 'Canon ID' Terms of Service. Visit myid.canon for more information. Certain exceptions may apply.
- 23 PosterArtist Lite software v3.X is compatible with 64/32 bit versions of Microsoft* Windows* 10, Windows 8.1, Windows 7 and only compatible with select Canon PIXMA (released after July 2015), MAXIFY, imagePROGRAF and Océ printers. Minimum computer system requirements: Pentium4 2.8Ghz CPU or higher with IGB RAM, 1024x768 pixel display and 5GB of system bard drive core. hard drive space.
- 24 PosterArtist Online Version requires a personal computer with Internet access and a compatible Canon printer. The service is not available on some operating systems or browsers. See usa.canon.com/PosterArtist for details.
- 25 Print quality might be lower depending on the operating environment.
- 26 As an ENERGY STAR* Partner, Canon U.S.A., Inc. has certified this printer as meeting the ENERGY STAR energy efficiency criteria through an EPA-recognized certification body.















©2022 Canon U.S.A, Inc. Canon and MAXIFY are registered trademarks of Canon Inc. in the U.S. and may be registered trademarks or trademarks in other countries. Microsoft, Windows and the Windows logo are trademarks or registered trademarks of the Microsoft group of companies in the U.S. and there countries. Apple and AirPrint are registered trademarks of Apple Inc. Android, Google Apare trademarks of Google Inc. The Mopria logo is a trademark of Mopria Alliance, Inc. Amazon, Alexa, Fire, and all related logos are trademarks of Amazon, Alexa, Fire, and Wi-Fi Alliance and Fire at Canadian mark of the Wire Fi Alliance. All other product and brand names are trademarks of the Wire attraction mark of the Wire is a linear. All other product and brand names are trademarks of a Ca21_20220410 GOV 20220410 GOV GX21_20220410