

Interface® for Government

PRODUCT CATALOG

NORA® RUBBER • LVT • CARPET TILE • FLOORING EXTRAS

# Interface® Government

## PRODUCT CATALOG

NORA® RUBBER • LVT • CARPET TILE • FLOORING EXTRAS

[interface.com](https://www.interface.com)

**United States Headquarters**  
1280 West Peachtree Street NW  
Atlanta, GA 30309  
1.800.634.6032

**Canadian Headquarters**  
233 Lahr Drive  
Belleville, ON K8N 5S2  
1.800.267.2149 ext. 52128

CIM # IFS00926 09/2022



Climate change is undeniable. And reversible. Our mission is to prove it. Join the #ClimateTakeBack and help create a climate fit for life.

# GET CONNECTED

## WITH FLOORING FOR EVERY SPACE

Choosing the right flooring shouldn't be a challenge, so we're making it easy to find just what you need. Our integrated system of carpet tile, LVT and nora® rubber offers the best of hard and soft surfaces working together as a system to create areas for collaboration or individual work. We've even noted which products are QuickShip to easily identify the best options for quick turnaround projects. Plus, specifying Interface is easy—just look for us on the **GSA** Schedule #GS03F056AA and online via [interface.ecomedes.com](https://interface.ecomedes.com) and [interface.com](https://interface.com).



### SCAN FOR MORE CONTENT

*Scan the QR code to learn more about how Interface flooring can help you create beautiful, more sustainable spaces.*

# MEETING FEDERAL PURCHASING REQUIREMENTS IS ONLY THE BEGINNING

INTERFACE—THE FLOORING PARTNER THAT GIVES YOU MORE

1

### MADE TO MEET GREEN REQUIREMENTS AND GOALS

- USDA Certified Biobased carpet tile with CQuest™GB, CQuest™Bio, and CQuest™BioX
- Lowest carbon footprint in carpet tile—before offsets—to help specifiers lower the carbon footprint of the spaces they create
- Buy American Act compliant
- Cradle to Cradle v3.1 Silver Certified with CQuest™Bio, and CQuest™BioX carpet tiles, and on some nora® rubber products
- NSF-140 Gold and Platinum Certified carpet tiles; NSF-332 Silver Certified LVT

2

### HIGH-PERFORMANCE PRODUCTS FOR ANY FACILITY

- Flexible flooring system works to meet your existing and future needs
- USDA certified biobased content products meet the demands of heavy and severe traffic classifications
- Modular design lets you update or make replacements as needed

3

### DESIGN OPTIONS FOR FUNCTION WITH FLEXIBILITY

- More than 290 available product/color combinations to customize your spaces
- Integrated flooring system helps you emphasize pathways and guide wayfinding between floors or departments
- Color can be used to easily designate work and activity areas

INTERFACE IS A GSA SCHEDULED VENDOR WITH MANY ADDITIONAL STATE AND LOCAL CONTRACTS.

# YOUR ORGANIZATION'S IMPACT ON THE ENVIRONMENT STARTS AT THE GROUND FLOOR

As a company whose mission is to reverse global warming—what we call Climate Take Back™—everything we sell is third-party verified carbon neutral across the full product life cycle through our Carbon Neutral Floors™ program.

### REDUCE WASTE THROUGH OUR RECLAMATION PROGRAMS

- Discarded carpet accounts for five billion pounds of landfill waste in the U.S. each year
- Interface's ReEntry™ Program enables reclamation of used flooring installed with releasable adhesive
- nora's Construction Waste Take-Back Program allows for the return of new waste and scrap material from installation

### CHOOSE PRODUCTS THAT CONTRIBUTE TO A HEALTHY ENVIRONMENT

- Interface carpet tile, LVT and nora rubber flooring offer increased acoustical benefits that reduce unwanted noise
- Interface flooring products are third-party certified for low VOC emissions through Green Label Plus, GREENGUARD Gold or FloorScore®, contributing to better indoor air quality



- 07 **THE DREAM TEAM**
- 11 **INTERFACE DESIGN STUDIO (IDS)**
- 14 **NORA RUBBER**
- 28 **LUXURY VINYL TILE (LVT)**
- 48 **CARPET TILE**
- 86 **WALK OFF**
- 91 **STAIR TREADS**
- 95 **REDUCE YOUR CARBON FOOTPRINT**



LVT PRODUCT NATURAL WOODGRAINS COLOR A00212 CEDAR INSTALLED HERRINGBONE

© JandImages

# The Dream Team

Interface Carpet Tile,  
LVT and nora Rubber



LVT PRODUCT STUDIO SET COLORS A00713 SLATE, A00709 OCEAN INSTALLED ASHLAR  
RUBBER PRODUCT NORAMENT® GRANO™ COLOR 5301 WHITE FIR INSTALLED DIRECTIONAL




RUBBER PRODUCT NORAPLAN® SENTICA™ COLORS 6518 FIRST DAY, 6524 FROST BITE INSTALLED DIRECTIONAL  
CARPET PRODUCT WW895 COLOR 105381 GLEN WEAVE INSTALLED ASHLAR



LVT PRODUCT DRAWN LINES COLOR A00910 OPAL INSTALLED ASHLAR  
CARPET PRODUCT BINARY CODE™ COLOR 107219 CHROMIUM INSTALLED ASHLAR

# YOUR DESIGN PARTNER

We make finding design solutions easier with Interface Design Studio. These expert designers know Interface products inside and out—and their services are complimentary. From concept to completion, they can work closely with you to create distinct designs that meet your vision and budget no matter how large or small the project. Plus, the to-scale floor plan layouts can project overall waste and act as an installation guide for the flooring contractor. Just contact your sales rep to get started.



**Product HN840 Color 104222 Nickel** **Product HN850 Color 104206 Nickel**  
**Product HN810 Color 104214 Nickel** **Product AE311 Color 104673 Iron**  
**Product AE317 Color 105824 Persimmon** **Product SS218 Color 105020 Sidewalk/**  
**Naranja** **Product Detours Color 104718 Steel** **Product Detours Ahead Color 105160 Steel/**  
**Tonal** **Product LVT Studio Set Color A00703 Pepper** **Product FLOR Tweed Indeed Color**  
**Clementine** **Product On Line Color 105834 Persimmon** **Product SL910 Color 104502 Nickel**  
**Product AE310 Color 104626 Iron**



# A SOFTER


## HARD SURFACE

Flooring that's so durable it can last for decades—and still look good—is a must-have for any government environment. nora rubber does just that and more.

- Works together with LVT and carpet tile for a flooring system that performs in virtually any space
- Reduces incidence of slips, trips and falls
- Ease of maintenance and reparability
- Help combat staff fatigue by providing comfort under foot
- Dimensionally stable
- Non-porous, highly dense surface of nora rubber creates a long-lasting floor that cleans easily with little more than water
- Doesn't require coatings, and scratches can be remediated
- Highly resistant to chemicals and stains
- Offers impact sound reduction of up to  $\Delta$  IIC 21
- Contributes to better indoor air quality
- Third-party verified carbon neutral across the full product life cycle through our Carbon Neutral Floors™ program
- Greenhealth Approved™ on some nora rubber products
- Cradle to Cradle v3.1 Silver certified on some nora rubber products
- The nora® nTx™ installation system combines standard nora floor coverings with a self-adhesive layer for easy installation




- 17 **norament® ARAGO™**
- 19 **norament® GRANO™**
- 20 **norament® SATURA™**
- 21 **norament CASTELLO™, norament PADO™**
- 23 **noraplan ENVIRONCARE™**
- 25 **noraplan® SENTICA™**




PRODUCT NORAMENT SATURA COLORS 5109 ORION, 5110 ARA INSTALLED DIRECTIONAL

norament® **ARAGO™**



norament **ARAGO**

<b>Article Number</b>	3118
<b>Product Construction</b>	Homogeneous Rubber Tile
<b>Class / ASTM F1344</b>	Type IB and Grade 2
<b>Total Thickness</b>	3.5mm
<b>Surface Type</b>	Relief Structure
<b>Nominal Dimensions</b>	1004mm x 502mm (39.53in x 19.76in)
<b>Indoor Air Quality</b>	GREENGUARD Gold; CDPH 01350 Compliant
<b>Installation Method</b>	Directional
<i>Also available as norament® arago™ with beveled edges and as norament® arago™ nTx™. View details and the full product specification at nora.com.</i>	
<i>For stair treads that coordinate with norament arago, norament grano, and norament satura products, reference pages 91–92.</i>	



PRODUCT NORAMENT ARAGO COLORS 5171 FORTITUDE, 5181 COMFORT INSTALLED DIRECTIONAL

© CR-BEELDWERKEN

norament® **GRANO™**



norament **GRANO**

<b>Article Number</b>	1880
<b>Product Construction</b>	Homogeneous Rubber Tile
<b>Class / ASTM F1344</b>	Type IB and Grade 2
<b>Total Thickness</b>	3.5mm
<b>Surface Type</b>	Hammered
<b>Nominal Dimensions</b>	1004mm x 1004mm (39.53in x 39.53in)
<b>Indoor Air Quality</b>	GREENGUARD Gold, CDPH 01350 Compliant
<b>Installation Method</b>	Directional

*Also available as norament® grano™ nTx™. View details and the full product specification at [nora.com](http://nora.com).*

*For stair treads that coordinate with norament arago, norament grano, and norament satura products, reference pages 91–92.*

norament® **SATURA™**




norament **SATURA**

<b>Article Number</b>	1880
<b>Product Construction</b>	Homogeneous Rubber Tile
<b>Class / ASTM F1344</b>	Type IB and Grade 2
<b>Total Thickness</b>	3.5mm
<b>Surface Type</b>	Hammered
<b>Nominal Dimensions</b>	1004mm x 1004mm (39.53in x 39.53in)
<b>Indoor Air Quality</b>	GREENGUARD Gold, CDPH 01350 Compliant
<b>Installation Method</b>	Directional

*Also available as norament® satura™ nTx™. View details and the full product specification at [nora.com](http://nora.com).*

*For stair treads that coordinate with norament arago, norament grano, and norament satura products, reference pages 91–92.*

norament **CASTELLO™**



norament **CASTELLO**

<b>Article Number</b>	3167
<b>Product Construction</b>	Homogeneous Rubber Tile
<b>Class / ASTM F1344</b>	Type IB and Grade 2
<b>Total Thickness</b>	3.5mm
<b>Surface Type</b>	Two-Tone
<b>Nominal Dimensions</b>	1004mm x 1004mm (39.53in x 39.53in)
<b>Indoor Air Quality</b>	GREENGUARD Gold, CDPH 01350 Compliant
<b>Installation Method</b>	Directional
<i>Also available as norament castello™ nTx™. View details and the full product specification at nora.com.</i>	

norament **PADO™**



norament **PADO**


<b>Article Number</b>	3167
<b>Product Construction</b>	Homogeneous Rubber Tile
<b>Class / ASTM F1344</b>	Type IB and Grade 2
<b>Total Thickness</b>	3.5mm
<b>Surface Type</b>	Two-Tone
<b>Nominal Dimensions</b>	1004mm x 1004mm (39.53in x 39.53in)
<b>Indoor Air Quality</b>	GREENGUARD Gold, CDPH 01350 Compliant
<b>Installation Method</b>	Directional
<i>Also available as norament pado™ nTx™. Contact your sales representative for details or view the full product specification at nora.com.</i>	



PRODUCT NORAMENT CASTELLO COLOR 5357 PALAIS INSTALLED DIRECTIONAL



© nora

noraplan **ENVIRONCARE™**



noraplan **ENVIRONCARE**

**Article Number: Sheet**  
1463  
**Article Number: Tile**  
2463  
**Product Construction**  
Homogeneous Rubber Sheet & Tile  
**Class: Sheet / ASTM F1859**  
Type I  
**Class: Tile / ASTM F1344**  
Type I, Grade 1  
**Total Thickness**  
3mm (also available in 2mm)  
**Surface Type**  
Smooth  
**Nominal Dimensions: Sheet**  
12.0m x 1.22m (39.37in x 48in)  
**Nominal Dimensions: Tile**  
610mm x 610mm (24.015in x 24.015in)  
**Indoor Air Quality**  
GREENGUARD Gold, CDPH 01350 Compliant  
**Installation Method**  
Directional  
*Sheet also available as noraplan environcare™ nTx™. View details and the full product specification at nora.com.*



PRODUCT NORAPLAN ENVIROCARE COLORS 7031 BASEBALL GAME, 7071 CORN MAZE, 7077 GRADUATION INSTALLED DIRECTIONAL

noraplan® **SENTICA™**

				
6500 Cotton Candy	6501 Prom	6502 Vacation	6503 Indulgence	6532 Zest
				
6504 Down Feathers	6505 Silk	6506 Cashmere	6507 Old Oak	6533 Valentine
				
6508 Wool	6509 Sand Box	6510 Dinner Rolls	6511 Clydesdale	6534 Carnival
				
6512 Sunrise	6513 Hayride	6514 Heat Wave	6515 Barbeque	6535 Destination
				
6516 Aloe	6517 Cut Grass	6518 First Day	6519 Picnic	6536 Wheat Fields
				
6520 Snow Day	6521 Sunday Paper	6522 Expedition	6523 Road Trip	6537 Camp Fire
				
6524 Frost Bite	6525 Ocean Mist	6526 Mountain Air	6527 Deep Sea	
				
6528 Ice Cube	6529 Surf	6530 Waterfall	6531 Regatta	

noraplan **SENTICA**

Article Number: Sheet

1701

Article Number: Tile

2701

Product Construction

Homogeneous Rubber Sheet & Tile

Class: Sheet / ASTM F1859

Type I

Class: Tile / ASTM F1344

Type I, Grade 1

Total Thickness

3mm (also available in 2mm)

Surface Type

Smooth

Nominal Dimensions: Sheet

12.0m x 1.22m (39.37in x 48in)

Nominal Dimensions: Tile

610mm x 610mm (24.015in x 24.015in)

Indoor Air Quality

GREENGUARD Gold, CDPH 01350 Compliant

Installation Method

Directional

Sheet also available as noraplan® sentica™ nTx.™ View details and the full product specification at [nora.com](http://nora.com).



PRODUCT NORAPLAN SENTICA COLOR 6525 OCEAN MIST INSTALLED DIRECTIONAL

# HARD ON TRAFFIC

## SOFT ON NOISE

Designed to work as a system with our nora rubber, carpet tile, and vinyl sheet, our LVT options—Sound Choice™ 4.5mm and Criterion 3mm—make it even easier to specify the right flooring for each area of your facility.

### Sound Choice 4.5mm

- Available in 25cm x 1m planks and 50cm x 50cm squares
- Ceramor™ coating provides a durable finish that resists scuffs and scratches
- Slip resistance and durability
- Greater impact sound reduction of IIC 64
- Optimal dimensional stability and flexibility thanks to an incorporated fiberglass layer
- Offers ease of installation and maintenance
- 39% pre-consumer recycled content
- GreenCircle™ certified Recyclable through our ReEntry™ program
- Third-party verified carbon neutral across the full product life cycle through our Carbon Neutral Floors™ program

### Criterion 3mm

- Available in 12.5cm x 1m planks and 50cm x 50cm squares
- Ceramor™ coating provides a durable finish that resists scuffs and scratches
- Slip resistance and durability
- Impact sound reduction of IIC 56
- Optimal dimensional stability and flexibility
- Offers ease of installation and maintenance
- 39% pre-consumer recycled content
- Third-party verified carbon neutral across the full product life cycle through our Carbon Neutral Floors™ program



- 31 **TEXTURED WOODGRAINS**
- 33 **NATURAL WOODGRAINS**
- 35 **TEXTURED STONES**
- 37 **STUDIO SET**
- 39 **ARIES, SCORPIO**
- 41 **DRAWN LINES**
- 43 **NATIVE FABRIC**
- 45 **CRITERION CLASSIC WOODGRAINS,  
CRITERION CLASSIC STONES,  
CRITERION CLASSIC WOVENS**



**PRODUCT** NATURAL WOODGRAINS **COLOR** A00207 WASHED WHEAT **INSTALLED** ASHLAR  
**PRODUCT** TEXTURED WOODGRAINS **COLORS** A00416 ANTIQUE DARK OAK, A00422 RUSTIC HICKORY, A00421 RUSTIC OAK **INSTALLED** ASHLAR

## TEXTURED WOODGRAINS™ | LEVEL SET™ COLLECTION

### TEXTURED WOODGRAINS

**Product Number**  
A004

**Product Construction**  
High Performance Luxury Vinyl Tile

**Class / ASTM F1700**  
Class III Printed Vinyl Plank

**Wear Layer Thickness**  
22mil

**Total Thickness**  
4.5mm

**Backing Class**  
Commercial Grade

**Finish**  
Ceramar™ Coating

**Nominal Dimensions**  
25cm x 1m (9.845in x 39.38in)

**Indoor Air Quality**  
GREENGUARD Gold, FloorScore® Certified, CDPH 01350 Compliant

**Installation Methods**  
Ashlar, Herringbone

*Full product specification on [interface.com](http://interface.com)*



A00401 Distressed Walnut



A00402 Distressed Cashew



A00403 Distressed Hickory



A00404 Distressed Black Walnut



A00405 Grey Dune



A00406 Antique Light Oak



A00407 White Wash



A00408 Antique Gray Oak



A00409 Ash Walnut



A00410 Silver Walnut



A00411 Dark Walnut



A00412 Reclaimed Hickory



A00415 Antique Oak



A00416 Antique Dark Oak



A00417 Silver Dune



A00418 Charcoal Dune



A00420 Rustic Cashew



A00421 Rustic Oak



A00422 Rustic Hickory



A00423 Rustic Ash



A00424 Rustic Birch



A00425 Rustic Charcoal



A00426 Sugarpine



A00427 Hemlock



A00428 Grey Alder



A00429 Greywood



A00430 Gunmetal Elm



A00431 Ironbark



PRODUCT TEXTURED WOODGRAINS COLOR A00405 GREY DUNE INSTALLED ASHLAR

Fast, when you need it.   
 See [interface.com/QuickShip](http://interface.com/QuickShip) for QS program details.

## NATURAL WOODGRAINS™ | LEVEL SET™ COLLECTION



A00201 Black Walnut



A00202 Madagascar



A00203 Chestnut



A00204 Beech



A00205 Storm



A00206 Winter Grey



A00207 Washed Wheat



A00208 Sand Dune



A00209 Mahogany



A00210 Teak



A00211 Washed Maple



A00212 Cedar



A00214 Bamboo

### NATURAL WOODGRAINS

**Product Number**

A002

**Product Construction**

High Performance Luxury Vinyl Tile

**Class / ASTM F1700**

Class III Printed Vinyl Plank

**Wear Layer Thickness**

22mil

**Total Thickness**

4,5mm

**Backing Class**

Commercial Grade

**Finish**

Ceramor™ Coating

**Nominal Dimensions**

25cm x 1m (9.845in x 39.38in)

**Indoor Air Quality**

GREENGUARD Gold, FloorScore® Certified,  
CDPH 01350 Compliant

**Installation Methods**

Ashlar, Herringbone

Full product specification on [interface.com](http://interface.com)



PRODUCT NATURAL WOODGRAINS COLOR A00214 BAMBOO INSTALLED ASHLAR

Fast, when you need it.   
See [interface.com/QuickShip](https://interface.com/QuickShip) for QS program details.

## TEXTURED STONES™ | LEVEL SET™ COLLECTION



A00301  
Polished Cement



A00302  
Cool Polished Cement



A00303  
Warm Polished Cement



A00304  
Emperador Gray



A00305  
Emperador Taupe



A00306  
Jersey Marble



A00308  
Light Concrete



A00309  
Medium Concrete



A00310  
Dark Concrete

### TEXTURED STONES

**Product Number**  
A003

**Product Construction**  
High Performance Luxury Vinyl Tile

**Class / ASTM F1700**  
Class III Printed Vinyl Tile

**Wear Layer Thickness**  
22mil

**Total Thickness**  
4.5mm

**Backing Class**  
Commercial Grade


**Finish**  
Ceramor™ Coating

**Nominal Dimensions**  
50cm x 50cm (19.69in x 19.69in)

**Indoor Air Quality**  
GREENGUARD Gold, FloorScore® Certified,  
CDPH 01350 Compliant

**Installation Methods**  
Ashlar, Brick, Monolithic, Non Directional, Quarter-Turn


*Full product specification on [interface.com](https://interface.com)*



LVT PRODUCT TEXTURED STONES COLOR A00309 MEDIUM CONCRETE INSTALLED MONOLITHIC  
CARPET PRODUCT HARD DRIVE™ COLOR 105944 PEWTER HD INSTALLED ASHLAR

Fast, when you need it.   
 See [interface.com/QuickShip](http://interface.com/QuickShip) for QS program details.

## STUDIO SET™



### STUDIO SET

**Product Number**  
A007

**Product Construction**  
High Performance Luxury Vinyl Tile

**Class / ASTM F1700**  
Class III Printed Vinyl Plank

**Wear Layer Thickness**  
22mil

**Total Thickness**  
4.5mm

**Backing Class**  
Commercial Grade

**Finish**  
Ceramor™ Coating

**Nominal Dimensions**  
25cm x 1m (9.845in x 39.38in)

**Indoor Air Quality**  
GREENGUARD Gold, FloorScore® Certified, CDPH 01350 Compliant


**Installation Methods**  
Ashlar, Herringbone

*Full product specification on [interface.com](http://interface.com)*



PRODUCT STUDIO SET COLOR A00710 POPPY INSTALLED ASHLAR

**ARIES™** | STARGAZING™ COLLECTION



**ARIES**

**Product Number**  
A018

**Product Construction**  
High Performance Luxury Vinyl Tile

**Class / ASTM F1700**  
Class III Printed Vinyl Tile

**Wear Layer Thickness**  
22mil

**Total Thickness**  
4.5mm

**Backing Class**  
Commercial Grade


**Finish**  
Ceramor™ Coating

**Nominal Dimensions**  
50cm x 50cm (19.69in x 19.69in)


**Indoor Air Quality**  
GREENGUARD Gold, FloorScore® Certified, CDPH 01350 Compliant

**Installation Methods**  
Ashlar, Brick, Monolithic, Non Directional, Quarter-Turn

*Full product specification on [interface.com](http://interface.com)*



**SCORPIO™** | STARGAZING™ COLLECTION



**SCORPIO**

**Product Number**  
A017

**Product Construction**  
High Performance Luxury Vinyl Tile

**Class / ASTM F1700**  
Class III Printed Vinyl Tile

**Wear Layer Thickness**  
22mil

**Total Thickness**  
4.5mm

**Backing Class**  
Commercial Grade

**Finish**  
Ceramor™ Coating

**Nominal Dimensions**  
50cm x 50cm (19.69in x 19.69in)

**Indoor Air Quality**  
GREENGUARD Gold, FloorScore® Certified, CDPH 01350 Compliant

**Installation Methods**  
Ashlar, Brick, Monolithic, Non Directional, Quarter-Turn

*Full product specification on [interface.com](http://interface.com)*



**PRODUCT** ARIES **COLORS** A01816 SILVERLIGHT, A01802 CHARTREUSE, A01810 KELLY GREEN, A01812 DARK GREEN **INSTALLED** MONOLITHIC  
**PRODUCT** SCORPIO **COLOR** A01717 PEWTER **INSTALLED** MONOLITHIC

## DRAWN LINES™



A00901 Citrine



A00902 Topaz



A00903 Bronze



A00904 Smokey Quartz



A00905 Amber



A00906 Aquamarine



A00907 Onyx



A00908 Silver



A00909 Diamond



A00910 Opal

## DRAWN LINES

**Product Number**  
A009

**Product Construction**  
High Performance Luxury Vinyl Tile

**Class / ASTM F1700**  
Class III Printed Vinyl Plank

**Wear Layer Thickness**  
22mil

**Total Thickness**  
4,5mm

**Backing Class**  
Commercial Grade

**Finish**  
Ceramor™ Coating

**Nominal Dimensions**  
25cm x 1m (9.845in x 39.38in)

**Indoor Air Quality**  
GREENGUARD Gold, FloorScore® Certified,  
CDPH 01350 Compliant

**Installation Methods**  
Ashlar, Herringbone

*Full product specification on [interface.com](http://interface.com)*



PRODUCT DRAWN LINES - COLORS A00903 BRONZE, A00906 AQUAMARINE - INSTALLED ASHLAR

## NATIVE FABRIC™



A00801  
Flax



A00802  
Seagrass



A00803  
Tatami



A00804  
Straw



A00805  
Linen



A00806  
Twine



A00807  
Bluegrass



A00808  
Mulberry

### NATIVE FABRIC

**Product Number**  
A008

**Product Construction**  
High Performance Luxury Vinyl Tile

**Class / ASTM F1700**  
Class III Printed Vinyl Tile

**Wear Layer Thickness**  
22mil

**Total Thickness**  
4,5mm

**Backing Class**  
Commercial Grade



**Finish**  
Ceramor™ Coating

**Nominal Dimensions**  
50cm x 50cm (19.69in x 19.69in)

**Indoor Air Quality**  
GREENGUARD Gold, FloorScore® Certified,  
CDPH 01350 Compliant

**Installation Methods**  
Ashlar, Brick, Monolithic, Non Directional, Quarter-Turn

*Full product specification on [interface.com](http://interface.com)*



PRODUCT NATIVE FABRIC COLORS A00805 LINEN, A00806 TWINE INSTALLED MONOLITHIC

**CRITERION CLASSIC WOODGRAINS™** | CRITERION CLASSIC™ COLLECTION



C00101 Madagascar



C00102 Chestnut



C00103 Sand Dune



C00104 Washed Maple



C00105 Cedar



C00106 Antique Light Oak



C00107 Antique Gray Oak



C00108 Mushroom

**CRITERION CLASSIC STONES™** | CRITERION CLASSIC™ COLLECTION



C00201  
Marone  
Dark Marble



C00202  
Polished Cement

**CRITERION CLASSIC WOVENS™** | CRITERION CLASSIC™ COLLECTION



C00301  
Flax



C00302  
Twine

**CRITERION CLASSIC WOODGRAINS**

**Product Number**  
C001

**Product Construction**  
High Performance Luxury Vinyl Tile

**Class / ASTM F1700**  
Class III Printed Vinyl Plank

**Wear Layer Thickness**  
22mil

**Total Thickness**  
3.0mm

**Backing Class**  
Commercial Grade

**Finish**  
Ceramor™ Coating

**Nominal Dimensions**  
12.5cm x 1m (4.923in x 39.38in)

**Indoor Air Quality**  
GREENGUARD Gold, FloorScore® Certified, CDPH 01350 Compliant

**Installation Methods**  
Ashlar, Herringbone

*Full product specification on [interface.com](http://interface.com)*



**CRITERION CLASSIC STONES**

**Product Number**  
C002

**Product Construction**  
High Performance Luxury Vinyl Tile

**Class / ASTM F1700**  
Class III Printed Vinyl Tile

**Wear Layer Thickness**  
22mil

**Total Thickness**  
3.0mm

**Backing Class**  
Commercial Grade

**Finish**  
Ceramor™ Coating

**Nominal Dimensions**  
50cm x 50cm (19.69in x 19.69in)

**Indoor Air Quality**  
GREENGUARD Gold, FloorScore® Certified, CDPH 01350 Compliant

**Installation Methods**  
Ashlar, Brick, Monolithic, Non Directional, Quarter-Turn

*Full product specification on [interface.com](http://interface.com)*



**CRITERION CLASSIC WOVENS**

**Product Number**  
C003

**Product Construction**  
High Performance Luxury Vinyl Tile

**Class / ASTM F1700**  
Class III Printed Vinyl Tile

**Wear Layer Thickness**  
22mil

**Total Thickness**  
3.0mm

**Backing Class**  
Commercial Grade


**Finish**  
Ceramor™ Coating

**Nominal Dimensions**  
50cm x 50cm (19.69in x 19.69in)

**Indoor Air Quality**  
GREENGUARD Gold, FloorScore® Certified, CDPH 01350 Compliant

**Installation Methods**  
Ashlar, Brick, Monolithic, Non Directional, Quarter-Turn

*Full product specification on [interface.com](http://interface.com)*



LVT PRODUCT CRITERION CLASSIC WOODGRAINS COLOR C00103 SAND DUNE INSTALLED ASHLAR  
RUBBER PRODUCT NORAPLAN SENTICA COLORS 6531 REGATTA, 6528 ICE CUBE INSTALLED DIRECTIONAL

# INTERFACE DOES MORE THAN MEET FEDERAL PURCHASING REQUIREMENTS

Federal purchasing requirements include choosing, when possible, USDA Certified Biobased products—those made with content that comes, in part, from a renewable source, such as plant, animal, marine, or forestry feedstocks. As an industry leader in the development of environmentally responsible flooring, Interface offers commercial carpet tiles that meet these certification requirements, providing levels of biobased content that far exceed the required 7% minimum with our CQuest™GB, CQuest™Bio and CQuest™BioX backings.



Modular Carpet on CQuest™GB



Modular Carpet on CQuest™Bio



Modular Carpet on CQuest™BioX

## BIOBASED IS JUST THE BEGINNING

- CQuest™ carpet tile backings are actually carbon negative when measured cradle to gate
- We offer carpet tile made with recycled and biobased content that, when measured cradle to gate, store more carbon than they emit
- Interface CQuest backed carpet tiles have the lowest carbon footprint of any carpet tiles manufactured in the U.S.
- All of our flooring products are third-party verified carbon neutral across the full product life cycle through our Carbon Neutral Floors™ program

## SPECIFYING INTERFACE IS EASY

Interface is available on the  
**GSA** Schedule #GS03F056AA and  
online via [interface.ecomedes.com](http://interface.ecomedes.com)  
and [interface.com](http://interface.com).

# THE SOFTER SIDE

## OF HIGH PERFORMANCE

Our modular carpet is everything you love about soft flooring with the flexibility of tile. We've been perfecting it for more than 40 years.

- Extensive selection of patterns, colors and sizes that work as a system with our resilient flooring options
- Structured, dimensionally stable backing system keeps tiles in place and flat on the floor
- Dense construction with premium recycled content nylon fiber holds up to heavy traffic
- Solution dyed fibers withstand harsh substances like bleach or hand sanitizers
- Ease of installation and replacement with our glue-free tactile installation system with most backings. Use full-spread adhesive in areas where there are heavy rolling loads.
- Intersept™, our proprietary preservative, is permanently incorporated into the backing to protect carpet tiles against mold growth and odor—even at the seams
- Interface's i2™ styles have mergeable dye lots that facilitate selective replacement
- Interface Modular Carpet on CQuest™GB, CQuest™Bio, and CQuest™BioX meet the USDA Certified Biobased Content Federal Purchasing Requirements for carpet
- Interface Modular Carpet on CQuest™Bio and CQuest™BioX is Cradle to Cradle v3.1 Silver certified
- Interface Modular Carpet on CQuest™Bio is Greenhealth Approved™
- The innovative CQuest™ backings offer superior performance with a low carbon footprint. CQuest™GB is made with post-consumer carpet tiles, bio-based additives and pre-consumer recycled materials. CQuest™Bio, which also contains biobased and recycled content, is free of PVC, antimicrobials, and Greenhealth Approved™.
- GreenCircle® certified Recyclable through our ReEntry™ program
- Third-party verified carbon neutral across the full product life cycle through our Carbon Neutral Floors™ program




### SCAN FOR MORE CONTENT

Scan the QR code to learn more  
about our high-performance backings.



- 51 **AE311, AE315**
- 53 **AE317**
- 55 **CUBIC**
- 57 **THE STANDARD**
- 59 **PUPPY LOVE**
- 61 **HEART SONGS, HEART STRINGS**
- 62 **HEARTTHROB, LIGHTEARTED**
- 63 **HARMONIZE, GROUND WAVES**
- 65 **STITCHERY, STITCH COUNT**
- 67 **NATURE'S COURSE**
- 71 **OPEN AIR 401, 402**
- 72 **OPEN AIR 403**
- 73 **CLOUD COVER**
- 75 **NIGHT FLIGHT, HEAD IN THE CLOUDS**
- 77 **UR303, UR304**
- 79 **WW860, WW865**
- 81 **WW870, WW880**
- 83 **WW890, WW895**



PRODUCT LIGHTEARTED • COLOR 107508 VERDANT • INSTALLED NON DIRECTIONAL

Fast, when you need it.   
See [interface.com/QuickShip](https://interface.com/QuickShip) for QS program details.

## AE311 | AERIAL™ COLLECTION



104668 Mist



104669 Fog



104670 Taupe



104671 Chestnut



104672 Greige



104673 Iron



104674 Smoke



104675 Ink



105803 Mushroom



105804 Loam



105805 Granite



105806 Topaz



105807 Biscuit



### AE311



Modular, 25cm x 1m

Style: 13883

Yarn Manufacturer

Aquafil

Yarn System

100% Recycled Content Nylon

Color System

100% Solution Dyed

Construction

Tufted Textured Loop

Preservative Protection

Intersept®

Soil/Stain Protection

Protekt™

Pile Thickness

2.5mm (0.097in)

Pile Density

5,567

Traffic Classification

Heavy

Total Recycled Content

up to 83%

Indoor Air Quality

Green Label Plus #GLP0820, CDPH 01350

Installation Methods

Ashlar, Herringbone

Full product specification on [interface.com](https://interface.com)

## AE315 | AERIAL™ COLLECTION




105808 Mushroom/Grass



105809 Fog/Citron



105810 Chestnut/Marigold



105811 Greige/Persimmon



105812 Loam/Poppy




105813 Iron/Berry



105814 Ink/Magenta



105815 Smoke/Iris



105816 Granite/Azure



105817 Mist/Aquamarine



105818 Topaz/Emerald



105819 Taupe/Leaf



105820 Biscuit/Eucalyptus

### AE315



Modular, 25cm x 1m

Style: 16323

Yarn Manufacturer

Aquafil

Yarn System

100% Recycled Content Nylon

Color System

100% Solution Dyed

Construction

Tufted Textured Loop

Preservative Protection

Intersept®

Soil/Stain Protection

Protekt™

Pile Thickness

2.3mm (0.09in)

Pile Density

6,400

Traffic Classification

Heavy

Total Recycled Content

up to 83%

Indoor Air Quality

Green Label Plus #GLP0820, CDPH 01350

Installation Methods

Ashlar, Herringbone


Full product specification on [interface.com](https://interface.com)



PRODUCT AE311 COLOR 105807 BISCUIT INSTALLED PATTERN BY TILE  
 PRODUCT AE315 COLOR 105820 BISCUIT/EUCALYPTUS INSTALLED PATTERN BY TILE  
 PRODUCT AE317 COLOR 105833 EUCALYPTUS INSTALLED PATTERN BY TILE

Fast, when you need it.   
 See [interface.com/QuickShip](https://interface.com/QuickShip) for QS program details.

**AE317** | AERIAL™ COLLECTION



**AE317**



**Modular, 25cm x 1m**  
 Style: 16327

**Yarn Manufacturer**  
 Aquafil

**Yarn System**  
 100% Recycled Content Nylon

**Color System**  
 100% Solution Dyed

**Construction**  
 Tufted Textured Loop

**Preservative Protection**  
 Intersept®

**Soil/Stain Protection**  
 Protekt™

**Pile Thickness**  
 2.6mm (0.101in)

**Pile Density**  
 6,059


**Traffic Classification**  
 Heavy

**Total Recycled Content**  
 up to 83%

**Indoor Air Quality**  
 Green Label Plus #GLP0820, CDPH 01350

**Installation Methods**  
 Ashlar, Herringbone


*Full product specification on [interface.com](https://interface.com)*



PRODUCT AE317 COLOR 105824 PERSIMMON INSTALLED ASHLAR  
 PRODUCT AE315 COLOR 105811 GREIGE/PERSIMMON INSTALLED ASHLAR  
 PRODUCT AE311 COLOR 104672 GREIGE INSTALLED ASHLAR

Fast, when you need it.   
See [interface.com/QuickShip](http://interface.com/QuickShip) for QS program details.

## CUBIC™



## CUBIC

i2

Modular, 50cm x 50cm

Style: 13801

Yarn Manufacturer

Aquafil

Yarn System

100% Recycled Content Nylon

Color System

100% Solution Dyed

Construction

Tufted Textured Loop

Preservative Protection

Intersept®

Soil/Stain Protection

Protekt™

Pile Thickness

2.4mm (0.093in)

Pile Density

6,968

Traffic Classification

Severe

Total Recycled Content

up to 83%

Indoor Air Quality

Green Label Plus #GLP0820, CDPH 01350

Installation Methods

Non Directional

Full product specification on [interface.com](http://interface.com)




NON-DIRECTIONAL



PRODUCT CUBIC COLOR 6393 HEIGHT INSTALLED NON DIRECTIONAL

# THE STANDARD™



## THE STANDARD



**Modular, 50cm x 50cm**  
 Style: 14673

**Yarn Manufacturer**  
 Universal

**Yarn System**  
 Post-Consumer Content Nylon

**Color System**  
 100% Solution Dyed

**Construction**  
 Tufted Textured Loop

**Preservative Protection**  
 Intersept®

**Soil/Stain Protection**  
 Protekt2®

**Pile Thickness**  
 1.9mm (0.074in)

**Pile Density**  
 7,297

**Traffic Classification**  
 Severe

**Total Recycled Content**  
 up to 79%


**Indoor Air Quality**  
 Green Label Plus #GLP0820, CDPH 01350

**Installation Methods**  
 Non Directional

*Full product specification on [interface.com](http://interface.com)*



NON DIRECTIONAL



PRODUCT THE STANDARD - COLOR 9357 VELLUM - INSTALLED NON DIRECTIONAL

PUPPY LOVE™ | HEARTBEATS™ COLLECTION



PUPPY LOVE



**Modular, 50cm x 50cm**  
Style: 13118

---

**Yarn Manufacturer**  
Aquafil

---

**Yarn System**  
100% Recycled Content Nylon

---

**Color System**  
100% Solution Dyed

---

**Construction**  
Tufted Textured Loop

---

**Preservative Protection**  
No Added Preservatives

---

**Soil/Stain Protection**  
Protect<sup>2</sup>

---

**Pile Thickness**  
2,00mm (0.08in)

---

**Pile Density**  
8,550

---

**Traffic Classification**  
Severe

---

**Total Recycled Content**  
up to 83.33%

---

**Indoor Air Quality**  
Green Label Plus #GLP0820

---


**Installation Methods**  
Non Directional

---

*Full product specification on [interface.com](http://interface.com)*



NON-DIRECTIONAL



PRODUCT PUPPY LOVE COLORS 107351 AERIE, 107344 SPIRITED, 107346 ILLUSTRIOUS INSTALLED PATTERN BY TILE

## HEART SONGS™ | HEARTBEATS™ COLLECTION



**HEART SONGS** 

Modular, 50cm x 50cm  
Style: 13119

**Yarn Manufacturer**  
Aquafil

**Yarn System**  
100% Recycled Content Nylon

**Color System**  
100% Solution Dyed

**Construction**  
Tufted Textured Loop

**Preservative Protection**  
Intersept®

**Soil/Stain Protection**  
Protekt2®

**Pile Thickness**  
2.10mm (0.08in)

**Pile Density**  
8,341

**Traffic Classification**  
Severe

**Total Recycled Content**  
up to 83.33%


**Indoor Air Quality**  
Green Label Plus #GLP0820

**Installation Methods**  
Non Directional

*Full product specification on [interface.com](https://interface.com)*



## HEARTTHROB™ | HEARTBEATS™ COLLECTION



**HEARTTHROB** 

Modular, 50cm x 50cm  
Style: 13124

**Yarn Manufacturer**  
Aquafil

**Yarn System**  
100% Recycled Content Nylon

**Color System**  
100% Solution Dyed

**Construction**  
Tufted Textured Loop

**Preservative Protection**  
Intersept®

**Soil/Stain Protection**  
Protekt2®

**Pile Thickness**  
3.4mm (0.135in)

**Pile Density**  
6,400

**Traffic Classification**  
Heavy

**Total Recycled Content**  
up to 84%

**Indoor Air Quality**  
Green Label Plus #GLP0820, CDPH 01350

**Installation Methods**  
Non Directional

*Full product specification on [interface.com](https://interface.com)*



## HEART STRINGS™ | HEARTBEATS™ COLLECTION



**HEART STRINGS** 

Modular, 50cm x 50cm  
Style: 13121

**Yarn Manufacturer**  
Aquafil

**Yarn System**  
100% Recycled Content Nylon

**Color System**  
100% Solution Dyed

**Construction**  
Tufted Textured Loop

**Preservative Protection**  
Intersept®

**Soil/Stain Protection**  
Protekt2®

**Pile Thickness**  
1.80mm (0.07in)

**Pile Density**  
9,730

**Traffic Classification**  
Severe

**Total Recycled Content**  
up to 83.46%

**Indoor Air Quality**  
Green Label Plus #GLP0820

**Installation Methods**  
Ashlar

*Full product specification on [interface.com](https://interface.com)*



## LIGHTHEARTED™ | HEARTBEATS™ COLLECTION



**LIGHTHEARTED** 

Modular, 50cm x 50cm  
Style: 13122

**Yarn Manufacturer**  
Aquafil

**Yarn System**  
100% Recycled Content Nylon

**Color System**  
100% Solution Dyed

**Construction**  
Tufted Textured Loop

**Preservative Protection**  
Intersept®

**Soil/Stain Protection**  
Protekt2®

**Pile Thickness**  
1.80mm (0.07in)

**Pile Density**  
9,634

**Traffic Classification**  
Severe

**Total Recycled Content**  
up to 83.33%


**Indoor Air Quality**  
Green Label Plus #GLP0820

**Installation Methods**  
Non Directional

*Full product specification on [interface.com](https://interface.com)*



## HARMONIZE™ | HARMONIZE™ AND GROUND WAVES™ COLLECTION



### HARMONIZE

**Modular, 25cm x 1m**  
Style: 13872

**Yarn Manufacturer**  
Aquafil

**Yarn System**  
100% Recycled Content Nylon

**Color System**  
100% Solution Dyed

**Construction**  
Tufted Textured Loop

**Preservative Protection**  
Intersept®

**Soil/Stain Protection**  
Protekt2®

**Pile Thickness**  
2.7mm (0.106in)

**Pile Density**  
5,434

**Traffic Classification**  
Heavy


**Total Recycled Content**  
up to 83%

**Indoor Air Quality**  
Green Label Plus #GLP0820, CDPH 01350

**Installation Methods**  
Ashlar, Herringbone  
*Full product specification on [interface.com](http://interface.com)*



## GROUND WAVES™ | HARMONIZE™ AND GROUND WAVES™ COLLECTION



### GROUND WAVES

**Modular, 25cm x 1m**  
Style: 13873

**Yarn Manufacturer**  
Aquafil

**Yarn System**  
100% Recycled Content Nylon

**Color System**  
100% Solution Dyed

**Construction**  
Tufted Textured Loop

**Preservative Protection**  
Intersept®

**Soil/Stain Protection**  
Protekt2®

**Pile Thickness**  
2.2mm (0.088in)


**Pile Density**  
6,545

**Traffic Classification**  
Heavy

**Total Recycled Content**  
up to 83%

**Indoor Air Quality**  
Green Label Plus #GLP0820, CDPH 01350

**Installation Methods**  
Ashlar, Herringbone  
*Full product specification on [interface.com](http://interface.com)*



PRODUCT HARMONIZE COLOR 104048 GRAVEL INSTALLED ASHLAR  
PRODUCT GROUND WAVES COLOR 104055 GRAVEL/COLORS INSTALLED PATTERN BY TILE

## STITCHERY™ | VISUAL CODE™ COLLECTION



### STITCHERY

**Modular, 25cm x 1m**  
 Style: 13927

**Yarn Manufacturer**  
 Aquafil

**Yarn System**  
 100% Recycled Content Nylon

**Color System**  
 100% Solution Dyed

**Construction**  
 Tufted Pattern Loop

**Preservative Protection**  
 Intercept®

**Soil/Stain Protection**  
 Protekt2®

**Pile Thickness**  
 2.00mm (0.08in)

**Pile Density**  
 7,650

**Traffic Classification**  
 Severe

**Total Recycled Content**  
 up to 83.05%


**Indoor Air Quality**  
 Green Label Plus #GLP0820, CDPH 01350

**Installation Methods**  
 Herringbone, Ashlar

*Full product specification on [interface.com](https://interface.com)*



## STITCH COUNT™ | VISUAL CODE™ COLLECTION



### STITCH COUNT

**Modular, 25cm x 1m**  
 Style: 13926

**Yarn Manufacturer**  
 Aquafil

**Yarn System**  
 100% Recycled Content Nylon

**Color System**  
 100% Solution Dyed

**Construction**  
 Tufted Sheared

**Preservative Protection**  
 Intercept®

**Soil/Stain Protection**  
 Protekt2®

**Pile Thickness**  
 4.40mm (0.17in)

**Pile Density**  
 5,554

**Traffic Classification**  
 Severe

**Total Recycled Content**  
 up to 84.35%

**Indoor Air Quality**  
 Green Label Plus #GLP0820, CDPH 01350

**Installation Methods**  
 Herringbone, Ashlar

*Full product specification on [interface.com](https://interface.com)*



**PRODUCT** STITCHERY **COLOR** 105931 NICKEL STITCHERY **INSTALLED** ASHLAR  
**PRODUCT** WW860 **COLOR** 105352 FLANNEL TWEED **INSTALLED** ASHLAR

## NATURE'S COURSE™



105859 Fossil



105860 Graphite



105861 Marble



105862 Granite



105863 Mica



105864 Mineral



105865 Sandstone



105866 Pebble

### NATURE'S COURSE



**Modular, 25cm x 1m**

Style: 12899

**Yarn Manufacturer**

Aquafil

**Yarn System**

100% Recycled Content Nylon

**Color System**

100% Solution Dyed

**Construction**

Tufted Textured Loop

**Preservative Protection**

Intersept®

**Soil/Stain Protection**

Protekt2®

**Pile Thickness**

2.2mm (0.087in)

**Pile Density**

7,448

**Traffic Classification**

Heavy

**Total Recycled Content**

up to 83%

**Indoor Air Quality**

Green Label Plus #GLP0820, CDPH 01350


**Installation Methods**

Ashlar, Herringbone



Full product specification on [interface.com](http://interface.com)



ASHLAR HERRINGBONE



PRODUCT NATURE'S COURSE COLOR 105859 FOSSIL INSTALLED ASHLAR



To see full line of Open Air products, go to [interface.com](http://interface.com)

**PRODUCT** OPEN AIR 412 **COLOR** 106988 CHARCOAL  
**INSTALLED** MONOLITHIC

**PRODUCT** OPEN AIR 404 **COLOR** 106748 CHARCOAL  
**INSTALLED** NON DIRECTIONAL

**PRODUCT** OPEN AIR 418 **COLOR** 107042 CHARCOAL  
**INSTALLED** MONOLITHIC

**CARPET PRODUCT** OPEN AIR 423 **COLOR** 107087 CHARCOAL  
**INSTALLED** BRICK  
**LVT PRODUCT** STUDIO SET **COLOR** A00718 DEEP FUCHSIA  
**INSTALLED** ASHLAR

## OPEN AIR™ 401 | OPEN AIR™ COLLECTION




### OPEN AIR 401

**Modular, 25cm x 1m**  
 Style: 16336  
**Yarn Manufacturer**  
 Aquafil  
**Yarn System**  
 100% Recycled Content Nylon  
**Color System**  
 100% Solution Dyed  
**Construction**  
 Tufted Textured Loop  
**Preservative Protection**  
 Intersept®  
**Soil/Stain Protection**  
 Protekt2®  
**Pile Thickness**  
 1.9mm (0.08in)  
**Pile Density**  
 8,526  
**Traffic Classification**  
 Severe  
**Total Recycled Content**  
 up to 83.18%  
**Indoor Air Quality**  
 Green Label Plus #GLP0820, CDPH 01350  
**Installation Methods**  
 Ashlar, Herringbone  
*Full product specification on [interface.com](https://interface.com)*



## OPEN AIR™ 403 | OPEN AIR™ COLLECTION




### OPEN AIR 403

**Modular, 50cm x 50cm**  
 Style: 16331  
**Yarn Manufacturer**  
 Aquafil  
**Yarn System**  
 100% Recycled Content Nylon  
**Color System**  
 100% Solution Dyed  
**Construction**  
 Tufted Textured Loop  
**Preservative Protection**  
 Intersept®  
**Soil/Stain Protection**  
 Protekt2®  
**Pile Thickness**  
 2.1mm (0.083in)  
**Pile Density**  
 8,241  
**Traffic Classification**  
 Severe  
**Total Recycled Content**  
 up to 83%  
**Indoor Air Quality**  
 Green Label Plus #GLP0820, CDPH 01350  
**Installation Methods**  
 Non Directional  
*Full product specification on [interface.com](https://interface.com)*



## OPEN AIR™ 402 | OPEN AIR™ COLLECTION




### OPEN AIR 402

**Modular, 25cm x 1m**  
 Style: 16332  
**Yarn Manufacturer**  
 Aquafil  
**Yarn System**  
 100% Recycled Content Nylon  
**Color System**  
 100% Solution Dyed  
**Construction**  
 Tufted Textured Loop  
**Preservative Protection**  
 Intersept®  
**Soil/Stain Protection**  
 Protekt2®  
**Pile Thickness**  
 2.1mm (0.08in)  
**Pile Density**  
 8,143  
**Traffic Classification**  
 Heavy  
**Total Recycled Content**  
 up to 83.33%  
**Indoor Air Quality**  
 Green Label Plus #GLP0820, CDPH 01350  
**Installation Methods**  
 Ashlar, Herringbone  
*Full product specification on [interface.com](https://interface.com)*



**CLOUD COVER™** | VIEW FROM ABOVE™ COLLECTION



**CLOUD COVER**

**Modular, 50cm x 50cm**  
 Style: 13789

**Yarn Manufacturer**  
 Aquafil

**Yarn System**  
 100% Recycled Content Nylon

**Color System**  
 100% Solution Dyed

**Construction**  
 Tufted Cut & Loop

**Preservative Protection**  
 Intersept®

**Soil/Stain Protection**  
 Protekt®

**Pile Thickness**  
 2mm (0.079in)


**Pile Density**  
 7,747

**Traffic Classification**  
 Heavy

**Total Recycled Content**  
 up to 83%

**Indoor Air Quality**  
 Green Label Plus #GLP0820, CDPH 01350

**Installation Methods**  
 Ashlar, Brick, Non Directional, Quarter-Turn  
 Full product specification on [interface.com](http://interface.com)




PRODUCT CLOUD COVER COLOR 106477 NATURAL INSTALLED BRICK

Fast, when you need it. See [interface.com/QuickShip](http://interface.com/QuickShip) for QS program details.



## NIGHT FLIGHT™ | VIEW FROM ABOVE™ COLLECTION



### NIGHT FLIGHT

**Modular, 50cm x 50cm**  
Style: 128720

**Yarn Manufacturer**  
Aquafil

**Yarn System**  
100% Recycled Content Nylon

**Color System**  
100% Solution Dyed

**Construction**  
Tufted Pattern Loop

**Preservative Protection**  
Intersept®

**Soil/Stain Protection**  
Protekt2®

**Pile Thickness**  
3.5mm (0.139in)

**Pile Density**  
6,216

**Traffic Classification**  
Heavy

**Total Recycled Content**  
up to 84%


**Indoor Air Quality**  
Green Label Plus #GLP0820, CDPH 01350

**Installation Methods**  
Brick, Quarter-Turn

*Full product specification on [interface.com](http://interface.com)*



## HEAD IN THE CLOUDS™ | VIEW FROM ABOVE™ COLLECTION



### HEAD IN THE CLOUDS

**Modular, 50cm x 50cm**  
Style: 128730

**Yarn Manufacturer**  
Aquafil

**Yarn System**  
100% Recycled Content Nylon

**Color System**  
100% Solution Dyed

**Construction**  
Engaged Tufted Sheared

**Preservative Protection**  
Intersept®

**Soil/Stain Protection**  
Protekt2®

**Pile Thickness**  
2.6mm (0.104in)

**Pile Density**  
8,308

**Traffic Classification**  
Heavy

**Total Recycled Content**  
up to 84%

**Indoor Air Quality**  
Green Label Plus #GLP0820, CDPH 01350

**Installation Methods**  
Brick, Monolithic, Non Directional

*Full product specification on [interface.com](http://interface.com)*



PRODUCT NIGHT FLIGHT COLOR 105703 DARK SKY INSTALLED BRICK  
PRODUCT HEAD IN THE CLOUDS COLOR 105721 OCEAN VIEW INSTALLED MONOLITHIC

**UR303™** | URBAN RETREAT COLLECTION



**UR303**

**Modular, 50cm x 50cm**  
Style: 12699

**Yarn Manufacturer**  
Aquafil

**Yarn System**  
100% Recycled Content Nylon

**Color System**  
100% Solution Dyed

**Construction**  
Tufted Sheared

**Preservative Protection**  
Intersept®

**Soil/Stain Protection**  
Protekt2®

**Pile Thickness**  
2.6mm (0.10in)

**Pile Density**  
8,118

**Traffic Classification**  
Heavy

**Total Recycled Content**  
up to 84%

**Indoor Air Quality**  
Green Label Plus #GLP0820, CDPH 01350

**Installation Methods**  
Monolithic

*Full product specification on interface.com*



MONOLITHIC

**UR304™** | URBAN RETREAT COLLECTION



**UR304**

**Modular, 50cm x 50cm**  
Style: 12736

**Yarn Manufacturer**  
Aquafil

**Yarn System**  
100% Recycled Content Nylon

**Color System**  
100% Solution Dyed

**Construction**  
Tufted Sheared

**Preservative Protection**  
Intersept®

**Soil/Stain Protection**  
Protekt2®

**Pile Thickness**  
3.4mm (0.13in)

**Pile Density**  
6,226

**Traffic Classification**  
Heavy

**Total Recycled Content**  
up to 84%

**Indoor Air Quality**  
Green Label Plus #GLP0820, CDPH 01350

**Installation Methods**  
Brick, Monolithic, Quarter-Turn

*Full product specification on interface.com*



BRICK

MONOLITHIC

QUARTER-TURN



PRODUCT UR303 - COLOR 102970 GRANITE - INSTALLED MONOLITHIC

**WW860** | WORLD WOVEN™ COLLECTION



105351 Linen Tweed



105352 Flannel Tweed



105353 Charcoal Tweed



105354 Black Tweed



105355 Brown Tweed



105356 Natural Tweed



105357 Raffia Tweed



105358 Sisal Tweed

**WW860**

**Modular, 25cm x 1m**

Style: 12819

**Yarn Manufacturer**

Aquafil

**Yarn System**

100% Recycled Content Nylon

**Color System**

100% Solution Dyed

**Construction**

Tufted Pattern Loop

**Preservative Protection**

Intersept®

**Soil/Stain Protection**

Protekt2®

**Pile Thickness**

1.7mm (0.065in)

**Pile Density**

9,415

**Traffic Classification**

Heavy

**Total Recycled Content**

up to 83%

**Indoor Air Quality**

Green Label Plus #GLP0820, CDPH 01350

**Installation Methods**

Ashlar, Herringbone

*Full product specification on [interface.com](http://interface.com)*



**WW865** | WORLD WOVEN™ COLLECTION



105367 Heather Warp



105368 Loch Warp



105369 Highland Warp



105370 Moorland Warp



105371 Fuchsia Warp



105372 Autumn Warp



105373 Glen Warp



105374 Dale Warp

**WW865**

**Modular, 25cm x 1m**

Style: 12821

**Yarn Manufacturer**

Aquafil

**Yarn System**

100% Recycled Content Nylon

**Color System**

100% Solution Dyed

**Construction**

Tufted Pattern Loop

**Preservative Protection**

Intersept®

**Soil/Stain Protection**

Protekt2®

**Pile Thickness**

1.4mm (0.057in)

**Pile Density**

10,737

**Traffic Classification**

Severe

**Total Recycled Content**

up to 83%

**Indoor Air Quality**

Green Label Plus #GLP0820, CDPH 01350

**Installation Methods**

Ashlar, Herringbone

*Full product specification on [interface.com](http://interface.com)*




PRODUCT SOURCE MATERIAL™ COLOR 106309 NICKEL INSTALLED ASHLAR  
 PRODUCT WW860 COLOR 105352 FLANNEL TWEED INSTALLED ASHLAR

## WW870 | WORLD WOVEN™ COLLECTION



105343 Linen Weft



105344 Flannel Weft



105345 Charcoal Weft



105346 Black Weft



105347 Brown Weft



105348 Natural Weft



105349 Raffia Weft



105350 Sisal Weft

### WW870

**Modular, 25cm x 1m**

Style: 13893

**Yarn Manufacturer**

Aquafil

**Yarn System**

100% Recycled Content Nylon

**Color System**

100% Solution Dyed

**Construction**

Tufted Textured Loop

**Preservative Protection**

Intersept®

**Soil/Stain Protection**

Protekt2®

**Pile Thickness**

2.6mm (0.104in)

**Pile Density**

7,962

**Traffic Classification**

Heavy

**Total Recycled Content**

up to 84%

**Indoor Air Quality**

Green Label Plus #GLP0820, CDPH 01350

**Installation Methods**

Ashlar, Herringbone

*Full product specification on [interface.com](https://interface.com)*



## WW880 | WORLD WOVEN™ COLLECTION



105359 Linen Loom



105360 Flannel Loom



105361 Charcoal Loom



105362 Black Loom



105363 Brown Loom



105364 Natural Loom



105365 Raffia Loom



105366 Sisal Loom

### WW880

**Modular, 25cm x 1m**

Style: 12820

**Yarn Manufacturer**

Aquafil

**Yarn System**

100% Recycled Content Nylon

**Color System**

100% Solution Dyed

**Construction**

Tufted Sheared

**Preservative Protection**

Intersept®

**Soil/Stain Protection**

Protekt2®

**Pile Thickness**

3mm (0.119in)

**Pile Density**

7,563

**Traffic Classification**

Heavy

**Total Recycled Content**

up to 84%


**Indoor Air Quality**

Green Label Plus #GLP0820, CDPH 01350

**Installation Methods**

Ashlar, Herringbone

*Full product specification on [interface.com](https://interface.com)*



PRODUCT WW895 COLOR 105377 HIGHLAND WEAVE - INSTALLED ASHLAR  
PRODUCT WW870 COLOR 105345 CHARCOAL WEFT - INSTALLED ASHLAR

Fast, when you need it.   
See [interface.com/QuickShip](http://interface.com/QuickShip) for QS program details.

## WW890 | WORLD WOVEN™ COLLECTION



105383 Linen Dobby




105384 Flannel Dobby



105385 Charcoal Dobby



105386 Black Dobby



105387 Brown Dobby



105388 Natural Dobby



105389 Raffia Dobby



105390 Sisal Dobby

### WW890

Modular, 25cm x 1m

Style: 12824

Yarn Manufacturer

Aquafil

Yarn System

100% Recycled Content Nylon

Color System

100% Solution Dyed

Construction

Tufted Pattern Loop

Preservative Protection

Intersept®

Soil/Stain Protection

Protekt2®

Pile Thickness

3.1mm (0.123in)

Pile Density

8,780

Traffic Classification

Heavy

Total Recycled Content

up to 85%

Indoor Air Quality

Green Label Plus #GLP0820, CDPH 01350

Installation Methods

Ashlar, Herringbone

Full product specification on [interface.com](http://interface.com)



## WW895 | WORLD WOVEN™ COLLECTION



105375 Heather Weave



105376 Loch Weave



105377 Highland Weave



105378 Moorland Weave



105379 Fuchsia Weave



105380 Autumn Weave



105381 Glen Weave



105382 Dale Weave

### WW895

Modular, 25cm x 1m

Style: 12822

Yarn Manufacturer

Aquafil

Yarn System

100% Recycled Content Nylon

Color System

100% Solution Dyed

Construction

Tufted Pattern Loop

Preservative Protection

Intersept®

Soil/Stain Protection

Protekt2®

Pile Thickness

2.9mm (0.116in)

Pile Density

9,310

Traffic Classification

Heavy

Total Recycled Content

up to 85%


Indoor Air Quality

Green Label Plus #GLP0820, CDPH 01350

Installation Methods

Ashlar, Herringbone

Full product specification on [interface.com](http://interface.com)



CARPET PRODUCT WW890 COLOR 105389 RAFFIA DOBBY INSTALLED ASHLAR  
LVT PRODUCT NATURAL WOODGRAINS COLOR A00205 STORM INSTALLED ASHLAR

# ALL THE EXTRAS

## FROM ENTRYWAYS TO STAIRS AND MORE

When we say we have a system of products for EVERY government space, we mean it. That includes walk-off products for entryways, nora stairwell solutions, and a range of accessories for norament® and noraplan® floor coverings to complete the perfect floor.

### Interface Walk-Off Carpet

- Unlike most walk-offs, ours can be cleaned just like carpet, making it ideal for entryways and high-traffic areas
- Stiff fibers in our Step Repeat™ Collection grab dirt and debris before it's tracked inside, trapping it until it can be vacuumed later
- Interiors stay fresher, creating a better indoor environment with reduced maintenance

### nora® Stairwell Solutions

- Fast installation and decades-long endurance against heavy traffic
- norament® stairtreads offer a pre-shaped stair nosing, riser and tread all-in-one piece and fit straight steps with an angled edge
- nora stair nosings use a slide-in lip to lock in noraplan and norament floor coverings for installation on all types of staircases
- nora® visually impaired strips are offered in smooth or textured surfaces and high-contrast colors for added safety and accessibility. Photoluminescent option available on request.
- Class A fire-rated stair tread options are ideal for emergency exits and stairways

### nora® Accessories

- nora® wall base adds that final touch to your installation
- nora® heat weld or nora® cold weld for monolithic installations
- nora® sanitary base for areas with stringent hygienic requirements
- High-quality installation materials tailored to nora® rubber




## INSTALLATIONS

### SCAN FOR MORE CONTENT

Scan the QR code to learn more about our installation systems, adhesives, TacTiles™, wall base and welds.



- 89 **WALK OFF**
- 91 **NORAMENT® STAIRTREADS: 920, GRANO, ROUND, SATURA**
- 93 **NORAMENT® STAIRTREADS: ARAGO, HAMMERED**
- 95 **REDUCE YOUR CARBON FOOTPRINT**



PRODUCT SR899 • COLOR 104940 IRON • INSTALLED MONOLITHIC

**SR699** | STEP REPEAT™ COLLECTION



**SR899** | STEP REPEAT™ COLLECTION



**SR799** | STEP REPEAT™ COLLECTION



**SR999** | STEP REPEAT™ COLLECTION



**SR699**

**Modular, 50cm x 50cm**  
Style: 13884  
**Yarn Manufacturer**  
Aquafil  
**Yarn System**  
100% Recycled Content Nylon  
**Color System**  
100% Solution Dyed  
**Construction**  
Tufted Textured Loop  
**Preservative Protection**  
Intersept®  
**Soil/Stain Protection**  
Protekt2®  
**Pile Thickness**  
3.7mm (0.147in)  
**Pile Density**  
6,612  
**Total Recycled Content**  
up to 80%  
**Indoor Air Quality**  
Green Label Plus #GLP0820,  
CDPH 01350  
**Installation Methods**  
Quarter-Turn  
*Full product specification on [interface.com](http://interface.com)*



QUARTER-TURN

**SR799**

**Modular, 50cm x 50cm**  
Style: 13885  
**Yarn Manufacturer**  
Aquafil  
**Yarn System**  
100% Recycled Content Nylon  
**Color System**  
100% Solution Dyed  
**Construction**  
Tufted Textured Loop  
**Preservative Protection**  
Intersept®  
**Soil/Stain Protection**  
Protekt2®  
**Pile Thickness**  
3.6mm (0.14in)  
**Pile Density**  
6,686  
**Total Recycled Content**  
up to 80%  
**Indoor Air Quality**  
Green Label Plus #GLP0820,  
CDPH 01350  
**Installation Methods**  
Quarter-Turn  
*Full product specification on [interface.com](http://interface.com)*



QUARTER-TURN

**SR899**

**Modular, 50cm x 50cm**  
Style: 13886  
**Yarn Manufacturer**  
Aquafil  
**Yarn System**  
100% Recycled Content Nylon  
**Color System**  
100% Solution Dyed  
**Construction**  
Tufted Textured Loop  
**Preservative Protection**  
Intersept®  
**Soil/Stain Protection**  
Protekt2®  
**Pile Thickness**  
3.6mm (0.143in)  
**Pile Density**  
6,545  
**Total Recycled Content**  
up to 80%  
**Indoor Air Quality**  
Green Label Plus #GLP0820,  
CDPH 01350  
**Installation Methods**  
Monolithic  
*Full product specification on [interface.com](http://interface.com)*



MONOLITHIC

**SR999**

**Modular, 50cm x 50cm**  
Style: 13887  
**Yarn Manufacturer**  
Aquafil  
**Yarn System**  
100% Recycled Content Nylon  
**Color System**  
100% Solution Dyed  
**Construction**  
Tufted Textured Loop  
**Preservative Protection**  
Intersept®  
**Soil/Stain Protection**  
Protekt2®  
**Pile Thickness**  
3.2mm (0.127in)  
**Pile Density**  
7,654  
**Total Recycled Content**  
up to 80%  
**Indoor Air Quality**  
Green Label Plus #GLP0820,  
CDPH 01350  
**Installation Methods**  
Non Directional  
*Full product specification on [interface.com](http://interface.com)*



NON-DIRECTIONAL



**PRODUCT SR699 COLOR 104932 IRON INSTALLED QUARTER-TURN**  
**PRODUCT SR899 COLOR 104941 ONYX INSTALLED MONOLITHIC**

**norament® 920 STAIRTREADS**  
(Class A Fire-Rated)



0702 Black    0749 Stone Grey    0862 Azure Blue    0884 Dust Grey

Art. 465 — width ~1285mm (50.59in)

**norament® ROUND STAIRTREADS**



0007 Aluminum    0319 Slate Blue    0702 Black    0716 Slate Grey



0733 Steel Blue    0749 Stone Grey    0882 Platinum Grey    0884 Dust Grey




5336 Rhino    5337 Ash    5343 Evergreen

Art. 465 — width ~1285mm (50.59in)


Art. 466 — width ~1614mm (63.54in)

Art. 467 — width ~2004mm (78.89in)


**norament® GRANO™ STAIRTREADS**



5301 White Fir    5302 Angelica Root    5303 Frankincense    5304 Black Pepper



5313 Marjoram    5314 Henna    5315 Cedarwood    5308 Myrrh




5329 Bergamot    5325 Balsam    5317 Agapanthus    5318 Blue Tansy

Art. 479 — width ~1285mm (50.59in)


Art. 468 — width ~1614mm (63.54in)

Art. 469 — width ~2004mm (78.89in)


**norament® SATURA™ STAIRTREADS**



5102 Grus    5103 Mercury    5107 Callisto    5108 Indus



5110 Ara    5114 Circinus    5115 Hercules    5116 Arcturus




5121 Hydra    5127 Vela

Art. 479 — width ~1285mm (50.59in)

Art. 468 — width ~1614mm (63.54in)

Art. 469 — width ~2004mm (78.89in)



PRODUCT NORAMENT GRANO STAIRTREADS COLOR 5329 BERGAMOT

© nora

norament® **ARAGO™ STAIRTREADS**



5171 Fortitude    5172 Stamina    5175 Unity    5177 Balance



5178 Calm    5179 Tranquil

Art. 3170 — width ~1285mm (50.59in)  
 Art. 3171 — width ~1614mm (63.54in)  
 Art. 3172 — width ~2004mm (78.89in)

norament® **HAMMERED STAIRTREADS**



0007 Aluminum    0319 Slate Blue    0702 Black    0716 Slate Grey




0733 Steel Blue    0749 Stone Grey    0882 Platinum Grey    0884 Dust Grey



5336 Rhino    5337 Ash    5343 Evergreen

Art. 479 — width ~1285mm (50.59in)  
 Art. 468 — width ~1614mm (63.54in)  
 Art. 469 — width ~2004mm (78.89in)

View details and the full product specification at [nora.com](http://nora.com)



PRODUCT NORAMENT ARAGO STAIRTREADS COLOR 5171 FORTITUDE

© nora

# **REDUCE YOUR CARBON FOOTPRINT** THROUGH THE MATERIALS YOU SELECT

## **AND THE PARTNERS WITH WHICH YOU WORK**

As you consider your sustainability mission, who will best support your goals? You need more than a flooring provider. You need a partner. Flooring is such a critical capital investment—and the cost can be far greater than just the monetary investment, given how much environmental impact is generated from your organization's supply chain. By choosing Interface, you're selecting a single-source solution that will not only help you reduce your overall carbon footprint, but also lower the total cost of ownership over time.



LVT PRODUCT DRAWN LINES COLOR A00908 SILVER INSTALLED ASHLAR  
CARPET PRODUCT STITCH COUNT COLOR 105928 CHARCOAL COUNT INSTALLED ASHLAR

